

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687770723943

अनुबंध तिथि | Generated Date : 10-May-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4822638](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : Central PSU मंत्रालय Ministry : Ministry of Power विभाग Department : POWER GRID Corporation OF INDIA Limited संगठन का नाम Organisation Name : POWER GRID Corporation OF INDIA Limited कार्यालय क्षेत्र Office Zone : Corporate Office Gurgaon	पद Designation : CM1 संपर्क नंबर Contact No. : -9419224612- ईमेल आईडी Email ID : buyer2.pgCIL.ggn@gembuyer.in जीएसटीआईएन GSTIN : 06AAACP0252G1ZX पता Address : Powergrid Corporation of India Limited, NR1 RHQ, SCO bay No.05 to 10, Sector 16A, Faridabad, Haryana-121002, FARIDABAD, HARYANA-121002, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : (CGM(RAJASTHAN PROJECTS-JAIPUR-NR1)) वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : SR DGM(F&A-NR1-RHQ))	Role: PAO भुगतान का तरीका Payment Mode: PGCIL पद Designation : Dpty Manager ईमेल आईडी Email ID : pao1.mop.jaipur@gembuyer.in जीएसटीआईएन GSTIN : 08AAACP0252G1ZT पता Address : POWERGRID CORPORATION OF INDIA, Jaipur Office, B-4/184 Chitrakoot Scheme, Near Pratap Stadium, Vaishali Nagar, Jaipur, Rajasthan-302021, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 6D94180000351340 कंपनी का नाम Company Name : TRILOK CHANDRA NIRMAL KUMAR संपर्क नंबर Contact No. : 09829051420 ईमेल आईडी Email ID : tcnkgodrej@yahoo.com पता Address : First Floor,55, Everest Colony,Lal Kothi,Jaipur, Jaipur, RAJASTHAN-302001, - एमआईआई स्थिति MII Status : True एमएसएमई सत्यापित MSME verified : No एमएसएमई पंजीकरण संख्या MSME Registration number : - जीएसटीआईएन GSTIN : 08AAHFT5427F1Z3 (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : null

उत्पाद विवरण | Product Details (PAC)

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : GODREJ INTERIO Revolving Chair with Synchronic tilt mechanism ब्रांड Brand : GODREJ INTERIO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Revolving Chair (V3) (Q2) मॉडल Model : GODREJ INTERIO MARVEL HIGH BACK एचएसएन कोड HSN Code : HSN not specified by seller	1	pieces	20,877.55	NA	20,877.55
2	उत्पाद का नाम Product Name : GODREJ INTERIO Revolving Chair with Synchronic tilt mechanism ब्रांड Brand : GODREJ INTERIO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Revolving Chair (V3) (Q2) मॉडल Model : GODREJ INTERIO PULSE MID BACK CHAIR LS एचएसएन कोड HSN Code : HSN not specified by seller	8	pieces	10,918.09	NA	87,344.72
3	उत्पाद का नाम Product Name : GODREJ INTERIO Non-Revolving and Non-Tilting chair with Armrest ब्रांड Brand : GODREJ INTERIO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller	6	pieces	14,724.59	NA	88,347.54

	श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Chair Office (V2) (Q3) मॉडल Model: GODREJ INTERIO MARVEL VISITOR CHAIR एचएसएन कोड HSN Code: HSN not specified by seller					
4	उत्पाद का नाम Product Name : GODREJ INTERIO Executive Table with Both side pedestal unit ब्रांड Brand : GODREJ INTERIO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Executive Table (V2) (Q3) मॉडल Model: ARISTO EXECUTIVE TABLE 1800 * 1200 ERU PDL एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	83,003.79	NA	83,003.79
5	उत्पाद का नाम Product Name : GODREJ INTERIO Executive Table with One side pedestal unit ब्रांड Brand : GODREJ INTERIO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Executive Table (V2) (Q3) मॉडल Model: GODREJ INTERIO ARISTO 1200x600 MAIN TABLE एचएसएन कोड HSN Code: HSN not specified by seller	3	pieces	13,755.92	NA	41,267.76
6	उत्पाद का नाम Product Name : GODREJ INTERIO Almira Steel shelving cabinets ब्रांड Brand : GODREJ INTERIO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Almira Steel (V2) (Q3) मॉडल Model: GODREJ INTERIO STORWEL PLAIN एचएसएन कोड HSN Code: HSN not specified by seller	2	pieces	23,385.46	NA	46,770.92
7	उत्पाद का नाम Product Name : GODREJ INTERIO Almira having Sliding Doors 4 Drawers 4 Shelves ब्रांड Brand : GODREJ INTERIO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Storage cum Filing Cabinet (Q3) मॉडल Model: GODREJ 4 DRAWER VERTICAL FILING CABINET एचएसएन कोड HSN Code: HSN not specified by seller	2	pieces	22,969.24	NA	45,938.48
8	उत्पाद का नाम Product Name : GODREJ INTERIO Almira Steel with Glass door ब्रांड Brand : GODREJ INTERIO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Almira Steel (V2) (Q3) मॉडल Model: GODREJ INTERIO GLASS DOOR STORWEL एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	31,170.92	NA	31,170.92
9	उत्पाद का नाम Product Name : GODREJ INTERIO Modular Metal Drawer File Cabinet Pedestal 577 millimeter 400 millimeter 450 millimeter ब्रांड Brand : GODREJ INTERIO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Modular Metal Drawer File Cabinet Pedestal (Q3) मॉडल Model: GODREJ INTERIO Free Standing Pedestal with Castors एचएसएन कोड HSN Code: HSN not specified by seller	3	pieces	12,573.64	NA	37,720.92

कुल ऑर्डर मूल्य | Total Order Value (in INR)

482,442.6

परोक्षी विवरण | Consignee Detail

क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
		GODREJ INTERIO Revolving Chair with Synchronic tilt mechanism	-	1	10-May-2024	09-Jul-2024
		GODREJ INTERIO Revolving Chair with Synchronic tilt mechanism	-	8	10-May-2024	09-Jul-2024
		GODREJ INTERIO Non-Revolutioning and Non-				

1	<p>पद Designation :- ईमेल आईडी Email ID : con1053.pgcil.rj@gembuyer.in संपर्क Contact :- जीएसटीआईएन GSTIN :- पता Address : A-97, HARI BHAU UPADHYAY NAGAR MAIN YOJNA KOTRA AJMER, RAJASTHAN-305001, (FOR TBCB, BEAWAR DAUSA TRANSMISSION LINE), AJMER, RAJASTHAN-305001, India</p>	Tilting chair with Armrest	-	6	10-May-2024	09-Jul-2024
		GODREJ INTERIO Executive Table with Both side pedestal unit	-	1	10-May-2024	09-Jul-2024
		GODREJ INTERIO Executive Table with One side pedestal unit	-	3	10-May-2024	09-Jul-2024
		GODREJ INTERIO Almirah Steel shelving cabinets	-	2	10-May-2024	09-Jul-2024
		GODREJ INTERIO Almirah having Sliding Doors 4 Drawers 4 Shelves	-	2	10-May-2024	09-Jul-2024
		GODREJ INTERIO Almirah Steel with Glass door	-	1	10-May-2024	09-Jul-2024
		GODREJ INTERIO Modular Metal Drawer File Cabinet Pedestal 577 millimeter 400 millimeter 450 millimeter	-	3	10-May-2024	09-Jul-2024

Product Specification for GODREJ INTERIO Revolving Chair with Synchronic tilt mechanism

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Tilt limiter
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)
	Seat depth adjustment	Adjustable
	Backrest type	Tilting type
	Backrest support type	Adjustable lumber support
	Headrest type	Without headrest
	Revolving mechanism	Designed with 360 degree-revolving type and upright locking
	Height adjustments	Pneumatic
	Additional requirement I	NA
	Additional requirement II	NA
	Additional requirement III	NA
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Aluminium die Cast
	Twin wheel castor material	Nylon
	Number of twin wheel castor	5 Nos.
	Minimum diameter of twin wheel castor	50 mm
	Armrest Material	PU molded over metal insert
	Seat base material	Hot pressed plywood
	Seat material	PU foam
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	Leatherette
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm
	Backrest upholstery material	Leatherette
Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)	

DIMENSION	Minimum seat height from floor surface	400 mm
	Minimum Seat height adjustment	Up to 100 mm
	Minimum width of seat	450 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Black
	Upholstered material backrest color	Black
	Finish of exposed metal parts	Chrome plated
WARRANTY	Warranty period in number of years	1-Year
TESTING AND CERTIFICATION	Green Pro Certification issued by CII	Yes
	BIFMA membership	Yes
Product Specification for GODREJ INTERIO Revolving Chair with Synchronic tilt mechanism		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Any position Locking
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)
	Seat depth adjustment	Adjustable
	Backrest type	Tilting type
	Backrest support type	Adjustable lumber support
	Headrest type	Without headrest
	Revolving mechanism	Designed with 360 degree-revolving type and upright locking
	Height adjustments	Pneumatic
	Additional requirement I	NA
	Additional requirement II	NA
	Additional requirement III	NA
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Nylon
	Twin wheel castor material	Nylon
	Number of twin wheel castor	5 Nos.
	Minimum diameter of twin wheel castor	50 mm
	Armrest Material	PU molded over plastic inner
	Seat base material	Hot pressed plywood
	Seat material	PU foam
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	100 % Polyester fabric
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	NA
	The minimum density of foam used in the backrest	NA
	Minimum thickness of PU foam used in backrest	30 mm
	Backrest upholstery material	Mesh fabrics
	Upholstery material thickness /fabric substance used in seat /backrest	Minimum 200 GSM (for Woven fabric)
		Minimum seat height from floor surface
Minimum Seat height adjustment		Up to 100 mm

DIMENSION	Minimum width of seat	450 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Black
	Upholstered material backrest color	Black
	Finish of exposed metal parts	Chrome plated
WARRANTY	Warranty period in number of years	1-Year
TESTING AND CERTIFICATION	Green Pro Certification issued by CII	Yes
	BIFMA membership	Yes

Product Specification for GODREJ INTERIO Non-Revolving and Non-Tilting chair with Armrest

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERAL REQUIREMENT	Chair Type	Non-Revolving and Non-Tilting chair with Armrest
	Chair frame type	Cantilever
	Armrest type	Continuous armrest
	Armrest front side	Curved
	Seat type	Padded
	Backrest type	Padded
	Shoe/Studs material	N.A
FABRICATION	Seat Fitted	Over flat size in depth-wise of the frame on both sides with minimum 3 screws
	Backrest Fitted	By round head screws 3 Nos. (minimum) on each side
	Armrest Fitted	With round steel screws 3 Nos. (minimum) on each side
CHAIR FRAME	Frame Material Configuration	One piece
	Frame material	Stainless Steel (SS 202)
	The shape of tubular section of frame	Round
	Section Size (Diameter/Sides) of frame	25 mm
	Frame section wall thickness	2 mm
ARMREST FABRICATION	The armrest material	PU (reinforce with MS insert)
	Armrest Padded with	N.A
	Armrest upholstered with	PU sheet
	Armrest material thickness	30 mm
SEAT FABRICATION	Seat material	Moulded Plywood
	Seat material thickness	40 mm
	Seat padded	Yes
	Density of Polyurethane foam used in seat (± 2 Kg/Cub Meter)	45
	Seat upholstered with	Leatherette
	GSM of seat cover (± 3 GSM)	390 GSM
	Polyurethane foam thickness (for seat)	55 mm
	Color of Seat cover	Black
BACKREST FABRICATION	Backrest material	Moulded Plywood
	Backrest Material thickness	40 mm
	Backrest padded	Yes
	Density of Polyurethane foam used in Backrest (± 2 Kg/Cub Meter)	45
	Backrest upholstered with	Leatherette
	GSM of Backrest cover (± 3 GSM)	390 GSM

	Polyurethane foam thickness (for backrest)	55 mm
	Colour of Backrest cover	Black
DIMENSION	Seat Depth (± 5 mm)	480 mm
	Seat Width (± 5 mm)	460 mm
	Seat height from floor surface (± 5 mm)	435 mm
	Backrest width (± 5 mm)	470 mm
	Backrest height from seat (± 5 mm)	480 mm
	Arm Length (± 5 mm)	250 mm
	Arm Width (± 2 mm)	70 mm
COLOUR AND FINISH	Paint Type	N.A
	Polish Type	N.A
	Colour of Paint	N.A
TEST REPORT AND CERTIFICATION	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification	No
	Test reports to be furnished to buyer on demand	Yes
	Test Report Number and Date (Write NA if test report not available)	N.A.
	Name and Address of the Lab(Write NA if test report not available)	N.A.
	BIFMA certification	Yes
	OEM of offered product is ISO 9001:2015 certified	Yes
	OEM of offered product is ISO 14001:2015 certified	Yes
OEM of offered product is ISO 45001:2018 certified	Yes	

Product Specification for GODREJ INTERIO Executive Table with Both side pedestal unit

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERIC	Structure /Frame of table	Two legs with modesty panel
	Frame type	Freestanding
	Accessories /Optional requirement for table	Beam Support for Table Top
	The type of Storage provided	Both side pedestal unit
	Keyboard tray	Not provided
	Footrest	Not Provided
	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller
MATERIAL	Tabletop Material	Prelaminated MDF board
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	25 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	25 mm
	Gable end and modesty panel plain side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
	Table top edges	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
	Leg Material	NA
	The thickness of the Leg material	NA
	Beam Material	CRC 40 mm x 40 mm Square Pipe with Powder Coated
Number of buffers provided	4 Numbers at the bottom	
DIMENSION	Width of tabletop ±10 mm	1800 mm
	Depth of table ±10 mm	915 mm
	Height of table ±10 mm	750 mm

	Size (L x W) /diameter of leg material \pm 5 mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	3 drawers
	ERU top material	NA
	ERU top material thickness \pm 2 mm	25 mm
	Width of ERU unit \pm 10 mm	1200 mm
	Depth of ERU unit \pm 5 mm	520 mm
	Height of ERU unit \pm 5 mm	750 mm
	ERU side panel material	Prelaminated MDF board
	ERU side panel Thickness \pm 2 mm	25 mm
	Number of lockable castors at the bottom	NA
	Size of lockable castors \pm 2 mm	Diameter 50 mm and height 60 mm
	Type of storage lock system	Central locking system
	Drawer /storage shutter pull-up mechanism	Push type
	ERU outer Surface Finish	Laminate in color with swede finish 0.6-0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side
	ERU shade	Teak
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
	Complete body fascia and drawer material in Pedestal Unit	MDF board of grade SBG II of IS 12406/Latest
	Thickness of the complete body fascia & drawer material	25 mm
	Material for back panel in pedestal unit	MDF board of grade SBG II of IS 12406/Latest
	Back Panel Thickness in Pedestal Unit	18 mm
	Drawer Bottom Material	MDF board of grade SBG II of IS 12406/Latest
	Drawer Bottom Material Thickness	9 mm
	Provision of Castor in Pedestal unit	With
	Lock provided (for pedestal unit)	Central lock
	Pedestal handle material	Plastic
	Pedestal outer finish	Laminate in color with swede finish 0.6 - 0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side
	Pedestal shade	Teak
	Width of Pedestal unit in mm (\pm 10 mm)	600 mm
	Depth of pedestal unit \pm 10mm	600 mm
Height of pedestal unit \pm 5mm	725 mm	
KEYBOARD TRAY	Material of keyboard tray and Right angle L-type supporting bracket	NA
	Material thickness of keyboard tray \pm 1mm	NA
	Fixing of supporting bracket	NA
	Length of telescopic channel \pm 10 mm	NA
	Keyboard height \pm 10mm	NA
	Keyboard front width \pm 10mm	NA
	Keyboard depth \pm 10mm	NA
FOOTREST	Material of footrest	NA
	Material thickness of footrest \pm 2mm	NA
	Height of footrest \pm 10mm	NA
	Width of footrest \pm 10mm	NA

	Depth of footrest ±10mm	NA
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Teak
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No
	The product has BIFMA certification	No
	OEM of the offered product is ISO 9001:2015 certified	Yes
	OEM of the offered product is ISO 14001:2015 certified	Yes
	OEM of the offered product is ISO 45001:2018 certified	Yes
	The product has GREENGUARD certification	No
	The product has Green Pro certification	No

Product Specification for GODREJ INTERIO Executive Table with One side pedestal unit

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERIC	Structure /Frame of table	Two legs with modesty panel
	Frame type	Freestanding
	Accessories /Optional requirement for table	Beam Support for Table Top
	The type of Storage provided	One side pedestal unit
	Keyboard tray	Not provided
	Footrest	Not Provided
	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	25 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	25 mm
	Gable end and modesty panel plain side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
	Table top edges	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
	Leg Material	NA
	The thickness of the Leg material	NA
	Beam Material	NA
	Number of buffers provided	NA
DIMENSION	Width of tabletop ±10 mm	1200 mm
	Depth of table ±10 mm	600 mm
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	NA
	ERU unit consists of	No ERU
	ERU top material	NA
	ERU top material thickness ± 2 mm	NA

EXTENDED RETURN UNIT	Width of ERU unit ± 10 mm	NA
	Depth of ERU unit ± 5 mm	NA
	Height of ERU unit ± 5 mm	NA
	ERU side panel material	NA
	ERU side panel Thickness ± 2 mm	NA
	Number of lockable castors at the bottom	NA
	Size of lockable castors ± 2 mm	NA
	Type of storage lock system	NA
	Drawer /storage shutter pull-up mechanism	NA
	ERU outer Surface Finish	NA
	ERU shade	Teak
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	One storage
	Complete body fascia and drawer material in Pedestal Unit	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Thickness of the complete body fascia & drawer material	NA
	Material for back panel in pedestal unit	NA
	Back Panel Thickness in Pedestal Unit	NA
	Drawer Bottom Material	NA
	Drawer Bottom Material Thickness	NA
	Provision of Castor in Pedestal unit	Without
	Lock provided (for pedestal unit)	NA
	Pedestal handle material	NA
	Pedestal outer finish	NA
	Pedestal shade	Teak
	Width of Pedestal unit in mm (±10 mm)	600 mm
	Depth of pedestal unit ±10mm	600 mm
Height of pedestal unit ±5mm	725 mm	
KEYBOARD TRAY	Material of keyboard tray and Right angle L-type supporting bracket	NA
	Material thickness of keyboard tray ±1mm	NA
	Fixing of supporting bracket	NA
	Length of telescopic channel ± 10 mm	NA
	Keyboard height±10mm	NA
	Keyboard front width±10mm	NA
	Keyboard depth±10mm	NA
FOOTREST	Material of footrest	NA
	Material thickness of footrest ±2mm	NA
	Height of footrest ±10mm	NA
	Width of footrest ±10mm	NA
	Depth of footrest ±10mm	NA
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Teak
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	1 Year
	Test reports to be furnished to the buyer on demand	No

CERTIFICATION	The product has BIFMA certification	No
	OEM of the offered product is ISO 9001:2015 certified	Yes
	OEM of the offered product is ISO 14001:2015 certified	Yes
	OEM of the offered product is ISO 45001:2018 certified	Yes
	The product has GREENGUARD certification	No
	The product has Green Pro certification	No

Product Specification for GODREJ INTERIO Almirah Steel shelving cabinets

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERAL REQUIREMENT	Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	Type of Almirah steel	Almirah Steel shelving cabinets
	Construction type	Welded
	Installation	Free standing
	Pedestal	Yes
	Pedestal fitted with	3 mm Teflon Bush
	Pedestal height (± 5 mm)	125 mm
	Locker required	No
	Door type	Hinged
	Number of door	2
	Number of hinges (for each door)	3
	Door stiffener up to full door height provided	Yes
	Mirror fitted	No mirror
	Number of drawers required	No Drawer
	Shelves required	Adjustable
	Number of shelves	4
	Uniformly distributed load (UDL) for shelves	60 Kgs.
	Wardrobe by style	No wardrobe
	Tie Hanger	No
	Colour of finish	White
MATERIAL	Steel sheet material	CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)
	Sheet rounds and flats	N.A
	Screws	Conforming to IS 1365
	Hanging rod material	No hanging rod
	Mirror frame made out of (if provided)	No mirror frame
	Tie hanger made out of	N.A
	Stiffener material	MS sheet
	Almirah height(excluding the height of pedestal) ± 5 mm	1980 mm
	Almirah width ± 5 mm	920 mm
	Almirah depth ± 5 mm	480 mm
	Locker inside height ± 5 mm	No locker
	Locker inside width ± 5 mm	N.A
	Locker inside depth ± 5 mm	N.A
	Drawer height	N.A
	Drawer width	N.A
	Drawer depth	N.A

DIMENSION	Mirror sizes	N.A
	Shelves lipped flange	35 mm
	Side sheet thickness	0.9 mm
	Back sheet thickness	0.8 mm
	Top sheet thickness	0.9 mm
	Bottom sheet thickness	0.9 mm
	Shelves sheet thickness	0.7 mm
	Shelves supporting bracket thickness	1.6 mm
	Door metal stiffener thickness	0.8 mm
	Pedestal sheet thickness	0.8 mm
	Hinges sheet thickness	1.6 mm
	locker door sheet thickness	N.A
	Drawer sheet thickness	N.A
	Hanging rod wall thickness	N.A
	Hanging rod diameter ±2 mm	N.A
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Tie hanger sheet thickness	N.A
	Width of stiffener	115 mm
	Stiffener sheet thickness	0.6 mm
	Number of glass sheet fixed	N.A
Handle size	12 cm	
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah lock/locker lock	Six lever lock
	Material of lock	Finish having brass levers and MAZAK/ZAMAK bolt having Zinc plated finish along with MAZAK/ZAMAK handle
	Duplicate keys (for each)	Yes
	Keys material (for each lock)	Keys made of MAZAK/ZAMAK having nickel plated finish
	Steel Almirah locking mechanism	A three way bolting device controlled by a lock
	Door handle material for almirah lock	Zinc based alloy
	Handle material for locker	N.A
	Lockers locking mechanism	N.A
FINISH	Drawer lock	N.A
	All the mild steel parts shall be given phosphating treatment	N.A
	The process of application of phosphate coating	N.A
	Finish coat with enamels	N.A
TESTING AND CERTIFICATION	Powder coating	Conforming to IS: 13871
	Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification	Yes
	Test Report Number and Date	-
	Name and Address of the Lab	-
	Test reports to be furnished to buyer on demand, if claimed to be available	Yes

Product Specification for GODREJ INTERIO Almirah having Sliding Doors 4 Drawers 4 Shelves

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERIC	Construction	Almirah having Sliding Doors
	Number of Adjustable Shelves in top part of almirah (Nos)	4
	No of File Storage Drawers at the bottom	4
	Sliding Mechanism for Drawers	Telescopic Slide
	Type of Locking (Doors and Drawers)	Central locking

	Delivery Condition of Sliding Door Storage Unit	Knock Down supply to be assembled by Seller at Consignee Site
MATERIAL	Material	M S Sheet
	Thickness of Top Pannel (mm)	0.7 mm thickness of MS sheet
	Thickness of Bottom Pannel (mm)	0.6 mm thickness of MS sheet
	Thickness of Back (mm)	0.7 mm thickness of MS sheet
	Thickness of side Pannels (mm)	0.7 mm thickness of MS sheet
	Thickness of Shelves Pannels (mm)	0.7 mm thickness of MS sheet
	Thickness of door Pannel (mm)	0.7 mm thickness of MS sheet
DIMENSION	Overall Width ±5(mm)	900 millimeter
	Overall Depth ±5(mm)	450 millimeter
	Overall Height ±10(mm)	1830 millimeter
	Working Width of Drawer ±50(mm)	470 millimeter
	Working Height of Drawer ±3(mm)	1320 millimeter
	Working Depth of Drawer ±5(mm)	620 millimeter
COLOUR & FINISH	Paint	Powder Coating
	Colour of MDF/ Prelaminated Particle Board	As per buyer's choice
	Colour of Paint	As per buyer's choice
WARRANTY	Warranty Period in number of years	1

Product Specification for GODREJ INTERIO Almirah Steel with Glass door

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERAL REQUIREMENT	Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	Type of Almirah steel	Almirah Steel with Glass door
	Construction type	Welded
	Installation	Free standing
	Pedestal	Yes
	Pedestal fitted with	3 mm Teflon Bush
	Pedestal height (± 5 mm)	125 mm
	Locker required	No
	Door type	Hinged
	Number of door	2
	Number of hinges (for each door)	3
	Door stiffener up to full door height provided	No
	Mirror fitted	No mirror
	Number of drawers required	No Drawer
	Shelves required	Adjustable
	Number of shelves	4
	Uniformly distributed load (UDL) for shelves	60 Kgs.
	Wardrobe by style	No wardrobe
	Tie Hanger	No
	Colour of finish	Silver Grey
MATERIAL	Steel sheet material	CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)
	Sheet rounds and flats	N.A
	Screws	Conforming to IS 1365
	Hanging rod material	No hanging rod
	Mirror frame made out of (if provided)	No mirror frame
	Tie hanger made out of	N.A

	Stiffener material	No stiffener
DIMENSION	Almirah height(excluding the height of pedestal) ± 5 mm	1980 mm
	Almirah width ± 5 mm	920 mm
	Almirah depth ± 5 mm	490 mm
	Locker inside height ± 5 mm	No locker
	Locker inside width ± 5 mm	N.A
	Locker inside depth ± 5 mm	N.A
	Drawer height	N.A
	Drawer width	N.A
	Drawer depth	N.A
	Mirror sizes	N.A
	Shelves lipped flange	35 mm
	Side sheet thickness	0.9 mm
	Back sheet thickness	0.8 mm
	Top sheet thickness	0.9 mm
	Bottom sheet thickness	0.9 mm
	Shelves sheet thickness	0.7 mm
	Shelves supporting bracket thickness	1.6 mm
	Door metal stiffener thickness	N.A
	Pedestal sheet thickness	0.8 mm
	Hinges sheet thickness	1.6 mm
	locker door sheet thickness	N.A
	Drawer sheet thickness	N.A
	Hanging rod wall thickness	N.A
	Hanging rod diameter ±2 mm	N.A
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Tie hanger sheet thickness	N.A
	Width of stiffener	N.A
Stiffener sheet thickness	N.A	
Number of glass sheet fixed	4	
Handle size	12 cm	
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah lock/locker lock	Six lever lock
	Material of lock	Finish having brass levers and MAZAK/ZAMAK bolt having Zinc plated finish along with MAZAK/ZAMAK handle
	Duplicate keys (for each)	Yes
	Keys material (for each lock)	Keys made of MAZAK/ZAMAK having nickel plated finish
	Steel Almirah locking mechanism	A three way bolting device controlled by a lock
	Door handle material for almirah lock	Zinc based alloy
	Handle material for locker	N.A
	Lockers locking mechanism	N.A
FINISH	Drawer lock	N.A
	All the mild steel parts shall be given phosphating treatment	N.A
	The process of application of phosphate coating	N.A
	Finish coat with enamels	N.A
TESTING AND	Powder coating	Conforming to IS: 13871
	Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification	Yes
	Test Report Number and Date	-

CERTIFICATION	Name and Address of the Lab	-
	Test reports to be furnished to buyer on demand, if claimed to be available	Yes

Product Specification for GODREJ INTERIO Modular Metal Drawer File Cabinet Pedestal 577 millimeter 400 millimeter 450 millimeter

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERIC	Product utility	Mobile storage
	Product type	Free standing
	Product consists of	File drawer and Box drawer both
	Number of File drawers	2
	Number of Box drawers	1
	Partition in File drawer	No
	Partition in Box drawer	No
	Drawers movement	Double extension precision ball slide
	Number of file hanger in file drawer	0
	Handles for File/Box drawer	Without (alternate opening system)
	Pencil tray	Not available
	Lock System	Central locking system with Cam lock and central right handed locking with actuator lever and locking channel mechanism
	Mounted below type	Castor
	Construction type	Welded
	Any other requirements	N.A
DIMENSIONS	Overall height	577 millimeter
	Overall width	400 millimeter
	Overall depth	450 millimeter
	File drawer height (small) Hint : select '0' if file drawer (small) not available	117 millimeter
	File drawer height (medium) Hint : select '0' if file drawer (medium) not available	0 millimeter
	Box drawer height (small) Hint : select '0' if box drawer (small) not available	300 millimeter
	Box drawer height (medium) Hint : select '0' if box drawer (medium) not available	0 millimeter
MATERIAL and THICKNESS	Body shell material	CRCA 'D' grade sheet conforming to IS 513 as amended up to date
	Body shell thickness	1.2 millimeter
	Bottom material	CRCA 'D' grade sheet conforming to IS 513 as amended up to date
	Bottom thickness	0.8 millimeter
	Pedestal Side stiffeners material	CRCA 'D' grade sheet conforming to IS 513 as amended up to date
	Pedestal side stiffeners thickness	0.8 millimeter
	Pedestal Top and Pedestal Bottom stiffeners material	CRCA 'D' grade sheet conforming to IS 513 as amended up to date
	Pedestal Top and Bottom stiffeners thickness	2 millimeter
	Pedestal Top material	CRCA 'D' grade sheet conforming to IS 513 as amended up to date
	Pedestal top thickness	1.2 millimeter
	Additional decorative pedestal top material	N.A
	Additional decorative Pedestal Top thickness Hint : select '0' if not applicable	18 millimeter
	File/Box drawer Front material	CRCA 'D' grade sheet conforming to IS 513 as amended up to date
	File/Box drawer front thickness	1.2 millimeter
	Additional decorative File/Box drawer front material	N.A
Additional decorative File/Box drawer Front thickness Hint : select '0' if not applicable	0 millimeter	
File/Box drawer Tray and Back material	CRCA 'D' grade sheet conforming to IS 513 as amended up to date	

	File/Box drawer Tray and Back thickness	0.8 millimeter
	Castor	Swiveling non-lockable castors
	Buffer	N.A
FINISHING	Finish	Epoxy polyester powder coated to the thickness of minimum 50 microns
WARRANTY	Warranty in number of years	1
CERTIFICATION	Test reports to be furnished to buyer on demand	Yes
	Used only ISI marked prelaminate particle board Hint : write NA if not applicable	N.A
	OEM conforming to ISO 9001:2015	Yes
	OEM conforming to ISO 18001:2007	Yes

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%) :	NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.