अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687707019738

अनुबंध तिथि | Generated Date : 11-May-2024

बोली/आरए/पीबीपी संख्या|Bid/RA/PBP No.: <u>GEM/2024/B/4480054</u>

अनुसूची नाम|Schedule Name:Schedule 4,Schedule 2,Schedule 9,Schedule 1,Schedule 3,Schedule 5,Schedule 6

संगठन विवरण|Organisation Details

प्ररूप|Type : Central PSU

मंत्रालय|Ministry: Ministry of Power

विभाग | Department : संगठन का नाम|Organisation Name: NTPC Limited

कार्यालय क्षेत्र|Office Zone:

USSC CPG2 Sipat

खरीदार विवरण|Buyer Details

पद|Designation : Sr Manager2 CNM SSCWRII

07752-277114-संपर्क नंबर|Contact No.:

ईमेल आईडी|Email ID : buyer71.nl.cg@gembuyer.in

जीएसटीआईएन|GSTIN: 22AAACN0255D4Z5

> GSTIN: 22AAACN0255D4Z5 NTPC Limited Sipat Super Thermal Power Project, Post Office: Ujwal Nagar, Distt. -

Bilaspur (C.G.),

BILASPUR, CHHATTISGARH-495555, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति IFD Concurrence : No

प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Approval: वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

भुगतान प्राधिकरण विवरण | Paying Authority Details

BUYER भुगतान का तरीका| NTPC

Payment Mode:

पता|Address :

पद|Designation: Sr Manager2 CNM SSCWRII र्डमेल आईडी।Email ID: buyer71.nl.cg@gembuyer.in

जीएसटीआईएन|GSTIN : 22AAACN0255D4Z5

GSTIN: 22AAACN0255D4Z5 NTPC Limited Sipat Super

Thermal Power Project, Post Office : Ujwal Nagar, Distt. -पता|Address: Bilaspur (C.G.),

Bilaspur, CHHATTISGARH-495555, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : 1A89180000095862 कंपनी का नाम|Company Name : KINJAL ELECTRICALS PVT LTD

संपर्क नंबर|Contact No.: 09891440251

ईमेल आईडी|Email ID: info2020kinjal@gmail.com

151/64, Sahibabad South Border, G.T. Road, Chikamberpur, ghaziabad, पता| Address :

Ghaziabad, UTTAR PRADESH-201001. -

एमआईआई स्थिति| MII Status : एमएसएमई सत्यापित|MSME verified : Yes

एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-UP-29-0002629

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिग श्रेणी|MSE Gender : Male

जीएसटीआईएन|GSTIN: 07AAACK1301K1ZZ (B), 09AAACK1301K1ZV (R), (M)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

AGM

SM

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

# आइटम विवरण Item Description	आइटम विवेरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
उद्याद का नाम Product Name : KINJAL Miniature Circuit Breaker 40 4 P with 3 PP ब्रांड Brand : KINJAL ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांच Category Name & Quadrant : MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1) (Q2) मॉडल Model: 40A TPN MCB C TYPE KINJAL एचएसएन कोड HSN Code: HSN not specified by seller	200	pieces	345	NA	69,000
उत्पाद का नाम Product Name: KINJAL Miniature Circuit Breaker 10 2 P with 1 PP ब्रांड Brand: KINJAL ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue 2 कैसे बेचा जा रहा है Selling As: OEM श्रेणी का नाम और चतुर्थाश Category Name & Quadrant: MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1) (Q2) मॉडल Model: KINJAL 10A SPN MCB C TYPE	150	pieces	140	NA	21,000

ĺ	एचएसएन कोड HSN Code: HSN not specified by seller					
3	उत्पाद का नाम Product Name: 250A TPN SWITCH FUSE UNIT ब्रांड Brand: KINJAL ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As: Reseller not verified by OEM श्रेणी का नाम और चतुर्घांश Category Name & Quadrant: 250A TPN SWITCH FUSE UNIT (Q3) मॉडल Model: 250A TPN SWITCH FUSE UNIT एचएसएन कोड HSN Code: HSN not specified by seller	10	pieces	9,700	NA	97,000
4	उत्पाद का नाम Product Name: KINJAL Miniature Circuit Breaker 20 1 P ब्रांड Brand: KINJAL ब्रांड Brand: KINJAL ब्रांड Brand Type: Registered Brand कैटला की स्थित Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As: OEM श्रेणी का नाम और चतुर्याश Category Name & Quadrant: MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1) (Q2) मॉडल Model: KINJAL 20A SP MCB C TYPE एचएसएन कोड HSN Code: HSN not specified by seller	300	pieces	59	NA	17,700
5	उत्पाद का नाम Product Name: KINJAL Miniature Circuit Breaker 63 4 P with 3 PP ब्रांड Brand: KINJAL ब्रांड प्रकार Brand Type: Registered Brand केटलॉग की स्थिति Catalogue Status: OEM verified catalogue केसे बेचा जा रहा है Selling As: OEM श्रेणी का नाम और चतुर्याश Category Name & Quadrant: MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1) (Q2) मॉडल Model: KINJAL 63A TPN MCB C TYPE एचएसएन कोड HSN Code: HSN not specified by seller	200	pieces	365	NA	73,000
6	उत्पाद का नाम Product Name: KINJAL Miniature Circuit Breaker 16 1 P ब्रांड Brand: KINJAL ब्रांड प्रकार Brand Type: Registered Brand केटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As: OEM श्रेणी का नाम और चतुर्याश Category Name & Quadrant: MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1) (Q2) मॉडल Model: KINJAL 16A SP MCB C TYPE एचएसएन कोड HSN Code: HSN not specified by seller	300	pieces	59	NA	17,700
7	उत्पाद का नाम Product Name: KINJAL Miniature Circuit Breaker 32 1 P ब्रांड Brand: KINJAL ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As: OEM श्रेणी का नाम और चतुर्याश Category Name & Quadrant: MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1) (Q2) मॉडल Model: KINJAL 32A SP MCB C TYPE एचएसएन कोड HSN Code: HSN not specified by seller	200	pieces	59	NA	11,800
कु	l ল ऑर्डर ਸ੍ਰ੍ਕਾ Total Order Value (in INR)	1				307,200

परेषिती विवरण|Consignee Detail

Product Specification for KINJAL Miniature Circuit Breaker 40 4 P with 3 PP

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
		KINJAL Miniature Circuit Breaker 40 4 P with 3 PP	ū	200	11-May-2024	09-Aug-2024
		KINJAL Miniature Circuit Breaker 10 2 P with 1 PP	- 150 11-May-2024 (09-Aug-2024		
	पद Designation : - ईमेल आईडी Email ID : con11.ntpc.unchahar@gembuyer.in संपर्क Contact : 94251-78287-	250A TPN SWITCH FUSE UNIT	ū	200	11-May-2024	09-Aug-2024
1	जीएसटीआईएन GSTIN : - पता Address : GSTIN: 09AAACN0255D9ZO NTPC Stores Feroz Gandhi	KINJAL Miniature Circuit Breaker 20 1 P	- 300	11-May-2024	09-Aug-2024	
	Unchahar Thermal Power Station P.O,UNCHAHAR RAEBARELI 229406 RAEBARELI, RAEBARELI, UTTAR PRADESH-229406, India KINJAL Miniature Circuit Breaker 63 4 P with 3 PP KINJAL Miniature Circuit Breaker 16 1 P	200	11-May-2024	09-Aug-2024		
		-	300	11-May-2024	09-Aug-2024	
	KINJAL Miniature Circuit Breaker 32 1 P	ē	200	11-May-2024	09-Aug-2024	

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest
STANDARDS	Product ISI Marked	Yes
	If, ISI marked , BIS License number must be delcared by OEM/Supplier	8521270
	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	4 P with 3 PP
	Rated voltage (in Volts)	230 / 415 V, AC
RATING	Rated Current (in Ampere)	40
	Instantaneous tripping current type	С
	Rated Short circuit capacity (in Ampere)	10000
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure
CONSTRUCTION	Additional requirement	NA
	Availability of type test report from Govt. Lab/ NABL/ ILAC	Yes. as per IS/IEC 60898 : PART 1:2015 latest
CERTIFICATION	Test report number and date - Must declare	NTH/EL/2016/00216-D
CERTIFICATION	Name and address of Lab - Must declare	NATIONAL TEST HOUSE
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

उत्पाद का बीआईएस लाइसेंस|BIS license of the product: 8521270

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए |Buyer Defined Additional Specification for KINJAL Miniature Circuit Breaker 40 4 P with 3 PP

विनिर्देश Specification	मूल्य Value
Sl. No & Material Code	4 - M8561637307

Product Specification for KINJAL Miniature Circuit Breaker 10 2 P with 1 PP

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest
STANDARDS	Product ISI Marked	Yes
	If, ISI marked , BIS License number must be delcared by OEM/Supplier	8521270
	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	2 P with 1 PP
	Rated voltage (in Volts)	230 / 415 V, AC
RATING	Rated Current (in Ampere)	10
	Instantaneous tripping current type	С
	Rated Short circuit capacity (in Ampere)	10000
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure
CONSTRUCTION	Additional requirement	NA
	Availability of type test report from Govt. Lab/ NABL/ ILAC	Yes. as per IS/IEC 60898 : PART 1:2015 latest
CERTIFICATION	Test report number and date - Must declare	NTH-EL- 2016/00216-B
CERTIFICATION	Name and address of Lab - Must declare	NATIONAL TEST HOUSE
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए |Buyer Defined Additional Specification for KINJAL Miniature Circuit Breaker 10 2 P with 1 PP

विनिर्देश Specification	मूल्य Value
SI. No & Material Code	2 - M8561419417

Product Specification for 250A TPN SWITCH FUSE UNIT

विनिदेश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Custom Specification C	Custom Specification	Yes

विक्रैता विशिष्टता दस्तावेज़|Seller Specification Document:

1. <u>SpecificationDocument1</u>	mkp.gem.gov.in/catalog_data/catalog_support_document/08/57/165/CatalogAttrs/SpecificationDoc ument/2024/1/31/2024_01_31_11_45_17_250a_tpn_sfu_2024-01-31-11-45- 19_0956737dddfa871edfaa3699ee951c4 9.pdf		
खरीदार विशिष्टता दस्तावेज़ Buyer Specification Document:			
1. <u>SpecificationDocument</u>	mkp.gem.gov.in/catalog_data/catalog_support_document/buyer_documents/910496/54/78/703/Catalo gAttrs/SpecificationDocument/2024/1/13/specs9_2024-01-13-12-08-11_2e2d86a619c1b56a052845b6f56da9d 8.pdf		

Product Specification for KINJAL Miniature Circuit Breaker 20 1 P

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest
STANDARDS	Product ISI Marked	Yes
	If, ISI marked , BIS License number must be delcared by OEM/Supplier	8521270
	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	1 P
	Rated voltage (in Volts)	240 V, AC
RATING	Rated Current (in Ampere)	20
	Instantaneous tripping current type	С
	Rated Short circuit capacity (in Ampere)	10000
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure
CONSTRUCTION	Additional requirement	NA
	Availability of type test report from Govt. Lab/ NABL/ ILAC	Yes. as per IS/IEC 60898 : PART 1:2015 latest
CERTIFICATION	Test report number and date - Must declare	NTH/EL/2016-00216-A
CERTIFICATION	Name and address of Lab - Must declare	29.09.2016
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

उत्पाद का बीआईएस लाइसेंस|BIS license of the product: 8521270

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए |Buyer Defined Additional Specification for KINJAL Miniature Circuit Breaker 20 1 P

विनिर्देश Specification	मूल्य Value
SI. No & Material Code	1 - M8561128412

Product Specification for KINJAL Miniature Circuit Breaker 63 4 P with 3 PP

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest
STANDARDS	Product ISI Marked	Yes
	If, ISI marked , BIS License number must be delcared by OEM/Supplier	8521270
	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	4 P with 3 PP
	Rated voltage (in Volts)	230 / 415 V, AC
RATING	Rated Current (in Ampere)	63
	Instantaneous tripping current type	С
	Rated Short circuit capacity (in Ampere)	10000
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure
CONSTRUCTION	Additional requirement	NA
	Availability of type test report from Govt. Lab/ NABL/ ILAC	Yes. as per IS/IEC 60898 : PART 1:2015 latest
CERTIFICATION	Test report number and date - Must declare	NTH/EL/2016/00216-D
CERTIFICATION	Name and address of Lab - Must declare	29.09.2016
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

विनिर्देश Specification		यू:य v aide	मूल्य Value		
SI. No & Material Code		3 - M8561743417	3 - M8561743417		
Product Specification	on for KINJAL Miniature Circuit Breaker 16 1 P				
विनिर्देश Specification	उप-विनिर्देश Sub-Spec		मूल्य Value		
STANDARDS	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest			
	Product ISI Marked	Yes			
	If, ISI marked , BIS License number must be delcared by	8521 270			
	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	1 P			
	Rated voltage (in Volts)	240 V, AC			
RATING	Rated Current (in Ampere)	16			
	Instantaneous tripping current type	Instantaneous tripping current type			
	Rated Short circuit capacity (in Ampere)	Rated Short circuit capacity (in Ampere)			
CONCEDUCTION	Provision of steel sheet enclosure duly pretreated stove e	namelled/powder coated for MCBs	Without enclosure		
CONSTRUCTION	Additional requirement		NA		
	Availability of type test report from Govt. Lab/ NABL/ ILAG		Yes. as per IS/IEC 60898 : PART 1:2015 latest		
CERTIFICATION	Test report number and date - Must declare		NTH/EL2016/00216-A		
CERTIFICATION	Name and address of Lab - Must declare		29 -09 -16		
	Agreed to furnish all the test reports and certificates to b	uyer on demand	Yes		
विनिर्देश Specification	क्त विशिष्टता के लिए Buyer Defined Additional Sp	ecification for KINJAL Minia मूल्य Value 5 -M856112524			
खरीदार परिभाषित अतिरि विनिर्देश Specification SI. No & Material Code	क्त विशष्टता के लिए Buyer Defined Additional Sp	मूल्य Value			
বিনিইং। Specification SI. No & Material Code		मूल्य Value			
বিনিইং। Specification SI. No & Material Code Product Specificatio	on for KINJAL Miniature Circuit Breaker 32 1 P	मूल्य Value	6		
বিনিইং। Specification SI. No & Material Code Product Specificatio		मूल्य Value			
নিনিইং। Specification SI. No & Material Code Product Specificatio নিনিইং। Specification	on for KINJAL Miniature Circuit Breaker 32 1 P उप-विनिर्देश Sub-Spec	मूल्य Value	6 मूल्य Value		
বিনিইং। Specification SI. No & Material Code Product Specificatio বিনিইং। Specification	on for KINJAL Miniature Circuit Breaker 32 1 P उप-विनिर्देश Sub-Spec Conformity of the specification	मूल्य Value 5 -M856112524	मृत्य Value as per IS/IEC 60898 : PART 1:2015 latest		
বিনিইং। Specification SI. No & Material Code Product Specificatio বিনিইং। Specification	on for KINJAL Miniature Circuit Breaker 32 1 P उप-विनिदेश Sub-Spec Conformity of the specification Product ISI Marked	मूल्य Value 5 -M856112524	मृत्य Value as per IS/IEC 60898 : PART 1:2015 latest Yes		
নিনিইং। Specification SI. No & Material Code Product Specificatio নিনিইং। Specification	on for KINJAL Miniature Circuit Breaker 32 1 P उप-विनिदेश Sub-Spec Conformity of the specification Product ISI Marked If, ISI marked , BIS License number must be delcared by	मूल्य Value 5 -M856112524	मूल्य Value as per IS/IEC 60898 : PART 1:2015 latest Yes 85212 70		
বিনিইং। Specification SI. No & Material Code	on for KINJAL Miniature Circuit Breaker 32 1 P उप-विनिदेश Sub-Spec Conformity of the specification Product ISI Marked If, ISI marked , BIS License number must be delcared by o	मूल्य Value 5 -M856112524	6 मूल्य Value as per IS/IEC 60898 : PART 1:2015 latest Yes 85212 70 1 P		
বিনিইং। Specification SI. No & Material Code Product Specificatio বিনিইং। Specification	on for KINJAL Miniature Circuit Breaker 32 1 P उप-विनिर्देश Sub-Spec Conformity of the specification Product ISI Marked If, ISI marked , BIS License number must be delcared by the No. of pole (hint: "P" - Pole, "PP" Protected Pole)	मूल्य Value 5 -M856112524	मूल्य Value as per IS/IEC 60898 : PART 1:2015 latest Yes 85212 70 1 P 240 V, AC		
বিনিইং। Specification SI. No & Material Code Product Specificatio বিনিইং। Specification	on for KINJAL Miniature Circuit Breaker 32 1 P उप-विनिर्देश Sub-Spec Conformity of the specification Product ISI Marked If, ISI marked , BIS License number must be delcared by (No. of pole (hint: "P" - Pole, "PP" Protected Pole) Rated voltage (in Volts)	मूल्य Value 5 -M856112524	मृत्य Value as per IS/IEC 60898 : PART 1:2015 latest Yes 85212 70 1 P 240 V, AC 32		
বিনিইং। Specification SI. No & Material Code Product Specificatio বিনিইং। Specification	on for KINJAL Miniature Circuit Breaker 32 1 P उप-विनिदेश Sub-Spec Conformity of the specification Product ISI Marked If, ISI marked , BIS License number must be delcared by the No. of pole (hint: "P" - Pole, "PP" Protected Pole) Rated voltage (in Volts) Rated Current (in Ampere) Instantaneous tripping current type	मूल्य Value 5 -M856112524 DEM/Supplier	मूल्य Value as per IS/IEC 60898 : PART 1:2015 latest Yes 85212 70 1 P 240 V, AC 32 C		
বিনির্বৈষ Specification SI. No & Material Code Product Specification বিনির্বৈষ Specification STANDARDS	on for KINJAL Miniature Circuit Breaker 32 1 P उप-विनिदेश Sub-Spec Conformity of the specification Product ISI Marked If, ISI marked , BIS License number must be delcared by to No. of pole (hint: "P" - Pole, "PP" Protected Pole) Rated voltage (in Volts) Rated Current (in Ampere) Instantaneous tripping current type Rated Short circuit capacity (in Ampere)	मूल्य Value 5 -M856112524 DEM/Supplier	मूल्य Value as per IS/IEC 60898 : PART 1:2015 latest Yes 85212 70 1 P 240 V, AC 32 C		
বিনিইং। Specification SI. No & Material Code Product Specification বিনিইং। Specification STANDARDS	on for KINJAL Miniature Circuit Breaker 32 1 P उप-विनिदेश Sub-Spec Conformity of the specification Product ISI Marked If, ISI marked , BIS License number must be delcared by one of pole (hint: "P" - Pole, "PP" Protected Pole) Rated voltage (in Volts) Rated Current (in Ampere) Instantaneous tripping current type Rated Short circuit capacity (in Ampere) Provision of steel sheet enclosure duly pretreated stove of	मूल्य Value 5 -M856112524 DEM/Supplier	मूल्य Value as per IS/IEC 60898 : PART 1:2015 latest Yes 85212 70 1 P 240 V, AC 32 C 10000 Without enclosure		
বিনিইং Specification SI. No & Material Code Product Specification বিনিইং Specification STANDARDS RATING CONSTRUCTION	on for KINJAL Miniature Circuit Breaker 32 1 P उप-विनिर्देश Sub-Spec Conformity of the specification Product ISI Marked If, ISI marked, BIS License number must be delcared by the No. of pole (hint: "P" - Pole, "PP" Protected Pole) Rated voltage (in Volts) Rated Current (in Ampere) Instantaneous tripping current type Rated Short circuit capacity (in Ampere) Provision of steel sheet enclosure duly pretreated stove of Additional requirement	मूल्य Value 5 -M856112524 DEM/Supplier	मूल्य Value as per IS/IEC 60898 : PART 1:2015 latest Yes 85212 70 1 P 240 V, AC 32 C 10000 Without enclosure NA		
বিনিইং Specification SI. No & Material Code Product Specification বিনিইং Specification STANDARDS RATING CONSTRUCTION	on for KINJAL Miniature Circuit Breaker 32 1 P उप-विनिदेश Sub-Spec Conformity of the specification Product ISI Marked If, ISI marked , BIS License number must be delcared by on No. of pole (hint: "P" - Pole, "PP" Protected Pole) Rated voltage (in Volts) Rated Current (in Ampere) Instantaneous tripping current type Rated Short circuit capacity (in Ampere) Provision of steel sheet enclosure duly pretreated stove of Additional requirement Availability of type test report from Govt. Lab/ NABL/ ILAG	मूल्य Value 5 -M856112524 DEM/Supplier	#		
বিনিইং Specification SI. No & Material Code Product Specification বিনিইং Specification STANDARDS RATING CONSTRUCTION	on for KINJAL Miniature Circuit Breaker 32 1 P उप-विनिदेश Sub-Spec Conformity of the specification Product ISI Marked If, ISI marked , BIS License number must be delcared by the specification of pole (hint: "P" - Pole, "PP" Protected Pole) Rated voltage (in Volts) Rated Current (in Ampere) Instantaneous tripping current type Rated Short circuit capacity (in Ampere) Provision of steel sheet enclosure duly pretreated stove of Additional requirement Availability of type test report from Govt. Lab/ NABL/ ILAG Test report number and date - Must declare	मूल्य Value 5 -M856112524 DEM/Supplier namelled/powder coated for MCBs	मूल्य Value as per IS/IEC 60898 : PART 1:2015 latest Yes 85212 70 1 P 240 V, AC 32 C 10000 Without enclosure NA Yes. as per IS/IEC 60898 : PART 1:2015 latest		
বিনিইং Specification SI. No & Material Code Product Specification বিনিইং Specification STANDARDS RATING	on for KINJAL Miniature Circuit Breaker 32 1 P उप-विनिदेश Sub-Spec Conformity of the specification Product ISI Marked If, ISI marked , BIS License number must be delcared by on the specification of pole (hint: "P" - Pole, "PP" Protected Pole) Rated voltage (in Volts) Rated Current (in Ampere) Instantaneous tripping current type Rated Short circuit capacity (in Ampere) Provision of steel sheet enclosure duly pretreated stove of Additional requirement Availability of type test report from Govt. Lab/ NABL/ ILAG Test report number and date - Must declare Name and address of Lab - Must declare	मूल्य Value 5 -M856112524 DEM/Supplier namelled/powder coated for MCBs	# द्रव Value as per IS/IEC 60898 : PART 1:2015 latest Yes 85212 70 1 P 240 V, AC 32 C 10000 Without enclosure NA Yes. as per IS/IEC 60898 : PART 1:2015 latest NTH-EL2016/00216-A 29.09.16		
বিনিইং Specification SI. No & Material Code Product Specification Gিনিইং Specification STANDARDS RATING CONSTRUCTION CERTIFICATION	on for KINJAL Miniature Circuit Breaker 32 1 P उप-विनिदेश Sub-Spec Conformity of the specification Product ISI Marked If, ISI marked, BIS License number must be delcared by the No. of pole (hint: "P" - Pole, "PP" Protected Pole) Rated voltage (in Volts) Rated Current (in Ampere) Instantaneous tripping current type Rated Short circuit capacity (in Ampere) Provision of steel sheet enclosure duly pretreated stove of Additional requirement Availability of type test report from Govt. Lab/ NABL/ ILAG Test report number and date - Must declare Name and address of Lab - Must declare Agreed to furnish all the test reports and certificates to be	मूल्य Value 5 -M856112524 DEM/Supplier namelled/powder coated for MCBs	# द्रव Value as per IS/IEC 60898 : PART 1:2015 latest Yes 85212 70 1 P 240 V, AC 32 C 10000 Without enclosure NA Yes. as per IS/IEC 60898 : PART 1:2015 latest NTH-EL2016/00216-A 29.09.16		
विनिर्देश Specification SI. No & Material Code Product Specification विनिर्देश Specification STANDARDS CONSTRUCTION CERTIFICATION	on for KINJAL Miniature Circuit Breaker 32 1 P उप-विनिदेश Sub-Spec Conformity of the specification Product ISI Marked If, ISI marked , BIS License number must be delcared by the No. of pole (hint: "P" - Pole, "PP" Protected Pole) Rated voltage (in Volts) Rated Current (in Ampere) Instantaneous tripping current type Rated Short circuit capacity (in Ampere) Provision of steel sheet enclosure duly pretreated stove of Additional requirement Availability of type test report from Govt. Lab/ NABL/ ILAG Test report number and date - Must declare Name and address of Lab - Must declare Agreed to furnish all the test reports and certificates to be IS license of the product: 8521270	मूल्य Value 5 -M856112524	4 मूल्य Value as per IS/IEC 60898 : PART 1:2015 latest Yes 85212 70 1 P 240 V, AC 32 C 10000 Without enclosure NA Yes. as per IS/IEC 60898 : PART 1:2015 latest NTH-EL2016/00216-A 29.09.16 Yes		
विनिर्देश Specification SI. No & Material Code Product Specification विनिर्देश Specification STANDARDS RATING CONSTRUCTION CERTIFICATION उत्पाद का बीआईएस लाइसेंस Bi खरीदार परिभाषित अतिरि	on for KINJAL Miniature Circuit Breaker 32 1 P उप-विनिदेश Sub-Spec Conformity of the specification Product ISI Marked If, ISI marked, BIS License number must be delcared by the No. of pole (hint: "P" - Pole, "PP" Protected Pole) Rated voltage (in Volts) Rated Current (in Ampere) Instantaneous tripping current type Rated Short circuit capacity (in Ampere) Provision of steel sheet enclosure duly pretreated stove of Additional requirement Availability of type test report from Govt. Lab/ NABL/ ILAG Test report number and date - Must declare Name and address of Lab - Must declare Agreed to furnish all the test reports and certificates to be	मूल्य Value 5 -M856112524	4 मूल्य Value as per IS/IEC 60898 : PART 1:2015 latest Yes 85212 70 1 P 240 V, AC 32 C 10000 Without enclosure NA Yes. as per IS/IEC 60898 : PART 1:2015 latest NTH-EL2016/00216-A 29.09.16 Yes		
विनिर्देश Specification SI. No & Material Code Product Specification विनिर्देश Specification STANDARDS RATING CONSTRUCTION CERTIFICATION उत्पाद का बीआईएस लाइसेंस B	on for KINJAL Miniature Circuit Breaker 32 1 P उप-विनिदेश Sub-Spec Conformity of the specification Product ISI Marked If, ISI marked , BIS License number must be delcared by the No. of pole (hint: "P" - Pole, "PP" Protected Pole) Rated voltage (in Volts) Rated Current (in Ampere) Instantaneous tripping current type Rated Short circuit capacity (in Ampere) Provision of steel sheet enclosure duly pretreated stove of Additional requirement Availability of type test report from Govt. Lab/ NABL/ ILAG Test report number and date - Must declare Name and address of Lab - Must declare Agreed to furnish all the test reports and certificates to be IS license of the product: 8521270	मूल्य Value 5 -M856112524	मूल्य Value as per IS/IEC 60898 : PART 1:2015 latest Yes 85212 70 1 P 240 V, AC 32 C 10000 Without enclosure NA Yes. as per IS/IEC 60898 : PART 1:2015 latest NTH-EL2016/00216-A 29.09.16 Yes		

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें|Terms and Conditions

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2. Buyer Added Bid Specific Terms and Conditions-
- 2.1 Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.
- 2.2 Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

2.3 Scope of Supply.

Scope of supply (Bid price to include all cost components): Only supply of Goods

2.4 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

- 1. Bids are to be submitted by Bidders conforming that they have not taken any deviation with respect to NTPC Specificat ions / Terms & Conditions. Any bidder submitting their own Specifications / Catalogues while submitting their Bids are required to be withdrawn by the bidder to make their bids fully compliant to NTPC Specifications / Terms and Conditions. To that effect, a confirmation is to be given by the bidder that "It is again confirmed that our Bid is fully compliant to NTPC Specifications / Terms and Conditions. All the Documents / details / Catalogues submitted along with our Bids stand withdrawn".
- 2. The above is confirmed by bidder through the "Seller undertaking" during submission of offer as "I hereby confirm acc eptance and compliance of all the conditions including GTC, STC and ATC and Corrigendum conditions. I also confirm that all the product(s)offered is/are fully compliant with the specifications asked for in the bid, including the additional specification parameters incorporated by the Buyer in the bid document".
- 3. Before submitting the offer in GeM, Kindly read the latest General terms and conditions(GTC) of GeM which is available on the GeM portal. Your participation in the bid confirm that you have gone through General terms and conditions (GTC) of GeM.
- 4. There is no deviation allowed in delivery period and payment terms against mentioned delivery Period and payment terms mentioned in the GeM tender. Any deviation regarding delivery period and payment terms mentioned in your offer wil I not considered at buyer end and to be awarded as per delivery period and payment terms mentioned in the GeM only ba sed on the Seller undertaking-"I hereby confirm acceptance and compliance of all the conditions including GTC, STC and A TC and Corrigendum conditions", submitted on GeM.
- 5. Scope of work- Scope of work- Supply of material and others as per details mentioned in the technical data sheet.
- 6. All post award communication/ grievance will be addressed to consignee at email id:-

NTPC Unchahar Store: ashokkumar01@ntpc.co.in , storeincharge-unchahar@ntpc.co.in

In case of non-resolution of the issue, matter can be escalated along with previous correspondence(s) to email id :- $\underline{\text{vendo}}$ $\underline{\text{rgrievance_cpg2@ntpc.co.in}}$

2.5 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document Click here to view the file.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.