अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687772392259 अनुबंध तिथि | Generated Date : 14-May-2024

संगठन विवरण|Organisation Details

प्ररूप|Type: Union Territories

मंत्रालय|Ministry: Ministry of Environment Forest and Climate Change

विभाग | Department : NA संगठन का नाम|Organisation Name: N/A

कार्यालय क्षेत्र|Office Zone: Office of Principal Chief Conservator of Forests

खरीदार विवरण|Buyer Details

पद|Designation : **Deputy Conservator of Forests**

संपर्क नंबर|Contact No.: 03192-233060-ईमेल आईडी|Email ID: dcfmd.and@nic.in

जीएसटीआईएन|GSTIN:

Office of the Deputy Conservator of Forests, Mill Division,

पता|Address : Chatham,

SOUTH ANDAMAN, ANDAMAN & NICOBAR-744102, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमित IFD Concurrence : No

प्रशासनिक अनुमोदन का पदनाम|

Deputy Conservator of Forest, Mill Division, Chat Designation of Administrative ham

Approval:

वित्तीय अनुमोदन का पदनाम| Deputy Conservator of Forest, Mill Division, Chat

Designation of Financial Approval:

भुगतान प्राधिकरण विवरण|Paying Authority Details

Role: PAO भुगतान का तरीका| Offline Payment Mode:

पद|Designation: Senior Accounts Officer ईमेल आईडी|Email ID: srao-forest.an@and.nic.in

जीएसटीआईएन|GSTIN :

Office of the Principal Chief Conservator of Forests, Van

पता|Address: Sadan, Haddo, Port Blair,

South Andaman, ANDAMAN & NICOBAR-744102, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : 95LQ210004568898 कंपनी का नाम|Company Name : ISLAND ELECTRICALS संपर्क नंबर|Contact No. : 09434272002

ईमेल आईडी|Email ID : islandelectricals@gmail.com

NEAR MAJID DELANIPUR,M ISHAQUE,No.17,delanipur jama masjid shopping complex AIR Road,Delanipur,17, Delanipur, Jama पता| Address :

Masjid Shopping Complex AIR Road, Delanipur, Port Blair,

3. SOUTH ANDAMANS / दक्षिण अंडमान, 1. ANDAMAN AND NICOBAR ISLANDS / अंदमान और निकोबार द्वीपसमूह-744102, -

एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-AN-01-0003077

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिंग श्रेणी|MSE Gender : Male

जीएसटीआईएन|GSTIN: 35ACMPI6317C1ZU (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

	#	आइटम विवेरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
	1	उद्याद का नाम Product Name: Unbranded Yes WLed Luminaire Light ब्रांड Brand: NA ब्रांड प्रकार Brand Type: Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As: Reseller not verified by OEM श्रेणी का नाम और चतुर्यांच Category Name & Quadrant: LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322 (Q3) मॉडल Model: CINC-SL-90W-51 एचएसएन कोड HSN Code: HSN not specified by seller	6	pieces	3,800	NA	22,800
1	कुल	ल ऑर्डर मूल्य Total Order Value (in INR)					22,800

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद। Designation : Deputy Conservator of Forests					

संपर्क Co 1 जीएसटीअ पता Add Chathar	fो Email ID : dcfmd.and@nic.in ntact : 03192-233060- ईएन GSTIN : - ress : Office of the Deputy Conservator of Forests, Mill Division, ٦, NNDAMAN, ANDAMAN & NICOBAR-744102, India	Unbranded Yes WLed Luminaire Light	'	6	14-May-2024	29-May-2024	
Product Specific	ation for Unbranded Yes WLed Luminaire Light						
विनिर्देश Specificati	on उप-विनिर्देश Sub-Spec	मूल्य	मूल्य Value				
	LED Luminaire conformity to IS:10322/Part 5/Section 3/2012 latest and IS: 16107 (Part 2/Sec			Yes			
	Photo biological safety of LEDs used shall be as per IS:16108/2012 (exempt group)			Yes			
	Types of LED Luminaire as per the IS: 16107(Part-2/ Sec1)/2012			Туре В			
STANDARDS	Types of LED Modules as per the IS:IS: 16103(Part-2)/2012			Type 3			
	LED Rating (in Watts)/System Wattage/Rated Power		90W				
	Luminaire System Efficacy (Lumen/watt)		>/=	>/= 100 Lm/Watt			
	Ingress Protection (IP Rating) as per IS:10322 (Part 1):1982	latest	IP66	IP66			
	Warranty for free replacement (in years)		2	2			
	Input operating Voltage range and frequency		90 to	o 300 Volts AC at	50 Hz+/-2		
	Automatic Higher Cut off voltage above 300 volt		Yes				
	Rated voltage		230	V AC 50 Hz			
ELECTRICAL	AC Power Factor at full load		≥ 0.	≥ 0.95			
EFFICIENCY	Driver Efficiency (in %age) Upto 100W: ≥85%, Above 100W:	>/=90%	Yes	Yes			
	Total Harmonics Distortion			≤ 10			
	"The total circuit power shall not be more than 110 percent manufacturer (as per Cl. 8 of IS:16104:2012 lates)"	of the value declared by th					
	LED chip Efficacy		≥13	≥130 Lm/Watt			
	Colour temperature		600	6000+/-500K			
	Working life for LED (Minimum 50,000 burning hours as pe	r LM-80 and LM 21 reports)	Yes	Yes			
PTICAL	Colour Rendering Index(CRI)		≥70				
	LED Beam Angle		≥12	≥120			
	Optic lense materal (UV stabilised)			Poly carbonate lense			
	Heat sink should be die-cast aluminium along with sufficier effectively	nt heat sink fins to dissipate	heat Yes				
	Junctiojn / Soldering point temperature shall not exceed 85 deg.c as per LM 80 report		Yes	Yes			
THERMAL MANAGEMENT	Capacitor shall be rated for a temperature of 105 deg. celsius or better			Yes			
	Operating temperature range		-10	-10 deg C to +55 deg C			
	Operating Humidity Range		10 %	6 to 95% RH			
	Short circuit Protection		Yes				
	Over load protecton		Yes				
	Over Voltage protection		Yes				
	Reverse polarity		Yes	Yes			
PROTECTION	High voltage test (1.5 KV for one minute between supply te	rminals and body of the uni	t) Yes				
	Insulation resistance between earth and current carrying p	art	>10	0 M Ohm			
	The luminaire shall be protected against surges and transie	ents (Internal)	4KV				
	The luminaire shall be protected against surges and transic		Yes				
	The Luminaires casing/housing (single piece housing) shall alloy with higher thermal conductivity	be pressure die casted alur	minium Yes				
	The luminaire body must be corrosion resistant powder coa	ated	Yes				
	All fastners must be of stainless steel		Yes				
	Protection of the entire housing (both LED section and driven 1):1982 latest	er section) as per IS:10322 (Part IP66	IP66			
	Extruded silicon loop gasket shall be provided in the lanter						

	water, insects etc.,	
	Luminaries light transparency should be of Toughened glass	Yes
CONSTRUCTIONAL	Toughned transparent glass cover thickness	>/=4 mm
	Toughned Glass shall not get discoloured shall not suffer degration due to heat and ageing within warranty period	Yes
	Number of electronic control gear (power supplies)	1 No.
	Light Source	SMD LED Chip as per LM 80/IS16106
	Driver components shall be industrial grade or above	Yes
	PCB shall be FR4 grade minimum 0.8 to 1.0 mm thick or more	Yes
	The Luminaires works on single phase three wires system (Phase, Neutral and Earth)	Yes
	Suitable connector shall be provided for LED connection between driver output and LED	Yes
	Length of ISI marked three core wire (shall be provided along with supply of material)	50 cm
	"Manufactures Name and and brand on the aluminium die cast body "	Engraved/Embossed
	Manufacturer's name, model number, serial number	Yes
MARKING	Date of manufacture (month-year), and lot number as identification mark inside each unit and the outside of each packaging box	Yes
	The operation characteristics voltage and power be marked inside of each LED luminaire unit	Yes
	Diameter of pole Luminiare suitable for: (upto 45W Pole OD: shall be 40mm), (>45W<120W Pole OD: Shall be 50 mm), (above 120W: OD shall be 60 mm for which luminiare is suitable	Yes
	LED Make	OSRAM / NICHIA / CREE / SAMSUNG / SEOUL / LUMILEDS / PHILIPS / SYSKA / LUMENMAX / EVERLIGHT / EDISON / BRIDGELUX / NATIONSTAR / REFOND
	System must have EMI/EMC compliance as applicable (Test reports shall be furnish to the buyer / consignee on demand)	Yes
	LM 79 (Photometry) (Ref.IS:16106:2012) report from Central Government Lab /NABL/ILAC accrediated lab. Reports shall be furnish to the buyer / consignee on demand (LM-79 report shall have total lumen output, power, PF, Current in Amps, CRI & CCT etc.,	Yes
Reports And Certifications	LM 80 & TM 21 (Ref. IS:16105:2012) Report and Photo biological report for LED report from Central Government Lab /NABL/ILAC accrediated lab. Reports shall be furnish to the buyer / consignee on demand (LM-80 report shall have the Pohoto Biological re	Yes
	Availability of test Report from Central Government Lab /NABL/ILAC accrediated lab to Indian Standrad IS:10322/part 5/sec-3/2012 and IS 16107 (Part 2/Sec 1): 2012	Yes
	Seller shall furnish the Type test reports to the buyer / consignee on demand	Yes
	DC or AC supplied electronic control gear for LED Module shall comlpy as per IS:15885 (Part 2/Sec.13)	Yes
	LED Luminaire for road and street lighting shall comply with Complusory Registration(CRS) of BIS for safety as per IS 10322 (Part 5/Section 3): 2012 as applicable on date	Yes

टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें|Terms and Conditions

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

 $Note: This is system generated file. \ No signature is required. \ Print out of this document is not valid for payment/ transaction purpose.$