

अनुबंध | Contract



अनुसूची नाम | Schedule Name: Schedule 2, Schedule 1

अनुबंध क्रमांक | Contract No: GEMC-511687739472749

अनुबंध तिथि | Generated Date : 14-May-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4882305](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : Central PSU	
मंत्रालय Ministry : Ministry of Power	
विभाग Department : Meja Urja NigamPLimited	
संगठन का नाम Organisation Name : Meja Urja NigamPLimited	
कार्यालय क्षेत्र Office Zone: allhabaduttar pradesh	
	पद Designation : DGM Purchase Deepak Gupta
	संपर्क नंबर Contact No. : 0532-2693185-
	ईमेल आईडी Email ID : buycon5.mun.up@gembuyer.in
	जीएसटीआईएन GSTIN : 09AAFCM8107L1Z4
	पता Address : post office :kohrar, Meja, ALLAHABAD, UTTAR PRADESH-212301, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence :	No
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	DGM
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	DGM
	Role: PAO
	भुगतान का तरीका Payment Mode: Offline
	पद Designation : Ssojha
	ईमेल आईडी Email ID : pa01.mun.up@gembuyer.in
	जीएसटीआईएन GSTIN : 09AAFCM8107L1Z4
	पता Address: post office :kohrar, Meja, Allahabad, UTTAR PRADESH-212301, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : B2E7200001185669
कंपनी का नाम Company Name : BALAJEE ASSOCIATES
संपर्क नंबर Contact No. : 09470385584
ईमेल आईडी Email ID : manishvind@gmail.com
पता Address : Flat Number - 1201, B-5,Emami City,2-Jessore Road,Golpark, Kolkata, WEST BENGAL-700028, -
एमएसएमई सत्यापिता MSME verified : No
एमएसएमई पंजीकरण संख्या MSME Registration number : -
जीएसटीआईएन GSTIN: 23ABUPA4792L1Z7 (B) , 19ABUPA4792L1ZW (B) , (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : PERMA LCD and LED Indicators Single Point Lubrication System ब्रांड Brand : PERMA ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्भासा Category Name & Quadrant : Single Point Lubrication System (Q3) मॉडल Model: Star Battery Pack एचएसएन कोड HSN Code: HSN not specified by seller	140	pieces	401	NA	56,140
2	उत्पाद का नाम Product Name : PERMA LCD and LED Indicators Single Point Lubrication System ब्रांड Brand : PERMA ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्भासा Category Name & Quadrant : Single Point Lubrication System (Q3) मॉडल Model: Star LC 120 S3 T100 2 Grease एचएसएन कोड HSN Code: HSN not specified by seller	130	pieces	4,307	NA	559,910
कुल ऑर्डर मूल्य Total Order Value (in INR)						616,050

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	प्रेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : - ईमेल आईडी Email ID : buycon5.muni.up@gembuyer.in संपर्क Contact : 0532-2693154- जीएसटीआईएन GSTIN : - पता Address : post office :kohrar, Meja, ALLAHABAD, UTTAR PRADESH-212301, India	PERMA LCD and LED Indicators Single Point Lubrication System	-	140	14-May-2024	13-Jul-2024
		PERMA LCD and LED Indicators Single Point Lubrication System	-	130	14-May-2024	13-Jul-2024

Product Specification for PERMA LCD and LED Indicators Single Point Lubrication System

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
Battery Pack	Battery Type	Alkaline Battery 4.5 V
	Number Of Battery	One
Drive	Minimum Operating Temperature	-20 degree Celsius
	Weight	361 gram
	Maximum operating temperature	60 degree Celsius
	Optional Adjustable Discharge Period	12 months
	Drive Type	Electromechanical Drive Unit With Micro-Processor Controlled Electric Geared Motor
	Display Type	LCD,LED Indicators
	Setting Menu Access	One Set Button
	Max. Tube Lengths	5 meter
	Maximum Pressure Build-Up	6 bar
	Lubricant Volume Capacity (in cm3)	500
	Protection Class	IP 65
	Signal function through 4 LED all round lights along with LCD display to show Run,Purge,Overload,Low battery	yes
Lubricant specification	Drop Point [Din Iso 2176]	>170C
	Maximum operating Temperature Range	130 degree Celsius
	Minimum operating Temperature Range	-30 degree Celsius
	Lubricant	Mineral Oil, Grease
	Base Oil Viscosity [Din 51562 At 40C], Mm/S	220
	Thickener	Li-Ca
Support Flange	Material Of Support flange	Composite
Impact Resistance Protection Cap	Weight Of Impact Resistance Protection Cap	0.173 kilogram
	Head Top Shape	Round
	Cover Clip Is Required To Seal The Protection Cap On C Section Or Cage Hanger Bracket	Yes
Heavy Duty Remote Mounting Kit	Content Of Kits	Mounting Bracket Heavy Duty, Beam Clamp, Hose Connector, Angle 90, Reducer, Hose
	Hose Size	2 meter
	Heavy Duty Type	1-Point
	Beam Clamp Size	30 millimeter
Generic	Product Manual Provided with Kit	Yes

खरीदार परिभ्राष्टि अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for PERMA LCD and LED Indicators Single Point Lubrication System

विवरण Specification	मूल्य Value
Technical Specification	M2299646502 : Star Vario Battery pack, Make Perma Tec GMBH & Co.

Product Specification for PERMA LCD and LED Indicators Single Point Lubrication System

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
Battery Pack	Battery Type	Alkaline Battery 4.5 V
	Number Of Battery	One
Drive	Minimum Operating Temperature	-20 degree Celsius
	Weight	360 gram
	Maximum operating temperature	60 degree Celsius
	Optional Adjustable Discharge Period	12 months
	Drive Type	Electromechanical Drive Unit With Micro-Processor Controlled Electric Geared Motor
	Display Type	LCD,LED Indicators
	Setting Menu Access	One Set Button
	Max. Tube Lengths	5 meter
	Maximum Pressure Build-Up	6 bar
	Lubricant Volume Capacity (in cm3)	250
	Protection Class	IP 65
	Signal function through 4 LED all round lights along with LCD display to show Run,Purge,Overload,Low battery	yes
Lubricant specification	Drop Point [Din Iso 2176]	>170C
	Maximum operatingTemperature Range	140 degree Celsius
	Minimum operatingTemperature Range	-30 degree Celsius
	Lubricant	Grease
	Base Oil Viscosity [Din 51562 At 40C], Mm/S	220
	Thickener	Li-Ca
Support Flange	Material Of Support flange	Composite
Impact Resistance Protection Cap	Weight Of Impact Resistance Protection Cap	0.173 kilogram
	Head Top Shape	Round
	Cover Clip Is Required To Seal The Protection Cap On C Section Or Cage Hanger Bracket	Yes
Heavy Duty Remote Mounting Kit	Content Of Kits	Mounting Bracket Heavy Duty,Beam Clamp,Hose Connector,Angle 90,Reducer,Hose,Mounting bracket is available based on the requirement
	Hose Size	2 meter
	Heavy Duty Type	1-Point
	Beam Clamp Size	30 millimeter
Generic	Product Manual Provided with Kit	Yes

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for PERMA LCD and LED Indicators Single Point Lubrication System

विवरण Specification	मूल्य Value
Technical Specification	M2299646505: Star LC 120cc with Mobil Polyrex EM Grease, Make Perma Tec GMBH & Co.

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशेत (%) ePBG Percentage(%):	NA

नियम और शर्तें| Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Scope of Supply.

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

2.3 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

1. Bid received from OEM/OES or OEM's authorized channel partner shall ONLY be considered. Bid received other than above shall not be considered. OEM's authorized channel partner must submit their bid specific authorization certificate from OEM and email communication in this regard along with their offer.

2. Inspection shall be carried out by indenting authority based on technical specification at MUNPL stores, after receipt of materials.

3. Installation shall be done by Agency's Engineers on Free of cost basis at site for all lubrication points, Also Free of cost regular Service (deputation of service engineer every three months) to be given by Agency till the time their system is in use.

4. 100% payment within 30 days after CRAC Generation by site store.

5. GUARANTEE/ WARRANTY: Vendor shall submit Guarantee/Warranty certificates along with material supply, 12 months from the date of installation or 18 months from the date of supply, whichever is earlier.

6. Vendor has to submit Stamped & Signed Technical Specifications, Bid documents (confirming compliance with all terms, conditions and specifications/ drawings of the Bidding Documents), failing which their bid shall be rejected.

7. Vendor must provide latest Purchase Orders from NTPC/PSU/GOVT. /other in support of their quoted rates to proceed further. Vendor has to also provide proper justification for their quoted rates.

8. Copy of GST, Pan Card, Cancelled Cheque and Bank EFT Mandate for SAP vendor code creation shall be furnished.

9. This is a non-negotiable tender and any deviation of any condition(s) of Tender Document/ Special Purchase Conditions in the offer shall not be considered at our end.

10. The Bidder along with its associate/ collaborators/ sub-contractors/sub-vendors/ consultants/ service providers shall strictly adhere to the Fraud Prevention Policy and other Policies of EMPLOYER/ BUYER displayed on its tender website <http://www.ntpctender.com> and shall immediately apprise Employer/ BUYER about any fraud or suspected fraud as soon as it comes to their notice. If in terms of above policy, it is established that the bidder/his representatives have committed any fraud while competing for this contract then the bid shall be rejected and suitable action as per above policy shall be taken.

11. Documents Required for Vehicle Entry at NTPC-Meja:

- Driving License
- Registration Certificate
- Vehicle Insurance
- Vehicle Permit
- Vehicle Fitness Certificate

In addition to the above, driver should also have a set of duplicate copy of dispatch documents to hand over to CISF at gate entry.

Note:

1. Kindly advise the transporter to send the materials in any vehicle and its driver should be able to produce above documents at CISF Material Entry Gate.

2. Also kindly advise the driver not to give any original dispatch documents at CISF gate, if sent by any supplier.

3. One copy of Originals of Dispatch Document and all documents/certificates as per Purchase Order, must be given to NTPC-Meja-MUNPL Store, to avoid delay in Payment Processing.

4. 2nd set of copy should be sent to the Concerned Dealing Executive of Purchase Department, who has placed PO or in name of AGM-Purchase.

5. 3rd Set must be given to AGM-Finance.

For and On Behalf of MUNPL:

DGM (C&M)

NTPC MEJA, MUNPL, KOHDAR, PRAYAGRAJ, U.P-212301

deepakgupta01@ntpc.co.in

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.