

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687772690459

अनुबंध तिथि | Generated Date : 15-May-2024

संगठन विवरण | Organisation Details

प्ररूप | Type : Central Autonomous
मंत्रालय | Ministry : Ministry of Health and Family Welfare
विभाग | Department : Department of Health and Family Welfare
संगठन का नाम | Organisation Name : National Board of Examinations
कार्यालय क्षेत्र | Office Zone: Dwarka

खरीदार विवरण | Buyer Details

पद | Designation : Section Officer
संपर्क नंबर | Contact No. : 011-45593000-3065
ईमेल आईडी | Email ID : con1.nbe.delhi@gembuyer.in
जीएसटीआईएन | GSTIN : 07AAAAN4301J1ZW
पता | Address : PSP Area, Behind 100% Petrol Pump, Sector - 9, Dwarka, New Delhi, SOUTH WEST DELHI, DELHI-110075, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval: Assistant Director (Admin.)
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval : Assistant Director (Admin.)

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: PAO
भुगतान का तरीका | Payment Mode: Offline
पद | Designation : Senior Accountant
ईमेल आईडी | Email ID : pao1.nbe.delhi@gembuyer.in
जीएसटीआईएन | GSTIN : -
पता | Address : PSP Area, Behind 100% Petrol Pump, Sector - 9, Dwarka, South West delhi, DELHI-110075, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : 5CLU210001925457
कंपनी का नाम | Company Name : KIRAN ENTERPRISES
संपर्क नंबर | Contact No. : 09529322244
ईमेल आईडी | Email ID : kirantenp21@gmail.com
पता | Address : 133 POOJA COLONY,,GALI NO.2,,NEAR JAIN COLLEGE,,SRI GANGANAGAR, Sri Ganganagar, RAJASTHAN-335001, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-RJ-15-0004468
एमएसई सामाजिक श्रेणी | MSE Social Category : General
एमएसई लिंग श्रेणी | MSE Gender : Female
जीएसटीआईएन | GSTIN: 08AHJPG1316P1Z6 (B), (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : TFO Automatic Fire Ball for Fire-Extinguishing of Medium size - the weight of the agent is not less than 1.0 kg but less than 1.8 kg ब्रांड Brand : TFO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भास Category Name & Quadrant : Automatic Fire Ball for Fire - Extinguishing (Q3) मॉडल Model: Automatic Fire Ball for Fire-Extinguishing एचएसएन कोड HSN Code: HSN not specified by seller	50	pieces	396	NA	19,800
कुल और मूल्य Total Order Value (in INR)						19,800

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : Section Officer ईमेल आईडी Email ID : con1.nbe.delhi@gembuyer.in संपर्क Contact : 011-45593000-3065	TFO Automatic Fire Ball for Fire-Extinguishing of Medium size - the weight of the agent is not less than 1.0 kg but less than 1.8 kg				

1	जीएसटीआईएन GSTIN : 07AAAAN4301J1ZW पता Address : PSP Area, Behind 100% Petrol Pump, Sector - 9, Dwarka, New Delhi, SOUTH WEST DELHI, DELHI-110075, India	Medium size - the weight of the agent is not less than 1.0 kg but less than 1.8 kg	-	50	15-May-2024	30-May-2024
Product Specification for TFO Automatic Fire Ball for Fire-Extinguishing of Medium size - the weight of the agent is not less than 1.0 kg but less than 1.8 kg						
विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value				
GENERIC	Automatic Fire Ball for Fire-Extinguishing	Fire extinguishing balls are portable extinguishers for a preliminary fire and typically designed in the round shapes with the soft shell to contain the extinguishing agent (Dry Chemical Powder for Fighting A,B,C, Class Fires duly ISI Marked and UL Listed), and the fire ignition material (fuse).				
CONSTRUCTIONAL	Automatic activation Mechanism	The activation of the unit is achieved thermally by the use of the Pyrotechnic activator.				
	Size of fire extinguishing balls	Medium size - the weight of the agent is not less than 1.0 kg but less than 1.8 kg				
	General Appearance of Fire extinguishing balls	must not have any cracks, tears or leakage of the extinguishing agent on their shell				
	Outer Shell Construction	Spherical in shape made of EPS (Thermocole Material) of minimum 10 mm thickness completely combustible and CFC free.				
	Automatic Activation Mechanism	Net of activation ignition chords with 4 – 10 sensor points, connected with Paper Fuses, which shall be atleast 02 in numbers to afford redundancy				
	Fire extinguishing agent (Dry Chemical Powder) weight	1.25 kilogram				
	Gross Weight of Fire Ball without stand	1.35 kilogram				
	Outer Diameter of Fire Ball	142 millimeter				
	Mounting for Automatic Fire Ball	Stand made from 6 mm GI Wire Rod of suitable diameter which looks like basketball ring				
PERFORMANCE	Self life Test for Extinguishing agent contained inside fire extinguishing balls	The ball with the age of one year or more must be tested By taking out the soft shell of the fire extinguishing ball, the chemical powder can be examined. It must not agglomerate.				
	Moisture aging Test of the chemical powder	To test moisture aging of the chemical powder, a Desiccator or similar functional device is used. This can be conducted by filling water at the bottom of the device, hanging the ball above the water, and then sealing and keeping the device at the room temperature for 14 days. By taking out the soft shell of the fire extinguishing ball, the chemical powder can be examined. It must not agglomerate.				
	Thermal resistance test after condetioning at 85 °C for 24 h ± 15 min	Fire extinguishing balls must not have any cracks, tears or leakage of the extinguishing agent on their shell, which is tested by the inspection.				
	Test for Burst effect	The ball container with dimension of 56x56x56 cm constructed from the strong frame and 5 mm thick normal glasses for 4 sides by opening the top and the bottom .On igniting the ball by poring flammable liquid on the ball.The glasses used in the test must not be cracked or broken.				
	Sound level test	When fire extinguishing balls are tested for the sound pressure level emitted from the burst , it must not be more than 140 dBA.				
	Resistance to compression	Fire extinguishing ball must not have any cracks, tears or leakage of the extinguishing agent on their shell.				
	Drop test	When fire extinguishing balls are tested by dropping them to the ground height of 2.5 m from a cement floor , must not have any cracks, tears or leakage of the extinguishing agent on their shell.				
	Marking and Labeling	(1) Name labeled 'Fire Extinguishing Ball' in both Hindi and English languages. (2) Size of fire extinguishing balls and the weight of dry chemical powder. Symbol for the class or classes for which fire extinguishing balls are effective.				
	Design application Density of compound (Extinguishing application density, including 30% safety factor , required for system design purposes) (gm/ml)	86				
	Activation Temperature Range (Thermally activated Fire Extinguisher)	90 degree Celsius				
	Operational discharge time at a define activation temperature	8 second				
	Effective coverage Volume for one Fire Ball (in m³)	4 cubic meter				
CERTIFICATION	Product lifespan period	5 year				
	Pyrotechnic Activator Certification Approval	PESO Certified				
	Fire Ball suitability for marine applications with wheel mark	Yes				
	Source of Type Approval of complete Product to prove the conformity of the product for declared parameters	Govt. of India Laboratory				

Test Report No and Date	20210008-12/10/2021
Name and Address of the Lab	Sonipat-FIRETEST&RES
Test Reports to be furnished for the buyer on demand	Yes
Availability of any other certification	CE

टिप्पणी|Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें| Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.