

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687747590703

अनुबंध तिथि | Generated Date : 15-May-2024

<b>संगठन विवरण   Organisation Details</b>		<b>खरीदार विवरण   Buyer Details</b>				
प्ररूप   Type :	Central PSU	पद   Designation :	Chief Manager			
मंत्रालय   Ministry :	Ministry of Power	संपर्क नंबर   Contact No. :	--			
विभाग   Department :	RURAL ELECTRIFICATION Corporation Limited	ईमेल आईडी   Email ID :	plakshmi@recl.nic.in			
संगठन का नाम   Organisation Name :	RURAL ELECTRIFICATION Corporation Limited	जीएसटीआईएन   GSTIN :	37AAACR4512R2ZZ			
कार्यालय क्षेत्र   Office Zone :	REC Limited Gurugram		REC Limited, No.1/5, Ulsoor Road, Bengaluru- 560042			
		पता   Address :	pobangalore@recl.in, BANGALORE, KARNATAKA-560042, India			
<b>वित्तीय स्वीकृति विवरण   Financial Approval Detail</b>		<b>भुगतान प्राधिकरण विवरण   Paying Authority Details</b>				
आईएफडी सहमति   IFD Concurrence :	No	Role:	BUYER			
प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval :	Sr.cpm	भुगतान का तरीका   Payment Mode:	Offline			
वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval :	sr.cpm	पद   Designation :	Chief Manager			
		ईमेल आईडी   Email ID :	plakshmi@recl.nic.in			
		जीएसटीआईएन   GSTIN :	37AAACR4512R2ZZ			
			REC Limited, No.1/5, Ulsoor Road, Bengaluru- 560042			
		पता   Address:	pobangalore@recl.in, Bangalore, KARNATAKA-560042, India			
<b>विक्रेता विवरण   Seller Details</b>						
जेम विक्रेता आईडी   GeM Seller ID :	2WE3200001885724					
कंपनी का नाम   Company Name :	SHREE RAM EMPORIUM					
संपर्क नंबर   Contact No. :	09772203033					
ईमेल आईडी   Email ID :	anurag.khetan68@gmail.com					
पता   Address :	12 B, GOVIND MARG, ADARSH NAGAR, Jaipur, RAJASTHAN-302004, -					
एमएसएमई पंजीकरण संख्या   MSME Registration number :	UDYAM-RJ-17-0066711					
एमएसई सामाजिक श्रेणी   MSE Social Category :	General					
एमएसई लिंग श्रेणी   MSE Gender :	Male					
जीएसटीआईएन   GSTIN:	08ACBPK5049C1ZX (R) , (M)					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा   GST / Tax invoice to be raised in the name of - Consignee						
वितरण निर्देश   Delivery Instructions : NA						
<b>उत्पाद विवरण   Product Details</b>						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : Adidas Polyester Blended With Viscose Woven Track Suits - Sports ब्रांड   Brand : Adidas ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Track Suit - Sports (Q3) मॉडल   Model: IT5477 एचएसएन कोड   HSN Code: HSN not specified by seller	5	pieces	2,800	NA	14,000
कुल ऑर्डर मूल्य   Total Order Value (in INR)						14,000
<b>परोक्षी विवरण   Consignee Detail</b>						
क्र.सं.   S.No	परोक्षी   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
	पद   Designation : SrCPM1246 ईमेल आईडी   Email ID : somyak@recl.in					

1	संपर्क   Contact : 080-25550240- जीएसटीआईएन   GSTIN : 29AAACR4512R2ZW पता   Address : REC Limited, No.1/5, Ulsoor Road, Bengaluru- 560042 pobangalore@recl.in, BANGALORE, KARNATAKA-560042, India	Adidas Polyester Blended With Viscose Woven Track Suits - Sports	-	5	15-May-2024	30-May-2024
---	---	---	---	---	-------------	-------------

**Product Specification for Adidas Polyester Blended With Viscose Woven Track Suits – Sports**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
UTILITY	UTILITY	Unisex
COMPONENTS	Components	Complete Set consisting of Upper and Lower
MATERIAL	Fabric ( Composition )	Polyester Blended With Viscose
	Percentage of Blending ( in case of Blended Fabric )	Polyester 50 % and Viscose 50 %
	Mass ( gram per square mtrs )	120 gram
	Fabric Construction	Woven
	Weave ( In case of Woven Fabric )	Plain
	Any other weave as per buyer's requirements ( in case weave is other than already mentioned above )	NA
	Knitting ( In case of knitted Fabric )	Plain ( Single Jersey ) Knitted,
	Ends per dm	NA
	Picks per dm	NA
	Courses per dm	NA
	Wales per dm	NA
	Count of knitting yarn	NA
	Raising at inner side of Main Fabric	No
	Upper Lining	No
	Lower Lining	No
	Lining Material	100% Polyester Mesh
	Mass of Lining (Gram per Square Meter)	Not Applicable
	Netting mesh No of holes on base & bias within 625 Square millimeter	Not Applicable
	Technical Requirements of Slide Fastener for Upper Closing	Medium special duty Open End as per IS 14181 Latest
	Technical Requirements of Slide Fastener for Pocket Closing ( For Pockets with Slide Fastner for closing )	Medium special duty Open End as per IS 14181 Latest
	Slide Fastners are BIS Marked	Not Applicable
	Width of Tape Elastic at Waist of Trouser	3.5 cm
	Width of Tape Elastic at Bottom of Upper	3.5 cm
	Technical Requirements of Waist Band	Waist band as per IS 9686- 1980 latest
	Waist Draw Cord	Polypropylene Cord of 4mm dia
	Draw Cord Ends	Fused
	Breaking Strength of Draw Cord	340 N minimum
	Sleeve Ends ( Cuff )	Elastic Tape
	Upper provided with Piping	No
	Lower provided with Piping	No
Piping Fabric- Composition	100 percent Polyester	
Piping Fabric- Any other material as per buyer's requirements ( Other than mentioned above )	NA	
Piping Fabric Mass ( gram per square mtrs )	Not Applicable	
Embroidery Thread	Polyester	
SIZE	Size	Large (L)
DIMENSIONS OF	Width Across Chest 25 mm below under arm	55.0 cm ( Large )
	Width Across Bottom Opening (relaxed)	48 cm ( Large )
	Length at front from top of collar to bottom	68 cm ( Large )
	Sleeve length (from center of back to bottom of sleeve)	87 cm ( Large )

UPPER	Sleeve opening relaxed ( Cuff ) Width	11 centimeter
	Front Neck Drop	9 centimeter
	Back Neck Drop	2 centimeter
	Length of Slide Fastener	66 cm( Large )
DIMENSIONS OF LOWER	Side Seam Length	107 cm ( Large )
	Waist relaxed ( Width Across )	45.5 cm ( Large )
	Waist stretched (Width Across )	55 cm ( Large )
	Seat/ Hip ( 15 cm below waist band)	55 cm ( Large )
	Thigh (at Crotch) ( Width Across )	37 cm ( Large )
	Bottom Opening ( Width Across )	24 centimeter
	Front rise including waist band	29 cm ( Large )
	Back rise including waist band	39 cm ( Large )
	Length of Waist Tying Cord	161 centimeter
	Bottom Fold (Hem) with full turn in(cm)	1.5
POCKETS	Number of Pockets (Upper)	2 Side Pockets
	Size of Side Pockets-Upper ( Length X Width ) ( cm )	Not Applicable
	Size of Inside Pocket at Chest- Upper	Not Applicable
	Side Pocket opening - Upper	15.0 cm
	Side Pocket Closure with Slide Fastener -Upper	Not Applicable
	Number of Pockets (Lower)	2 Side Pockets
	Size of Side Pockets - Lower ( Length X Width ) ( cm )	Not Applicable
	Side Pocket Opening- Lower	15 centimeter
	Pocket Closure with Slide Fastener - Lower	Side Pockets with Slide Fastener
	Material of Pockets	Main Basic Fabric
COLLAR	Collar Type	Stand and Fall Type, Made of two layers of self material
	Collar Reinforcement	Without Reinforcement
SLEEVE	Sleeve Type	Set In Sleeve
PIPING	Position and Dimensions of Piping on Upper	NA
	Position and Dimensions of Piping on Lower	NA
STITCHING	Sewing Thread	145 d tex X 3, Polyester
	Raw edges, if any shall be bound by overlock stitching	Yes
	Waist band stitching of Upper	Stitched in single rows with chain stitch on the elastic
	Sleeve Bottom (Cuff ) Stitching	Stitched in single rows with chain stitch on the elastic
	Waist band stitching of Lower	Stitched in single rows with chain stitch on the elastic
	Lining seams	Not Applicable
	Bartack Stitching ( Reinforcement Stitching ) at stress bearing areas	Pocket opening, Centre of Waist Band Seam and bottom hem and other stress bearing areas
	Tunnel at Waist Band for Lower	Two holes stitched to allow the draw cord with insertion free movement
	Stitches per dm ( min )	36
COLOUR/ PRINT	Colour	Navy Blue
	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements	NA
	Sublimation Printing (for 100 % polyester only)	Sublimation Print as per buyer's requirements
	Sublimation Print as per buyer's requirements	NA
	Colourfastness to Light ( IS 2454 )	5
	Colourfastness to Washing ( IS/ ISO 105-C10, Test- C (3))	Change in Colour- 4; Staining of Adjacent Fabric- 3-4
	Colourfastness to Rubbing ( IS 766 )	Dry- 4 / Wet- 3
	Colourfastness to perspiration ( IS 971 )	4
	Colour of Mesh Lining	Any other colour as per buyer's requirements

	Any other colour of Mesh Lining as per buyer's requirements	NA
	Colourfastness to Washing ( IS/ISO 105-C10, Test- C (3))- Mesh Lining	Not Applicable
	Colourfastness to perspiration ( IS 971 )- Mesh Lining	Not Applicable
	Colour of Piping Material	White
	Any other colour as per buyer's requirements	NA
OTHER REQUIREMENTS	Pilling Resistant [after 5 hours Test as per IS 10971 (Part 1)], min	4
	Dimensional stability to washing, Shrinkage or Elongation Percentage, max ( IS 2977 latest), in lengthwise and widthwise direction	1
LOGO AND MARKING	Logo/ Totem Marking	As per buyer's requirements
	Type of Logo	Printed
	Number of Logos on Upper	Not Applicable
	Number of Logos on Lower	Not Applicable
	Size, Design and Location of Logo as per buyer's requirement	NA
TEST REPORT	Availability of Test Report from designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	Yes
	Test Report No	NA
	Test Report Date	NA
	Name of the Lab	NA
	Address of the Lab	NAA
	Test reports to be furnished to buyer on demand, if claimed to be available	Yes
ADVANCE SAMPLE	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Yes
<b>ईपीबीजी विवरण   ePBG Detail</b>		
NA		
<b>नियम और शर्तें   Terms and Conditions</b>		
<p><b>1. General Terms and Conditions-</b></p> <p>1.1 This contract is governed by the <a href="#">General Terms and Conditions</a>, conditions stipulated to this Product/Service as provided in the Marketplace.</p> <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p> <p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		