

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687781628646

अनुबंध तिथि | Generated Date : 15-May-2024

| संगठन विवरण   Organisation Details                                                                                                                                                                                                 | खरीदार विवरण   Buyer Details                                                                                                                                                                                                                                                                          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| प्ररूप   Type : Central Government<br>मंत्रालय   Ministry : Ministry of Railways<br>विभाग   Department : Indian Railways<br>संगठन का नाम   Organisation Name : Western Railway<br>कार्यालय क्षेत्र   Office Zone : Western Railway | पद   Designation : ADMMBRC<br>संपर्क नंबर   Contact No. : 265-2643977-<br>ईमेल आईडी   Email ID : ammstore.div@brc.railnet.gov.in<br>जीएसटीआईएन   GSTIN : 24AAAGM0289C1ZP<br>DIVISIONAL RAILWAY MANAGER OFFICE, PRATAPNAGAR,<br>पता   Address : VADODARA - 390004.,<br>VADODARA, GUJARAT-390004, India |

| वित्तीय स्वीकृति विवरण   Financial Approval Detail                                                                                                                                                       | भुगतान प्राधिकरण विवरण   Paying Authority Details                                                                                                                                                                                                                                                                         |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| आईएफडी सहमति   IFD Concurrence : No<br>प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval : Sr.DEE-TRD-BRC<br>वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval : SR.DFM-BRC | Role: BUYER<br>भुगतान का तरीका   Payment Mode: Railways<br>पद   Designation : ADMMBRC<br>ईमेल आईडी   Email ID : ammstore.div@brc.railnet.gov.in<br>जीएसटीआईएन   GSTIN : 24AAAGM0289C1ZP<br>DIVISIONAL RAILWAY MANAGER OFFICE, PRATAPNAGAR,<br>पता   Address : VADODARA - 390004.,<br>VADODARA CITY, GUJARAT-390004, India |

| विक्रेता विवरण   Seller Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| जेम विक्रेता आईडी   GeM Seller ID : ILXC220005142054<br>कंपनी का नाम   Company Name : GVSSCO INDIA<br>संपर्क नंबर   Contact No. : 07206108108<br>ईमेल आईडी   Email ID : indiagvssco@gmail.com<br>पता   Address : 1 FLOOR,5430 , OLD ANAJ MANDI,AMBALA CANTT,AMBALA,<br>Ambala, HARYANA-133001, -<br>एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-HR-01-0011869<br>एमएसई सामाजिक श्रेणी   MSE Social Category : General<br>एमएसई लिंग श्रेणी   MSE Gender : Female<br>जीएसटीआईएन   GSTIN: 06BPZPM7348G1Z5 (R) , (M) |

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

| उत्पाद विवरण   Product Details               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                               |             |                                     |                                         |                                                                                         |
|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------|-------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------|
| #                                            | आइटम विवरण   Item Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | आइटम विवरण   Ordered Quantity | इकाई   Unit | इकाई मूल्य (INR)   Unit Price (INR) | कर विभाजन (INR)   Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR) |
| 1                                            | उत्पाद का नाम   Product Name : freeze Fire Portable Fire Extinguishers as per IS 15683 (2018) High Pressure Extinguisher (Service Pressure >19 bar) Carbon Dioxide Based (as per IS 15222) Class -B<br>ब्रांड   Brand : freeze Fire<br>ब्रांड प्रकार   Brand Type : Registered Brand<br>कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue<br>कैसे बेचा जा रहा है   Selling As : OEM verified Reseller<br>श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Portable Fire Extinguishers (V2) as per IS 15683:2018 (Q2)<br>मॉडल   Model: FFS 4.5 KG CO2 BASED FIRE EXTINGUISHER<br>एचएसएन कोड   HSN Code: HSN not specified by seller | 30                            | pieces      | 5,200                               | NA                                      | 156,000                                                                                 |
| कुल ऑर्डर मूल्य   Total Order Value (in INR) |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                               |             |                                     |                                         | 156,000                                                                                 |

| परोक्षिती विवरण   Consignee Detail |                                     |                           |                    |                   |                                                           |                                                        |
|------------------------------------|-------------------------------------|---------------------------|--------------------|-------------------|-----------------------------------------------------------|--------------------------------------------------------|
| क्र.सं.   S.No                     | परोक्षिती   Consignee               | वस्तु   Item              | लॉट नंबर   Lot No. | मात्रा   Quantity | दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After | वितरण पूरा कब तक करना है   Delivery To Be Completed By |
|                                    | पद   Designation : SSE TRD STORE VS | freeze Fire Portable Fire |                    |                   |                                                           |                                                        |

|   |                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                              |   |    |             |             |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|---|----|-------------|-------------|
| 1 | ईमेल आईडी   Email ID : con2.mor.brc@gembuyer.in<br>संपर्क   Contact : 09724-091332-<br>जीएसटीआईएन   GSTIN : -<br>पता   Address : Office of Senior Section Engineer, Traction &<br>Distribution, Stores Vishwamitri, Nr. Vishwamitri Railway Station,<br>Vadodara, Gujarat-390011.,<br>VADODARA, GUJARAT-390011, India | Extinguishers as per IS<br>15683 (2018) High<br>Pressure Extinguisher<br>(Service Pressure >19<br>bar) Carbon Dioxide<br>Based (as per IS 15222)<br>Class -B | - | 30 | 15-May-2024 | 30-May-2024 |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|---|----|-------------|-------------|

**Product Specification for freeze Fire Portable Fire Extinguishers as per IS 15683 (2018) High Pressure Extinguisher (Service Pressure >19 bar) Carbon Dioxide Based (as per IS 15222) Class -B**

| विनिर्देश   Specification                             | उप-विनिर्देश   Sub-Spec                                                                                                                                                                                 | मूल्य   Value                                                                                                                                                                                                                                                 |
|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Generic                                               | Conformity to Standard                                                                                                                                                                                  | IS: 15683: 2018 (Latest amendments)                                                                                                                                                                                                                           |
|                                                       | Type                                                                                                                                                                                                    | Stored Pressure                                                                                                                                                                                                                                               |
|                                                       | Extinguishing Media                                                                                                                                                                                     | Carbon Dioxide Based (as per IS 15222)                                                                                                                                                                                                                        |
|                                                       | Expellant Medium                                                                                                                                                                                        | CO2 Extinguishing Medium                                                                                                                                                                                                                                      |
| Constructional Material                               | Type of Extinguisher                                                                                                                                                                                    | High Pressure Extinguisher (Service Pressure >19 bar)                                                                                                                                                                                                         |
|                                                       | Material Specification for the body of High Pressure Extinguisher                                                                                                                                       | Steel body (as per latest IS 7285)                                                                                                                                                                                                                            |
|                                                       | Material Specification for the body of Low Pressure Extinguisher                                                                                                                                        | NA                                                                                                                                                                                                                                                            |
| Construction                                          | Foam Based Extinguishing Media                                                                                                                                                                          | NA                                                                                                                                                                                                                                                            |
|                                                       | Powder Based Extinguishing Media                                                                                                                                                                        | NA                                                                                                                                                                                                                                                            |
|                                                       | Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3)                                                                                                                           | NA                                                                                                                                                                                                                                                            |
|                                                       | Name of Clean Agent as per (CL 5-1-3)                                                                                                                                                                   | N/A                                                                                                                                                                                                                                                           |
|                                                       | Foam Based Fire Extinguisher Capacity in Liters                                                                                                                                                         | NA                                                                                                                                                                                                                                                            |
|                                                       | Powder Based Fire Extinguisher Capacity in Kg                                                                                                                                                           | NA                                                                                                                                                                                                                                                            |
|                                                       | Carbon Dioxide Based Fire Extinguisher Capacity in Kg                                                                                                                                                   | 4.5                                                                                                                                                                                                                                                           |
|                                                       | Water Based Fire Extinguisher Capacity in Liters                                                                                                                                                        | NA                                                                                                                                                                                                                                                            |
|                                                       | Clean Agents Fire Extinguisher Capacity in Kg                                                                                                                                                           | NA                                                                                                                                                                                                                                                            |
|                                                       | Water Mist Fire Extinguisher Capacity in Liters                                                                                                                                                         | NA                                                                                                                                                                                                                                                            |
|                                                       | Weight of Filled Portable Fire Extinguisher                                                                                                                                                             | 15 kilogram                                                                                                                                                                                                                                                   |
|                                                       | Features of Fire Extinguisher                                                                                                                                                                           | Carrying Handle (Mandatory If Extinguisher having mass $\geq$ 1.5Kg or Cylinder diameter, Safety Devices (Mandatory for High Pressure Extinguisher), Rechargeable, Hose Assemblies (Mandatory If mass or volume of Extinguishing medium > 3 Kg or Litres), NA |
|                                                       | Marking                                                                                                                                                                                                 | As per clause 10.2 of IS 15683 (latest)                                                                                                                                                                                                                       |
|                                                       | Colour Coding Band (As per CL 10-1)                                                                                                                                                                     | Black (CO2)                                                                                                                                                                                                                                                   |
|                                                       | Pressure Gauge Range for Low-Pressure Extinguishers                                                                                                                                                     | 17 bar                                                                                                                                                                                                                                                        |
| Class of fire for which Fire Extinguisher is suitable | Class -B                                                                                                                                                                                                |                                                                                                                                                                                                                                                               |
| Performance                                           | Operating Temperature (°C)                                                                                                                                                                              | -30°C to +60°C                                                                                                                                                                                                                                                |
|                                                       | Test Pressure for all Fire extinguisher except CO2                                                                                                                                                      | 35 bar                                                                                                                                                                                                                                                        |
|                                                       | Burst Pressure for all Fire extinguisher except CO2                                                                                                                                                     | 55 bar                                                                                                                                                                                                                                                        |
|                                                       | Minimum Effective discharge time for Fire Extinguisher                                                                                                                                                  | 14 second                                                                                                                                                                                                                                                     |
|                                                       | Fire Rating of different class of fires                                                                                                                                                                 | 34B                                                                                                                                                                                                                                                           |
|                                                       | Discharge Range of Class-A and Class-B Fire Extinguisher (As per table 1 of CL 7-2-2) (Hint : $\geq$ 2 in case applicable on Class-A or Class A & B both / $\geq$ 1 in case applicable on Class-B only) | 3 meter                                                                                                                                                                                                                                                       |
| Certification                                         | BIS Marking                                                                                                                                                                                             | Yes                                                                                                                                                                                                                                                           |
|                                                       | CM/L No With Validity Period                                                                                                                                                                            | 7331058                                                                                                                                                                                                                                                       |
|                                                       | Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification                                                                                             | Availability of Test Report from NABL accredited Laboratory                                                                                                                                                                                                   |
|                                                       | Test Report No                                                                                                                                                                                          | FFS/4.5                                                                                                                                                                                                                                                       |
|                                                       | Test Report Date                                                                                                                                                                                        | 05/05/2023                                                                                                                                                                                                                                                    |
|                                                       | Name of the lab                                                                                                                                                                                         | FREEZE FIRE SOLUTION                                                                                                                                                                                                                                          |

|                                                                            |          |
|----------------------------------------------------------------------------|----------|
| Address of the lab                                                         | SAKINAKA |
| Agreed to furnish all the test reports and certificates to buyer on demand | Yes      |

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 7331058

### ईपीबीजी विवरण | ePBG Detail

NA

### नियम और शर्तें | Terms and Conditions

#### 1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.