

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687715575385

अनुबंध तिथि | Generated Date : 16-May-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4104817](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : Central PSU मंत्रालय Ministry : Ministry of Petroleum and Natural Gas विभाग Department : INDIAN OIL CORPORATION LIMITED संगठन का नाम Organisation Name : IOCL- WRPL कार्यालय क्षेत्र Office Zone: Rajkot	पद Designation : MTM संपर्क नंबर Contact No. : 0281-2333382- ईमेल आईडी Email ID : con38.iw.gj@gembuyer.in जीएसटीआईएन GSTIN : 24AAACI1681G1ZV पता Address : Indian Oil Corporation Limited, Village- Gauridad on Rajkot-Morvi Highway (Post Box No.1007), Bedipara, Rajkot-360003, RAJKOT, GUJARAT-360003, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: GM(T&M&C) वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : CFM	Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : ACO ईमेल आईडी Email ID : pao1.iocl.rjt@gembuyer.in जीएसटीआईएन GSTIN : 24AAACI1681G1ZV पता Address: Indian Oil Corporation Limited, Village- Gauridad on Rajkot-Morvi Highway (Post Box No.1007), Bedipara, Rajkot-360003, Rajkot, GUJARAT-360003, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 448B180000095545 कंपनी का नाम Company Name : AMBICA FURNITURE PRIVATE LIMITED संपर्क नंबर Contact No. : 09825506654 ईमेल आईडी Email ID : info@ambicafurniture.com पता Address : ANUPAM -2,,AMBICA FURNITURE PVT LTD,NAVRANGPURA,NAVARANGPURA,, AHMEDABAD, GUJARAT-380009, - एमएसएमई सत्यापित MSME verified : No एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-GJ-01-0018014 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 24AADCA7133Q1ZG (R) , (M)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : null

उत्पाद विवरण | Product Details (PAC)

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : GODREJ INTERIO Executive Table with One side pedestal unit ब्रांड Brand : GODREJ INTERIO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Executive Table (V2) (Q3) मॉडल Model: GODREJ INTERIO MAESTRO MAIN DESK + ERU JOINING TAB एचएसएन कोड HSN Code: HSN not specified by seller	4	pieces	143,429.4	NA	573,717.6
2	उत्पाद का नाम Product Name : GODREJ INTERIO N.A Credenzas ब्रांड Brand : GODREJ INTERIO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Credenzas (Q3) मॉडल Model: GODREJ INTERIO MAESTRO BACK UNIT 1400 x 470 x 760 एचएसएन कोड HSN Code: HSN not specified by seller	4	pieces	89,020.8	NA	356,083.2

कुल ऑर्डर मूल्य | Total Order Value (in INR)

929,800.8

परोक्षी विवरण | Consignee Detail

क्र.सं. S.No	प्रेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation :- ईमेल आईडी Email ID : buycon30.iw.gj@gembuyer.in संपर्क Contact :- जीएसटीआईएन GSTIN :- पता Address : Indian Oil Corporation Limited, Village- Gauridad on Rajkot-Morvi Highway (Post Box No.1007), Bedipara, Rajkot-360003, RAJKOT, GUJARAT-360003, India	GODREJ INTERIO Executive Table with One side pedestal unit	-	4	16-May-2024	15-Jun-2024
		GODREJ INTERIO N.A Credenzas	-	4	16-May-2024	15-Jun-2024

Product Specification for GODREJ INTERIO Executive Table with One side pedestal unit

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERIC	Structure /Frame of table	Gable end and modesty panel
	Frame type	Freestanding
	Accessories /Optional requirement for table	Beam Support for Table Top
	The type of Storage provided	One side pedestal unit
	Keyboard tray	Not provided
	Footrest	Not Provided
	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	The thickness of the gable end	18 mm
	Modesty panel material	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	The thickness of the modesty panel material	18 mm
	Gable end and modesty panel plain side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
	Table top edges	To be posts form half round profile with corner edge bending
	Leg Material	NA
	The thickness of the Leg material	NA
	Beam Material	NA
Number of buffers provided	4 Numbers at the bottom	
DIMENSION	Width of tabletop ±10 mm	1800 mm
	Depth of table ±10 mm	900 mm
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	2 drawers
	ERU top material	MDF and veneer with PU finish having scratch resistance of 2H
	ERU top material thickness ± 2 mm	25 mm
	Width of ERU unit ± 10 mm	1200 mm
	Depth of ERU unit ± 5 mm	580 mm
	Height of ERU unit ± 5 mm	690 mm
	ERU side panel material	NA
	ERU side panel Thickness ± 2 mm	NA
	Number of lockable castors at the bottom	4 numbers
	Size of lockable castors ± 2 mm	NA
	Type of storage lock system	NA

	Drawer /storage shutter pull-up mechanism	Groove type
	ERU outer Surface Finish	Laminate in color with swede finish 0.6-0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side
	ERU shade	Teak
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Two drawers
	Complete body fascia and drawer material in Pedestal Unit	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Thickness of the complete body fascia & drawer material	18 mm
	Material for back panel in pedestal unit	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Back Panel Thickness in Pedestal Unit	18 mm
	Drawer Bottom Material	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Drawer Bottom Material Thickness	9 mm
	Provision of Castor in Pedestal unit	With
	Lock provided (for pedestal unit)	NA
	Pedestal handle material	Aluminum
	Pedestal outer finish	Laminate in color with swede finish 0.6 - 0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side
	Pedestal shade	Teak
	Width of Pedestal unit in mm (±10 mm)	600 mm
	Depth of pedestal unit ±10mm	500 mm
Height of pedestal unit ±5mm	550 mm	
KEYBOARD TRAY	Material of keyboard tray and Right angle L-type supporting bracket	NA
	Material thickness of keyboard tray ±1mm	NA
	Fixing of supporting bracket	NA
	Length of telescopic channel ± 10 mm	NA
	Keyboard height±10mm	NA
	Keyboard front width±10mm	NA
	Keyboard depth±10mm	NA
FOOTREST	Material of footrest	NA
	Material thickness of footrest ±2mm	NA
	Height of footrest ±10mm	NA
	Width of footrest ±10mm	NA
	Depth of footrest ±10mm	NA
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Oxford cherry
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	Yes
	The product has BIFMA certification	Yes
	OEM of the offered product is ISO 9001:2015 certified	Yes
	OEM of the offered product is ISO 14001:2015 certified	Yes
	OEM of the offered product is ISO 45001:2018 certified	Yes
	The product has GREENGUARD	

	certification	Yes
	The product has Green Pro certification	Yes
Product Specification for GODREJ INTERIO N.A Credenzas		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERIC	Mode of supply	Knocked Down to be assembled at consignee site by the seller
	Design of credenza unit	Drawer plus compartment with shelves
	Number of drawers	Four Nos
	Number of compartments with shelves	Two Nos
	Number of shelves in each compartment	One Nos
	Number of compartment without shelves	N.A
	Number of partition for compartment	One Nos
	Number of compartment in each partition	N.A
	Type of doors for compartments	Shutter hung on side
	Number of doors	Two Nos
MATERIAL & MATERIAL THICKNESS	Material specification	Prelaminated particle board of grade II type III of IS 12823/Latest.Both side laminated. Outer side laminated with shade matching with top shade and fascia shade and having balancing laminate of 0.5mm thickness on other side
	Material thickness of complete body,Fascia and drawer/compartment	25 millimeter
	Material thickness for back, partition and drawer bottom/compartment shelves ± 2 mm	19 millimeter
	Skirting Thickness	19 millimeter
	All plain panels edge to be banded	With 0.8-1.0 mm thick PVC tape with the help of hot melt glue
DIMENSION	Width of credenza unit ± 20 mm	1400 mm
	Height of credenza unit ± 20 mm	750 mm
	Depth of credenza unit ± 20 mm	450 mm
MISC	Preservation treatment	YES
	Locking System provided	YES
	Handles for Drawer/Compartment	Corrosion Resistance Metal
	Fixing of channel for drawer	With Telescopic
	Length of Telescopic channel ± 10 mm	400mm
	Average weight of telescopic channel ± 50 Gms	300Gms per set
	Openables shutter hung on side of the compartment	With help of auto closing hinges of O cracking overlay type
	Number of Buffer provided at the bottom	6
COLOUR & FINISH	Colour	oak
	Material finish	Matt finish
WARRANTY	Warranty period in number of years	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES

शुद्धिपत्र | Corrigendum

1. तक बढ़ाया गया | Extended Upto : 2023-11-20 15:00:00
2. तक बढ़ाया गया | Extended Upto : 2023-11-28 15:00:00
3. तक बढ़ाया गया | Extended Upto : 2023-12-14 15:00:00
4. GeM-Bidding-Corr-5482015-7.pdf : [यहाँ क्लिक करें | click here](#)
5. तक बढ़ाया गया | Extended Upto : 2024-01-03 15:00:00

खरीदार द्वारा जोड़ी गई बोली का विशिष्ट अतिरिक्त कार्य | Buyer added Bid Specific Additional Scope of Work

क्र.सं S.No	दस्तावेज़ का शीर्षक Document Title	विवरण Description	लागू आईआरओ सामान Applicable i.r.o. Items	
1	Product Specific Special terms and conditions with Technical Specifications of the tendered items View	Bidder must refer to the attached document for PQC criteria, detailed technical specifications and submit the scanned copy of the signed and stamped document along with annexures, etc as compliance of the same.	Executive Table (V2)(4)	Credenzas(4)

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	State Bank of India
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	10.00
बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा The bidder shall furnish ePBG as applicable as per bid's terms and conditions	

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

2.2 Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2.3 Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

2.4 Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

2.5 Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

2.6 Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

2.7 Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

2.8 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.9 Forms of EMD and PBG:

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

Indian Oil Corporation Limited-Pipelines Division

Account No.

10524942089

IFSC Code

SBIN0003829

Bank Name

State Bank of India

Branch address

Jagnath Plot Branch, Kings plaza First Floor, Astron Chowk, Rajkot-360001

. Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

2.10 Forms of EMD and PBG:

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

Indian Oil Corporation Limited-Pipelines Division

Account No.

10524942089

IFSC Code

SBIN0003829

Bank Name

State Bank of India

Branch address

Jagnath Plot Branch, Kings plaza First Floor, Astron Chowk, Rajkot-360001

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

2.11 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

Buyer Added text based ATC clauses

1. Bidder is requested to refer Product Specific Special Terms and Conditions [Tender PWRJM23041, NIT, Technical Specifications & Tender Documents] and conditions attached in: Buyer added Bid Specific Additional Scope of Work-> Product Specific Special Terms and conditions-> TENDER PWRJM23041. Bidder must quote according to the same.
2. If bidder's offered product fails to meet technical specifications attached in Technical Specification document available in Tender PWRJM23041 for respective item, complete bid shall be liable for rejection as evaluation is on total value wise basis.
3. Bidder should comply with all the Technical Specifications and Terms & Conditions mentioned in Tender PWRJM23041.
4. Bidder should submit all applicable Annexures attached in tender document duly filled, signed and stamped.

Corrigendum-1 :-

- a. Clause no.12 : Performance Bank Guarantee shall be read as Not applicable. **(Page no.16 of 125 of PSSTC document)**
- b. Clause no.11 : Guarantee/Warranty shall be read as : Guarantee / Warranty shall be for 15 months from the date of installation of the supplied product.

Guarantee / Warranty clause mentioned herein shall prevail over the Guarantee / Warranty clause mentioned elsewhere in the tender documents including technical specifications.

(Page no.16 of 125 of PSSTC document)

c. GeM Bid document -Page no.2 : ePBG shall be read as Not applicable.

Detailed corrigendum also attached as Buyer added ATC document.

2.12 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#).

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.