

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687753106046

अनुबंध तिथि | Generated Date : 18-May-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4823801](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : Central PSU मंत्रालय Ministry : Ministry of Coal विभाग Department : Materials Management संगठन का नाम Organisation Name : NLC India Limited कार्यालय क्षेत्र Office Zone : Materials Management	पद Designation : APO Pur संपर्क नंबर Contact No. : 04142-283000-72510 ईमेल आईडी Email ID : buyer1.nil.tn@nic.in जीएसटीआईएन GSTIN : 33AAACN1121C1ZG पता Address : MATERIALS MANAGEMENT, NLC INDIA LIMITED, DR. RAJENDRA PRASAD ROAD, BLOCK 27, NEYVELI, CUDDALORE, TAMIL NADU-607807, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : DGM वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : Manager	Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : Assistant Manager Fin ईमेल आईडी Email ID : s.sathyanarayana.nlc@nic.in जीएसटीआईएन GSTIN : 33AAACN1121C1ZG पता Address : MATERIALS MANAGEMENT, NLC INDIA LIMITED, DR. RAJENDRA PRASAD ROAD, BLOCK 27, NEYVELI, CUDDALORE, TAMIL NADU-607807, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 457D180000093384 कंपनी का नाम Company Name : THE JAIN LOCK FACTORY संपर्क नंबर Contact No. : 09411800560 ईमेल आईडी Email ID : jainlock@gmail.com पता Address : 9/86,JAIN LOCK FACTORY,JAIN STREET,CHIPETTL, Aligarh, UTTAR PRADESH-202001, - एमएसएमई सत्यापित MSME verified : Yes एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-UP-02-0000439 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN : 09ADWPJ8641B1Z7 (B), (R), (M)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : JAIN LOCK Pad Locks IG 4 Levers 50 mm As per Defence specification IND/GS/1909 Galvanized iron padlocks with male or female keys - As per Fig 2 of govng. Specn. ब्रांड Brand : JAIN LOCK ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Pad Lock Various (As Per Defence Specification) (Q3) मॉडल Model : ASIAN LOTO LOCK LONG SHACKLE एचएसएन कोड HSN Code : 8301	300	pieces	265.5	NA	79,650
कुल ऑर्डर मूल्य Total Order Value (in INR)						79,650

परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By

1	पद Designation :- ईमेल आईडी Email ID : ravichandran47.nlc@nic.in संपर्क Contact : 04142-269786- जीएसटीआईएन GSTIN : - पता Address : PERMANENT CENTRAL STORES, NLC INDIA LIMITED, NEYVELI 607807, CUDDALORE, TAMIL NADU-607807, India	JAIN LOCK Pad Locks IG 4 Levers 50 mm As per Defence specification	1	30	18-May-2024	17-Jun-2024
		IND/GS/1909 Galvanized iron padlocks with male or female keys - As per Fig 2 of govng. Specn.	2	270	03-Jul-2024	01-Aug-2024

Product Specification for JAIN LOCK Pad Locks IG 4 Levers 50 mm As per Defence specification IND/GS/1909 Galvanized iron padlocks with male or female keys - As per Fig 2 of govng. Specn.

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERIC	Governing specification	Conforming to Departmental Specification No. IND/GS/1909 (DS Cat No.5340-000967 to 000969 NSN 5340720170973 to 5340720170975) - specification uploaded at QR / Spcn alongwith drawing.
	Types of padlocks	Galvanized iron padlocks with male or female keys - As per Fig 2 of govng. Specn.
	Nominal sizes of padlocks (Nominal size denoted by maximum width of the body)	Pad Lock IG 4 Levers 50 mm
	Designation	Pad Locks IG 4 Levers 50 mm
	Defence Stores Catalogue Number (DS CAT PART NUMBER) - {NSN} - [NOMENCLATURE & SIZE SPRING DIVIDER] (all in mm)	(G1 / 5340 - 000968) - { 5340720170974 } - [PADLOCK IG 4 LEVERS 50 MM]
	Shape and Design of padlocks and their parts	Other shapes and designs as per manufacturer's patent or as agreed between Buyer and Seller.
	Details of other shapes and designs of padlocks (by Buyer/Seller) - Write NA if not applicable	NA
	Approval of Advance sample before Bulk Supply	No Advance sample
	Provision of NON-INTERCHANGEABILITY	Conforming to cl. 9 of govng. Specn
MANUFACTURING OF PADLOCKS	Body of padlocks	Confmg. to Cl. 10.1.1 of Govng. Specn. (for Brass padlocks)
	Back plate of padlocks	Confmg. to Cl. 10.1.2 of Govng. Specn. (for Brass padlocks)
	Locking Plate and Bolt of padlocks	Confmg. to Cl. 10.1.4 of Govng. Specn. (for Brass padlocks)
	Locking Pin of padlocks	Confmg. to Cl. 10.1.5 of Govng. Specn. (for Brass padlocks)
	Livers of padlocks- A padlocks have not less than four levers	Confmg. To Cl. 10.1.5 of Govng. Specn. (for Brass padlocks)
	Lever Cover Plate of padlocks	Confmg. to Cl. 10.1.7 of Govng. Specn. (for Brass padlocks)
	Lever spring of padlocks	Confmg. to Cl. 10.1.8 of Govng. Specn. (for Brass padlocks)
	Shackle	Confmg. to Cl. 10.1.9 of Govng. Specn. (for Brass padlocks)
	Shackle Pivot Pin	Confmg. to Cl. 10.1.10 of Govng. Specn. (for Brass padlocks)
	Guide Pin, Lever Pivot Pin and Lever Spring Fulcrum Pin	Confmg. to Cl. 10.1.11 of Govng. Specn. (for Brass padlocks)
	Rivets	Confmg. to Cl. 10.1.12 of Govng. Specn. (for Brass padlocks)
	Key Way Protector	Confmg. to Cl. 10.1.13 of Govng. Specn. (for Brass padlocks and also for galvanized iron padlocks)
	Keyhole Cover	Confmg. to Cl. 10.1.14.1 of Govng. Specn. (for Brass padlocks and also for galvanized iron padlocks)
	Supply with two male Keys	Confmg. To Cl. 10.1.15 of Govng. Specn. (for Brass padlocks and also for galvanized iron padlocks) and Confmg. To requirement specified in 10.2.1 to 10.2.7
	Leaded tin bronze keys (if required)	N.A
Supply with female key	No female Key	
Galvanizing	N.A	
MATERIALS & ITS SPECIFICATION	Mild Steel	Confmg. To cl. 7.1.1 of govng. Specification
	Galvanized Mild Steel Wire	Confmg. To cl. 7.2 of govng. Specification
	Mild steel wire	Confmg. To cl. 7.2.1 of govng. Specification
	Cast Brass	N.A
	Brass sheet	N.A
	Brass wire and phosphor bronze wire	N.A
	Leaded tin bronze	Confmg. To cl. 7.6 of govng. Specification
Leading dimensions of Brass padlocks and their	Conforming to table 1 of govng. specification	

DIMENSIONS & TOLERANCES	components & tolerances	
	Leading dimensions of Galvanized iron padlocks and their components & tolerances	Conforming to table 2 of govng. specification
WORKMANSHIP & FINISH	All components of padlocks and Keys	Smooth finished to minimize frictional resistance in their working
	Levers workmanship	Keys of any two padlocks which have nearest lever combinations be mutually nonpinterchangeable.
	Padlock finishing	Smooth finished and given a coat of lacquer and Shackle & Key finished bright(for brass padlock)
MARKING	Each padlock stamped	Confmg. to cl. 19.1 of Govng. Specn.
	Key stamping	Confmg. to cl. 19.2 of Govng. Specn.
	Marking on package	Confmg. to cl. 20.3 of Govng. Specn.
WARRANTY	Warranty performance	Confmg. to cl. 18.0 of Govng. Specn.
CERTIFICATION	Criteria for Conformity	Confmg. to cl. 16 of Govng. Specn.

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for JAIN LOCK Pad Locks IG 4 Levers 50 mm As per Defence specification IND/GS/1909 Galvanized iron padlocks with male or female keys - As per Fig 2 of govng. Specn.

विनिर्देश Specification	मूल्य Value
TECHNICAL SPECIFICATIONS AS PER GEM PRODUCT ID :5116877-84066740751	AGREED / DEVIATION
Padlock, IG 4 Levers 50 mm as per Defence specification IND/GS/1909 Galvanized iron padlock with male or female keys.	AGREED / DEVIATION
The bidder should be a Micro/Small Scale Industrial Unit and should be a Manufacturer of Pad Lock	AGREED / DEVIATION
Pad Lock items are reserved to be procured exclusively from MSE only and the offers from MSE vendors only will be evaluated	AGREED / DEVIATION
The bidder should submit the valid MSE (UDYAM) document to prove their eligibility, duly attested by Notary Public/Gazetted officer/Chartered Accountant towards proof of manufacture.	AGREED / DEVIATION

विक्रेता विशिष्टता दस्तावेज़ | Seller Specification Document:

1. Applicable Specification Document	mkp.gem.gov.in/uploaded_documents/cms/tp/home_defe_secu_lock_pa28655683/51/16/877/CategorySc hema/qr_spcn_document/2018/10/12/padlock-specification_2018-10-12-17-20-32_ad01376c56453678077f6bc290e0c978.pdf
--	--

शुद्धिपत्र | Corrigendum

1. तक बढ़ाया गया | Extended Upto : 2024-04-22 15:00:00

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2.3 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.4 Buyer Added Bid Specific ATC:
Buyer Added text based ATC clauses

DELIVERY SCHEDULE DETAILS

PART SUPPLY - 0-30 Days - 30 Nos

APPROVAL OF PART SUPPLY - 31-45 Days

BALANCE SUPPLY 46 -75 Days -270 Nos

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.