

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687700053942

अनुबंध तिथि | Generated Date : 18-May-2024

| संगठन विवरण Organisation Details | खरीदार विवरण Buyer Details |
|--|--|
| प्रकार Type : State Government मंत्रालय Ministry : - विभाग Department : Basic Education Department Uttar Pradesh संगठन का नाम Organisation Name : N/A कार्यालय क्षेत्र Office Zone : Director Basic Education, Lucknow | पद Designation : BSA संपर्क नंबर Contact No. : 01342-266194- ईमेल आईडी Email ID : bsa.bi-up@gov.in जीएसटीआईएन GSTIN : - पता Address : BSA OFFICE, BIJNOR, BIJNOR, UTTAR PRADESH-246701, India |

| वित्तीय स्वीकृति विवरण Financial Approval Detail | भुगतान प्राधिकरण विवरण Paying Authority Details |
|--|--|
| आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : BSA वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : AAO | Role: BUYER भुगतान का तरीका Payment Mode: Offline पद Designation : BSA ईमेल आईडी Email ID : bsa.bi-up@gov.in जीएसटीआईएन GSTIN : - पता Address: BSA OFFICE, BIJNOR, BIJNOR, UTTAR PRADESH-246701, India |

| विक्रेता विवरण Seller Details |
|--|
| जेम विक्रेता आईडी GeM Seller ID : 9C07180000321696 कंपनी का नाम Company Name : TIMES IT SOLUTIONS संपर्क नंबर Contact No. : 09319418711 ईमेल आईडी Email ID : infotender@timesitsolutions.com पता Address : GF-2,3 AND 4,ANSAL TOWER 38,NEHRU PLACE, South Delhi, DELHI-110019, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-UP-58-0003690 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 09ADKPK0524A1Z2 (B) , 05ADKPK0524A1ZA (B) , 07ADKPK0524A1Z6 (R) |

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

| उत्पाद विवरण Product Details | | | | | | |
|--|---|-------------------------------|-------------|-------------------------------------|---|---|
| # | आइटम विवरण Item Description | आइटम विवरण Ordered Quantity | इकाई Unit | इकाई मूल्य (INR) Unit Price (INR) | कर विभाजन (INR) Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR) |
| 1 | उत्पाद का नाम Product Name : V CARE Sanitary Napkins Incinetator Machine with Smoke Control Unit ब्रांड Brand : V CARE ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Sanitary Napkins Incinetator Machine with Smoke Control Unit (Q3) मॉडल Model: V CARE INCI 52024 एचएसएन कोड HSN Code: HSN not specified by seller | 14 | pieces | 13,900 | NA | 194,600 |
| कुल ऑर्डर मूल्य Total Order Value (in INR) | | | | | | 194,600 |

| परोक्षी विवरण Consignee Detail | | | | | | |
|----------------------------------|--|-------------------------|--------------------|-------------------|---|--|
| क्र.सं. S.No | परोक्षी Consignee | वस्तु Item | लॉट नंबर Lot No. | मात्रा Quantity | दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After | वितरण पूरा कब तक करना है Delivery To Be Completed By |
| | पद Designation : BSA Lucknow ईमेल आईडी Email ID : bsa.lu-up@gov.in संपर्क Contact : 9453-004167-0000 | V CARE Sanitary Napkins | | | | |

| | | | | | | |
|--|--|--|---|----|-------------|-------------|
| 1 | जीएसटीआईएन GSTIN : - पता Address : 58 jagat narain road Shiksha bhawan Lucknow, LUCKNOW, UTTAR PRADESH-226007, India | Incinerator Machine with Smoke Control Unit | - | 14 | 18-May-2024 | 02-Jun-2024 |
| Product Specification for V CARE Sanitary Napkins Incinerator Machine with Smoke Control Unit | | | | | | |
| विनिर्देश Specification | उप-विनिर्देश Sub-Spec | मूल्य Value | | | | |
| GENERAL | Type | Wall Mountable | | | | |
| | Purpose | Burn used Sanitary Napkins to sterile ash and stop automatically | | | | |
| | Color | Blue | | | | |
| | Operation Mode | Electronically operated, fully Automatic | | | | |
| | Loading Type | Front loading | | | | |
| | Stand provided | No | | | | |
| | Number of chambers | NA | | | | |
| | Trap Door available | Yes | | | | |
| | All MS parts Powder coated | Yes | | | | |
| | Spare parts should be available for Minimum 5 years from date of supply | Yes | | | | |
| | All electrical parts are ISI Marked | Yes | | | | |
| DIMENSIONS OF MAIN UNIT | Thickness of thermal Insulation material (mm) | 25 millimeter | | | | |
| | Thickness of MS/SS sheet of housing cabinet (external) (mm) | 1.2 millimeter | | | | |
| | Thickness of MS/SS sheet of burning chamber (internal) (mm) (Min) | 1 millimeter | | | | |
| | Machine Width(mm) | 200-300 | | | | |
| | Machine Depth (mm) | 201-300 | | | | |
| | Machine Height(mm) | 200-500 | | | | |
| | Machine Weight(kg) | 5-15 | | | | |
| | Door width(mm) | 50-100 | | | | |
| | Door height(mm) | 50-100 | | | | |
| | Thickness of door including insulation (mm) | 25 millimeter | | | | |
| | Internal/burning chamber shape | Vertical cylindrical | | | | |
| | Flexible emission Outlet pipe dia (mm) | 40 millimeter | | | | |
| | Detachable ash tray length (mm) | 100-150 | | | | |
| | Detachable ash tray width (mm) | 100-150 | | | | |
| | Detachable ash tray height (mm) | 5-15 | | | | |
| | Stand Height (mm) | 0 millimeter | | | | |
| Stand Width (mm) | NA for wall mountable | | | | | |
| Stand Depth (mm) | NA for wall mountable | | | | | |
| MATERIAL OF MACHINE UNIT | Material of Housing cabinet (External) | Mild Steel(CRCA) sheet | | | | |
| | Material of Burning chamber (Internal) | Mild Steel(CRCA) sheet | | | | |
| | Finish of MS parts of cabinet | NA | | | | |
| | Material of Thermal Insulation | High Density Ceramic Fiber sheet | | | | |
| CONSTRUCTIONAL FEATURES | Thermal insulation of burning chamber housed in outer chamber | Yes | | | | |
| | Burning Chamber tray provided | Yes | | | | |
| | Emission Outlet pipe location | Top of machine | | | | |
| | Means of connecting the unit outlet with flue gas emission pipe | Clamped | | | | |
| | Type of door lock provided | Magnetic lock | | | | |
| | Temperature indicator provided | Yes | | | | |
| | Timer provided | Yes | | | | |
| | Auto cut-off temperature display | Yes | | | | |
| | Digital display to see actual and set temperature | Yes | | | | |

| | | |
|--------------------------------|---|--|
| CONTROL & FUNCTIONAL FEATURES | Minimum Burning temperature (degree C) | 800 |
| | Burning Capacity per day (Number of Napkins) | 100-200 |
| | Burning Capacity at a time (Number of Napkins) | 1-15 |
| | Residue Ash per Napkin (gms) | 1 gram |
| | Burning time of full capacity Napkins/pads (minutes) (Max) | 10 minute |
| | Skin temperature of the unit under operation (deg C) | 16-20 |
| | Installation, training, demonstration and plumbing included | Yes |
| ELECTRICAL AND SAFETY FEATURES | Automatic digital controller for time | Yes |
| | Automatic digital controller for temperature | Yes |
| | Equipment ON/OFF indicator provided | Yes |
| | Power supply | 230v +/-10%, 50Hz, Single phase, AC supply |
| | Electrical Power Consumption(Watt) | 500-1000 |
| | Minimum length of power chord to be supplied along with machine (mtr) | 2 meter |
| | Type of Heater | Ceramic heater containing coil |
| | Power saver (auto power cut-off) | Yes |
| | Safety MCB provided (16A to 30A) | Yes |
| | Protection against electric shock when checked as per IS:302-1/2008 | Yes |
| | Minimum Insulation Resistance (IR) at 500 VDC (Mega Ohm) | 2 |
| | Maximum Electrical Insulation and Leakage current as per IS:302-1/2008, (mA) | 0.21 |
| | Maximum Earthing continuity test when tested as per IS:302-1/2008 (Ohm) | 0.1 |
| | HV test at 1000 V rms for 1 Sec when tested as per IS:302-1/2008 | No breakdown shall occur during the test |
| SMOKE CONTROL UNIT (SCU) | Type of SCU (Smoke Control Unit) | Not Required |
| | Material of housing of Smoke Control Unit (SCU) | NA |
| | Finish of MS parts of SCU cabinet | NA |
| | Overall height of SCU (mm) | 0 |
| | Overall width of SCU (mm) | NA |
| | Overall depth of SCU (mm) | NA |
| | Number of chambers for filtration of smoke emission | Not required |
| | Both carbon Control and Foul odour Control Chambers for filtration of smoke emission | Not Required |
| | Number of filters in Carbon control chamber | Not Required |
| | Type of filters in Carbon control chamber | Not Required |
| | Number of filters in Odour control chamber | Not Required |
| | Type of filters in Odour control chamber | Not Required |
| | Blower type | NA |
| | Blower RPM | 0 |
| | Power supply of SCU | NA |
| | Minimum length of flexible emission outlet pipe to be supplied along with machine (mtr) | 3 |
| | Cost of additional flexible emission outlet pipe, if required on actuals to be paid by the user | Yes |
| EMISSION STANDARD FOR SMOKE | Conformity to CPCB, Min of Environment & Forests standard, Solid Waste Management Rules (SWM), 2016 | Yes |
| | Particulates (Half hourly average) (mg/Nm3) (Max) | 50 |
| | HCl (Half hourly average) (mg/Nm3) (Max) | 50 |
| | SO2 (Half hourly average) (mg/Nm3) (max) | 200 |
| | CO (Half hourly average) (mg/Nm3) (Max) | 100 |
| | CO (Daily average) (mg/Nm3) (Max) | 50 |
| | Total Organic Carbon (Half hourly average) (mg/Nm3) (Max) | 20 |
| | HF (Half hourly average) (mg/Nm3) (Max) | 4 |

| | | |
|--------------------------|---|------------|
| | "Nox (NO and NO2 expressed as NO2) (Half hourly average) (mg/Nm3) (Max)" | 400 |
| | Total dioxins and furans (6 to 8 hours sampling basis, Please refer guidelines for 17 concerned congeners for toxic equivalence values to arrive at total toxic equivalence) (ng TEQ/Nm3) (Max) | 0.1 |
| | Cd + Th + their compounds (Sampling time anywhere between 30 minutes and 8 hours) (mg/Nm3) (Max) | 0.05 |
| | Hg and its compounds (Sampling time anywhere between 30 minutes and 8 hours) (mg/Nm3) (Max) | 0.05 |
| | Sb+As+Pb+Cr+Co+Cu+Mn+Ni+V+their compounds (Sampling time anywhere between 30 minutes and 8 hours) (mg/Nm3) (Max) | 0.5 |
| | Loss on ignition (max) (% dry weight of the material) | 5 |
| PACKING | Packing | Carton Box |
| MARKING AND INSTRUCTIONS | The appliance is marked as per IS:302-1/2008 | Yes |
| CERTIFICATION | Submission of Test Report from Central Govt/CSIR Lab/NABL/ILAC accredited Lab specifically containing Electrical & Electronic parameters,Thermal insulation material of burning chamber in addition to declared specification parameter at time of supply | Yes |
| | Submission Test Report for equipment for compliance of Flue gas emission and ash upon combustion of Sanitary Napkins/Pads to Central Pollution Control Board (CPCB) norms from NABL accredited lab/CSIR Lab at the time of supply | Yes |
| | Certification Available | EU-CE |
| | Certificate for Manufacturing premises available | ISO |
| | Compliance certificate is to be furnished after conducting comprehensive performance test by the supplier | Yes |
| | Submission of all the certifications to the buyer along with supplies | Yes |
| PERFORMANCE REQUIREMENTS | Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) | 1 |

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:2 effective from 03-11-2023

1.1.1. Comprehensive warranty:

Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares.. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.

2. Service centres:

Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.

3. Source of supply:

It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.

4. Packing and Marking:

Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of goods including quantity ,. Packing list reference number , country of origin of goods and any other relevant details.

5. Spare Parts:

Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied

6. Installation, Training, Manuals:

Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly,

minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable.

7. Electrical safety checking:

Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

8. Software:

All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.