

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687782508349

अनुबंध तिथि | Generated Date : 20-May-2024

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : State Government मंत्रालय Ministry : - विभाग Department : Higher Education Department Chhattisgarh संगठन का नाम Organisation Name : N/A कार्यालय क्षेत्र Office Zone: Bilaspur	पद Designation : FINENCE OFFICER संपर्क नंबर Contact No. : 07752-220007- ईमेल आईडी Email ID : alexkujur.dd@cg.gov.in जीएसटीआईएन GSTIN : 22AAAJB1371M1DS पता Address : Koni, Bilaspur, BILASPUR, CHHATTISGARH-495001, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: ABVV वित्तीय अनुमोदन का पदनाम Designation of Financial Approval: ABVV	Role: BUYER भुगतान का तरीका Payment Mode: Offline पद Designation : FINENCE OFFICER ईमेल आईडी Email ID : alexkujur.dd@cg.gov.in जीएसटीआईएन GSTIN : 22AAAJB1371M1DS पता Address: Koni, Bilaspur, Bilaspur, CHHATTISGARH-495001, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : B7BF180000109118 कंपनी का नाम Company Name : sagar industries संपर्क नंबर Contact No. : 09098113111 ईमेल आईडी Email ID : sagarindustriesindia123@gmail.com पता Address : ward number 10, puranibasti vishnumandirmarg janjgir 495668, sharda chowk janjgir, JANJGIR/CHAMPA, Chhattisgarh-495668, India एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-CG-06-0003791 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 22ACOF53207M1ZY (B), (R), (M)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Polycrystalline Off-Grid Solar Photovoltaic (PV) power plant, Capacity 6 kVA ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Off - Grid Solar Photovoltaic (PV) Power Plant (Q3) मॉडल Model: 6kVAoffgrid एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	496,999	NA	496,999
कुल ऑर्डर मूल्य Total Order Value (in INR)						496,999

परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : FINENCE OFFICER ईमेल आईडी Email ID : alexkujur.dd@cg.gov.in संपर्क Contact : 07752-220007-	Unbranded Polycrystalline Off-Grid				

1	जीएसटीआईएन GSTIN : 22AAAJB1371M1DS पता Address : Koni, Bilaspur, BILASPUR, CHHATTISGARH-495001, India	Solar Photovoltaic (PV) power plant, Capacity 6 kVA	-	1	20-May-2024	04-Jun-2024
Product Specification for Unbranded Polycrystalline Off-Grid Solar Photovoltaic (PV) power plant, Capacity 6 kVA						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
PV Module	Module glass air withstand capacity (km/hrs)	>=200km/hr				
	Type of Solar Module	Polycrystalline				
	Additional features	PID Resistance Technology,Multi-Layer EVA Encapsulation				
	Rated power of each PV module used	290W				
	Module conformity to specification	IEC 61215 Ed2,IEC 61701,IEC 61730 -1,IEC 61730-2				
	Module linear power output degrading warranty	25 year				
	Zero negative power tolerance	Yes				
	Module frame material	anodised aluminium alloy frame				
	Junction box Protection class	IP67				
	open circuit voltage	46 Volt				
	Marking on PV module	Name of manufacturer,month & year of manufacturing,I-V curve of module,Peak Power,Im,Vm,Fill factor,Serial no.,Model number,Name of Lab issuing IEC,date & year of obtaining IEC PV module qualification				
	Module efficiency	>=16%				
	Module product warranty	25 year				
Power Conditioning Unit (PCU)	Power factor for lead	>=0.8				
	Charger technology	MPPT				
	Warranty of PCU	24 month				
	Electrical protections	Under/over voltage protection at input & output of battery,Reverse polarity protection for array & battery,Output overload protection,Short circuit protection,Over temperature protection,Surge protection				
	Output phase	Single				
	Charging stages	Boost,Absorption,Float				
	Output waveform type	Pure Sine Wave				
	Rated Output Voltage (AC)	230 Volt				
	Rated Power (kVA)	6				
	Conformity to specification	IEC 61683,IEC 60068,IEC 60529				
	Controller	32 bit DSP controller				
	Automatic changeover between solar & AC mains provided	Yes				
	Efficiency at STP for linear loading	>=95%				
	Protection class	IP20				
	Rated Frequency	50 Hertz				
	Input Phase	Single				
	Maximum operating ambient temperature	50 degree Celsius				
	Switching device	IGBT				
Nominal battery DC system voltage	96 Volt					
Display parameter	Array voltage,Array current,Array power,Battery voltage,Battery current,Grid Voltage,Output. Day kWh,Date,Time					
Power factor for lag	>=0.8					
Module Mounting Structure	Material of all nuts, bolts & factners etc	Stainless steel				
	Adjacent Module air gap	25 millimeter				
	Mounting structure wind withstand ability	>=150km/hr				
	Weather proof Junction box provided for connections	Yes				
	Module tilt angle	24 degree				

	Type	Galvanised module mounting structures(MMS)
	Thickness(micron)	>=80
Generic	Component	Balance of System (BOS) Items/Components,Module Mounting Structure,Battery Rack/Trolley,Electrical Connections,DC MCB/DC Distribution Box,AC DISTRIBUTION BOARD (ACDB),Earthing & Lightning Protection
	Additional features to be specified	with Installation
	capacity of power plant (kVA)	6
Battery specifications	Suitable battery stand/size with roller provided	Yes
	Acid level indicator provided	Yes
	Battery voltage	12 Volt
	Battery warranty	3 year
	No of battery	8
	Battery type	C 10 Tubular Lead Acid
	Battery capacity (Ah)	200
	Carrying handle	Yes
	Terminal cover provided	Yes
BOS items	Switches/Circuit breaker/connector with SPD as per	IEC 529,SPD as per IEC 61643-11/12,IEC 60947,IS 60947
	PVC insulated cable for working voltage and UV protected for outer installation as per	TUV,IEC 60228,IS 694,IS 1554
	Protection class of junction box/enclosure box	IP 55,IP 65
	Earthing & Lighting protection as per	IEC- 62561-7
Certifications and Standards	ISO certification number and date	2019101403GS
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	NA
	Manufacturer should be ISO certified	Yes

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.