

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687721389694

अनुबंध तिथि | Generated Date : 21-May-2024

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्ररूप   Type : Central Autonomous मंत्रालय   Ministry : Ministry of Education विभाग   Department : Department of Higher Education संगठन का नाम   Organisation Name : Ghani Khan Choudhury Institute of Engineering And Technology कार्यालय क्षेत्र   Office Zone: Malda West Bengal	पद   Designation : Purchase Officer2 संपर्क नंबर   Contact No. : 03512-221130- ईमेल आईडी   Email ID : con1.gkciet.malda@gembuyer.in जीएसटीआईएन   GSTIN : 19AACAG0978J1ZD पता   Address : Ghani Khan Choudhury Institute of Engineering and Technology Narayanpur (P O) Malda, MALDA, WEST BENGAL-732141, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: HOD वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval: HOD	Role: PAO भुगतान का तरीका   Payment Mode: Offline पद   Designation : Assistant Registrar ईमेल आईडी   Email ID : pay1.gkciet.malda@gembuyer.in जीएसटीआईएन   GSTIN : 19AACAG0978J1ZD पता   Address: Ghani Khan Choudhury Institute of Engineering and Technology Narayanpur (P O) Malda, Malda, WEST BENGAL-732141, India

विक्रेता विवरण   Seller Details
जेम विक्रेता आईडी   GeM Seller ID : 93D3190000995999 कंपनी का नाम   Company Name : M/S EMBEDDED SOLUTION संपर्क नंबर   Contact No. : 08901005205 ईमेल आईडी   Email ID : balwinder124@gmail.com पता   Address : 34, M/S EMBEDDED SOLUTION, Suraksha Vihar, Herman City Road, Chotta Khudda, AMBALA CANTT, HARYANA-133001, - एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-HR-01-0002156 एमएसई सामाजिक श्रेणी   MSE Social Category : OBC एमएसई लिंग श्रेणी   MSE Gender : Male जीएसटीआईएन   GSTIN: 06DQLPS7225F1ZJ (R) , (M)

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : PHONE-8250728813

उत्पाद विवरण   Product Details						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : EMBEDDED SOLUTION Refrigerated Centrifuge with LCD display ब्रांड   Brand : EMBEDDED SOLUTION ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Refrigerated Centrifuge For General And Research Purpose (Q3) मॉडल   Model: ESRC-322 एचएसएन कोड   HSN Code: 8421	1	pieces	130,000	NA	130,000
कुल ऑर्डर मूल्य   Total Order Value (in INR)						130,000

परोक्षी विवरण   Consignee Detail						
क्र.सं.   S.No	परोक्षी   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिलोक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
	पद   Designation : Purchase Officer2 ईमेल आईडी   Email ID : con1.gkciet.malda@gembuyer.in					

1	संपर्क   Contact : 03512-221130- जीएसटीआईएन   GSTIN : 19AACAG0978J1ZD पता   Address : Ghani Khan Choudhury Institute of Engineering and Technology Narayanpur (P O) Malda, MALDA, WEST BENGAL-732141, India	EMBEDDED SOLUTION Refrigerated Centrifuge with LCD display	-	1	21-May-2024	05-Jun-2024
---	---	--	---	---	-------------	-------------

### Product Specification for EMBEDDED SOLUTION Refrigerated Centrifuge with LCD display

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Standards	Conformity to standards	European CE (Notified Body)With 4 Digit Notified Body No.,BIS,ICMED 13485 plus,EN/UL/IEC 61010-1,EN/UL/IEC 61010-2-020 and 61010-2-101,N/UL/IEC 61326-1,EN/UL/IEC 61326-2-6
	Certificate date and number	C-GI-1001-0566 18-12-2020
Performance Parameters	Purpose	To Centrifuge different kinds of samples in different Testing Labs and research Labs at room Temperature
	Centrifuge design	Bench Top
	Weight including Rotor in kgs	150
	Maximum RPM with no load	12000 to 15000 or above
	"Number of steps of RPM Variation available in the settings (correspondingly RCF also varies) "	1
	RPM setting accuracy	plus minus 5%
	Type of Motor	Brushless(without carbons)
	Accessories	Spanner to tight or loose Nut of Rotor on Motor shaft head puller,spare rotor nuts ,fuse-2, Instruction Manual Book ,installation CD,instruction manual book,printed English user manual,USB stick with 28 languages of user manual,corrosion resistance oil (70009824),power cord,declaration of conformity
	Type of lid lock	Electronic lid locking with automatic lid opening at end of run
	Maximum Noise level when working at 1 meter distance in db	80
	Ambient operating Temperature range in Degree centigrade Celsius and humidity range	0 to 50 and Relative humidity 15 to 90%
	Rotor imbalance diagnostics and automatic stop if required	Yes
	No of acceleration and deceleration profiles in built for rotor speed while automatic braking	Acceleration and Deceleration Profile-9/10
	Maximum timer set point	9 hrs 59 minutes
	Parameters to be displayed by the digital display	RPM,RCF,Set time,Run time,Rotor running indication ,imbalancing if any
	Display Type	LCD
	Speed controller	Microprocessor controlled pre programmed speed controller which can control RPM as well as RCF
	Speed Control tolerance in case of set speed (Plus minus RPM ) in percentage	20
	Temperature controller	Micro processor based PID Digital temperature controller cum Indicator, (With LCD Display) to control the Temperature from +40° C up to -20°C
	Configuration of Rotor supplied with centrifuge machine	swing out and angle rotor
	Rotor Feature with reference to Autoclavability	Autoclavable Rotor @121 Degree Celsius
	Type of Tubes which can be used with centrifuge machine	Polypropylene Centrifuge tubes and Glass centrifuge tubes
	Size of rotor supplied with centrifuge in ml	"24X2 ml(for angle rotor) RPM 16000",2 micro plates of 96 wells each (for swing out type or angle rotor RPM 3500)
Maximum RCF	12096	
Power supply	220 Volts 50 Hz AC ± 10%	
Power consumption in watts	3000	
Length of the Centrifuge in mm	680	
Width of the Centrifuge in mm	520	
Height of the Centrifuge in mm	370	

	Length of Power cord in meters	0
	Refrigerant should be CFC free	Yes
	Temperature of refrigerator in degree Celsius	upto -20°C
	Cooling arrangement	Through suitable compressor, radiator, Cooling fan and its Cooling Kit
	Temperature control accuracy	± 2°C
	Warranty period for equipment & Rotor (on site and comprehensive warranty) in years	3
	Maximum Noise level when working at 1 meter distance in db	80
Material Parameters	Assembly Material for manufacture of Centrifuge	Die cast Aluminum, Aluminum sheet, Stainless Steel, CRC Steel, Plastic and Rubber
	"Lid Material of Centrifuge "	CRC Steel finish with powder coating or stove painting or ABS Plastic of injection moulding
	Body material of Centrifuge	C.R.C Steel Finish with Powder Coating/ Stove Painting.
	Front Panel of centrifuge	CRC Steel finish with powder coating or stove painting or ABS Plastic of injection moulding
	Centrifuge Bowl material in Centrifuge	Double walled with PUF Insulation to avoid loss of Cooling. Inner Chamber made of 304 Quality Stainless Steel Moulded
	Material of Rotor	Aluminium
Additional Parameters	Condensed Water Drainage System	Yes
	The Equipment shall be installed and demonstrated before Acceptance	Yes
	Servo Controller Voltage Stabilizer supplied with Item	Yes
	Servo stabilizer ratings in KVA	2
	Warranty of stabilizer in years	3
	Auto cut off	Yes
	Timer provided	Yes
Reports	Certifications of Manufacturer	ISO 9001:2015
	ISO Certificate date and number	Q-GI-1001-1147 11-12-2021
	Copies of all certifications and reports to be provided to buyer on demand at time of supplies	Yes

## ईपीबीजी विवरण | ePBG Detail

NA

## नियम और शर्तें | Terms and Conditions

### 1. Special terms and conditions- Version:3 effective from 11-11-2022

#### 1.1

- All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by *Central Drugs Standard Control Organisation (CDSCO)*, Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
- The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
- The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
- Comprehensive warranty:** Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
- Service centres:** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of

service requests also to be provided buyer/consignee at the time of supplies.

6. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
7. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
8. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
9. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
10. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
11. Software updates should be provided free of cost during warranty period.
12. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

## 2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.