

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687775616752

अनुबंध तिथि | Generated Date : 24-May-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4600887](#)

अनुसूची नाम | Schedule Name: Schedule 2

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रारूप Type : Central PSU मंत्रालय Ministry : Ministry of Power विभाग Department : NA संगठन का नाम Organisation Name : NHPC Limited कार्यालय क्षेत्र Office Zone : Parbari Stage-ii Nhpc Limited	पद Designation : GSM Proc संपर्क नंबर Contact No. : 1905-280112- ईमेल आईडी Email ID : buyer210.nl.hp@gembuyer.in जीएसटीआईएन GSTIN : 02AACN0149C1ZB पता Address : Parbati HE Project, Stage-II Parbati Complex, Nagwain., MANDI, HIMACHAL PRADESH-175121, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : GM वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : GM	Role: PAO भुगतान का तरीका Payment Mode: NHPC पद Designation : SrMgr Fin ईमेल आईडी Email ID : pao25.nl.hp@gembuyer.in जीएसटीआईएन GSTIN : - पता Address: Parbati HE Project, Stage-II Parbati Complex, Nagwain., MANDI, HIMACHAL PRADESH-175121, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : SL23200001827512 कंपनी का नाम Company Name : TRISALA INSTRUMENTS LLP संपर्क नंबर Contact No. : 09903880686 ईमेल आईडी Email ID : trisalastruments@gmail.com पता Address : 259, Trisala Instruments LLP, 32 EZRA STREET 2ND FLOOR ROOM 259, Dalhousie, Kolkata, WEST BENGAL-700001, - एमएसएमई सत्यापित MSME verified : No एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-WB-10-0029763 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 19AANFT2941E1ZZ (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : null

उत्पाद विवरण | Product Details (PAC)

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : FLUKE Hand Held 300 KHz Digital Multimeter ब्रांड Brand : FLUKE ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Digital Multimeter as per IS 9000 (Q3) मॉडल Model: Fluke 287 True-RMS Electronics Logging Multimeter एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	77,104	NA	77,104
कुल ऑर्डर मूल्य Total Order Value (in INR)						77,104

परोक्षिती विवरण | Consignee Detail

क्र.सं. S.No	परोक्षिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : - ईमेल आईडी Email ID : con79.nl.hp@gembuyer.in					

1	संपर्क Contact : 01902-272221- जीएसटीआईएन GSTIN : - पता Address : Parbati HE Project, Stage-II ,Store Complex, Vill.& P.O. Garsa, Distt. Kullu, KULLU, HIMACHAL PRADESH-175141, India	FLUKE Hand Held 300 KHz Digital Multimeter	-	1	24-May-2024	22-Aug-2024
---	---	---	---	---	-------------	-------------

Product Specification for FLUKE Hand Held 300 KHz Digital Multimeter

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
MEASUREMENTS	DC Voltage Range	1000 Volt
	DC Voltage Accuracy	0.05 percent
	DC Voltage resolution	0.001 milliVolt
	AC Voltage Range	1000 Volt
	AC Voltage Accuracy	0.5 percent
	AC Voltage resolution	0.001 milliVolt
	DC Current Range	10 Ampère
	DC Current Accuracy	0.05 percent
	DC Current resolution	0.001 milliAmpère
	AC Current Range	10 Ampère
	AC Current Accuracy	1 percent
	AC Current resolution	0.001 milliAmpère
	Resistance Range	500 megaOhm
	Resistance Accuracy	0.08 percent
	Resistance resolution	0.001 Ohm
	Capacitance Range (Micro farad)	.01 to 1000
	Capacitance Accuracy (%)	1.5
	Capacitance resolution (nF)	0.001
	Frequency Range (KHz)	300
	Frequency Accuracy (%)	0.1
Frequency resolution (Hz)	0.001	
Temperature Range (Degree C)	-50 to 1000	
Temperature Accuracy (%)	1.5	
Temperature resolution (Degree C)	0.1	
FEATURES	Type	Hand Held
	Display (Digits)	4.5
	Measurement Type	True RMS
	Counts	50000
OTHER FEATURES	Continuity test and Diode test	Available
	Data logging	Not Available
	If Data Logging Feature is Available, Internal Memory	min. 2000 points/ 500 readings
	Computer Interface along with software	Not Available
	Dimensions (mm X mm X mm)	22.2 x 10.2 x 6 cm
	Weight	870.9 gram
	Other Features	Connect mobileapp
SAFETY	Safety Rating	Category IV 600 V of IEC 61010
	Safety Certification	VDE,CE,CSA
POWER REQUIREMENTS	Power Requirements	Battery Operated
	if Battery Operated, then Type of Battery	Non- Rechargeable (Alkaline)
	if rechargeable , then chemistry of the battery	NA
	if Non-rechargeable , then size of the battery / cell	AA
	number of non- rechargeable the battery / cell	4

	Voltage of rechargeable Battery	0 Volt
	capacity of rechargeable battery(milli Ampere Hour)	0
	Suitable charger / adaptor provided	NA
ACCESSORIES	Standard Accessories Supplied with the Equipment	Test leads
WARRANTY	Warranty	3 year
OPERATING CONDITION	Minimum Operating Temperature	-20 degree Celsius
	Maximum Operating Condition	55 degree Celsius
	Operating Humidity (RH)	90 percent
TEST REPORT DETAILS	The equipment supplied with calibration certificate	YES
	conformity to Dry Heat for 16 hrs at a specified maximum temp in accordance with IS:9000/part-3/section-5/1977 latest	No
	conformity to Cold Test for 4 hrs at a specified minimum temp in accordance with IS:9000/part-2/section-4/1977 latest	No
	conformity to Damp Heat (Cyclic)Test for 2 Cycles of 24 hrs each at a temp of 40 degree C & 95% RH	No
	Availability of Test Reports from Central Govt/NABL/ILAC approved accredited lab to prove conformity to the specification	No
	Test Report Number and date for the specification test	NA
	Name and address of the Lab for the specification test	NA

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for FLUKE Hand Held 300 KHz Digital Multimeter

विनिर्देश Specification	मूल्य Value
MAKE : FLUKE, MODEL : 287	MAKE : FLUKE, MODEL : 287

शुद्धिपत्र | Corrigendum

1. तक बढ़ाया गया | Extended Upto : 2024-03-12 11:00:00

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Store Complex,
Parbati HE Project (Stage-II) NHPC Limited
Garsa,
Distt. Kullu (H.P.)
Pin - 175141 .

2.2 Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

2.3 Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

2.4 Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

2.5 Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

2.6 Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

2.7 Generic

The successful bidder has to supply all essential accessories required for the successful installation and commissioning of the goods supplied. Besides standard accessories as per normal industry practice, following accessories must be part of supply and cost should be included in bid price:

Bidder must provide standard kits, cables, probes, testing kits, carrying case or any other auxiliaries as per OEM data sheet

2.8 Generic

- 1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
- 2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
- 3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

2.9 Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

2.10 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2.11 Inspection:

Materials shall be guaranteed for 12 months from the date of commissioning or 18 months from the date of supply whichever is earlier.

2.12 Inspection:

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

NOT APPLICABLE

Post Receipt Inspection at consignee site before acceptance of stores:

Authorized representative of EIC ,HM and Electrical Division, Dam Complex, PHEP-II Manikaran

2.13 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.14 Warranty:

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

2.15 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

1) The bid/ offer against this tender/ bid document is invited on Open Tender basis only from authorized dealers/ distributor of OEM i.e. M/s Fluke Technologies Pvt. Ltd. against Proprietary Article Certificate as per approval of competent authority. The bid submitted by any other firm against this bid document shall be summarily rejected. The bidder shall quote only for the product as detailed below

Schedule of Ge M Bid	Instrument Description	Qty	Make	Model
1	TRUE RMS AC/DC DIGITAL CLAMP METER 1000AMP	1	Fluke	378FC
2	DIGITAL MULTIMETER, TRUE RMS, DC&AC:0-1000V& 0-10A	1	Fluke	287
	DIGITAL MULTIMETER			

3	600MV-600V AC/DC,1 0 AMP AC/DC	2	Fluke	17B+
---	-----------------------------------	---	-------	------

- 2) Bidder must provide OEM data sheet by Fluke for the concerned product.
- 3) Bidder must include any specifically mentioned kit (if any), in addition to the standard kit of OEM, as per requirement of the intending division.
- 4) Payment shall be released only after complete delivery of the particular instrument, with all its standard and specifically mentioned kits (if any), cables, probes, testing kits, carrying case or any other auxiliaries, as per OEM data sheet for mentioned make and model.
- 5) Supplier shall provide calibration report along with the instrument during delivery.
- 6) Engineer-In-Charge for this case shall GSM (M), HM and Electrical Division, Dam Complex, PHEP-II Manikaran.

7) GST Details:

Name of Project : Parbati H E Project, Stage-II
Address of Principal Place of Business : Nagwain, Distt-Mandi (H.P.)
State : Himachal Pradesh
State Code :02
GSTIN :02AAACN0149C1ZB

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.