



1	ईमेल आईडी   Email ID : gemprimary-stwsjk@jkpolice.gov.in संपर्क   Contact : 0191-2662119- जीएसटीआईएन   GSTIN : - पता   Address : Sr. Superintendent of Police, Security Transport Workshop J and K, Sidrah District Jammu, Jammu and Kashmir PIN 180017 Mobile No. 9419111967 Landline 0191-2662119., JAMMU, JAMMU & KASHMIR-180017, India	Grand Lighting Box (Flasher For Police Vehicles) With base plate	-	1	24-May-2024	08-Jun-2024
---	--	--	---	---	-------------	-------------

**Product Specification for Grand Lighting Box (Flasher For Police Vehicles) With base plate**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
CONSTRUCTIONAL	Mounting	Vehicle top mounting
	Fixing arrangement	With base plate
	Over all length (in mm) (+/-2mm)	1195
	Over all width (in mm) (+/-2mm)	280
	Height of front lense (in mm) (WITH BASE PLATE)	NA
	Height of front lense (in mm) (Without base plate)	113 to 127
	Height of front lense (in mm) (WITH BASE PLATE)(with magnet shoes mounting base plate)	NA
	Height of front lense (in mm) for Powder coated MS non rusted panja shoes (+/- 2 mm)	NA
	Weight of flasher light (in Kg)	<=17.0
	Frame material of bar light should be powder coated aluminium extrusion for top and bottom	Yes
	Lenses shall be unbreakable	Yes
	Lense material	Polycarbonate with UV stabilised grade
	Number of blue colour high glow LEDs on each side of the bar (Front and Back)	2
	Number of red colour high glow LEDs on each side of the bar (Front and Back)	2
	Number of white colour high glow LEDs on each side of the bar	2
	Fixing location for white LEDs on front and back (in front and back between red and blue colors, at both end sides) - Must indicate	N.A
	User settable flashing cycle	No
	Cycling time (per minute)	70 to 100 times
	Number of magnetic shoes for metallic mounting (in Nos)	2
	Number of magnets per shoe	3
In the standby mode only LED lights in the both curved coloured lenses on the sides should blink	Yes	
Flasher light shall be supply with with coil cord	Yes	
Lenght of coiled cord/sleeved wire (in meters)	>/=2	
GENERIC	Number of colours in flasher light (Must declare)	Three colors (Red, White, Blue)
	Input voltage DC	12 Volt
	Current drawn (in Ampere)	<= 5.0 A
	Wattage of each LED (in Watts)	5
	Mode of operation	ON and OFF
CERTIFICATIONS	Ingress protection class of the flasher light (as per IS:10322 Part 1/1982 latest)	IP64
	Flasher light fitted with police vehicle shall meet the EMC compliance as per AIS-004 Part 3	Yes
	Availability of complete and satisfactory type test report from Central Government Laboratory or NABL or ILAC accredited laboratory	Yes
	Test certificate number	CD 0 C I 1844
	Test report date	29/10/2013
	Name of lab where test conducted	ICAT, IMT, MANESAR
	All the test reports shall be furnish to the buyer/consignee on demand	Yes

**टिप्पणी | Note:** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.