

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687799649484

अनुबंध तिथि | Generated Date : 24-May-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4839547](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : State Autonomous मंत्रालय Ministry : - विभाग Department : Agriculture and Co-operation Department Gujarat संगठन का नाम Organisation Name : SARDARKRUSHINAGAR DANTIWADA AGRICULTURAL UNIVERSITY कार्यालय क्षेत्र Office Zone : Comptroller	पद Designation : SEEDSDAU संपर्क नंबर Contact No. : 02748-278422- ईमेल आईडी Email ID : buycon70.sdau.gj@gembuyer.in जीएसटीआईएन GSTIN : - पता Address : RESEARCH SCIENTIST , SEED TECHNOLOGY, SARDARKRUSHINAGAR DANTIWADA AGRICULTURAL UNIVERSITY, SARDARKRUSHINAGAR, BANASKANTHA, GUJARAT-385506, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: Director of Research वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : Director of Research	Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : DDO SEED ईमेल आईडी Email ID : ddo1.cmrs.dantiwda@gembuyer.in जीएसटीआईएन GSTIN : - पता Address: RESEARCH SCIENTIST , SEED TECHNOLOGY, SARDARKRUSHINAGAR DANTIWADA AGRICULTURAL UNIVERSITY, SARDARKRUSHINAGAR, Banaskantha, GUJARAT-385506, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : B510210003489726 कंपनी का नाम Company Name : RENEXZO TECHNOLOGIES PRIVATE LIMITED संपर्क नंबर Contact No. : 09140134155 ईमेल आईडी Email ID : renexzo2021@gmail.com पता Address : 303/12, SHASTRI NAGAR, SHASTRI NAGAR, SHASTRI NAGAR, Kanpur Nagar, UTTAR PRADESH-208005, - एमएसएमई सत्यापित MSME verified : No एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-UP-43-0015419 एमएसई सामाजिक श्रेणी MSE Social Category : SC एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 09AALCR1037Q1ZS (B), (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : 25 Flood light you should have to supply at consiigine adrees

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Led Flood Light, Power 100 Watt ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Led Flood Light (Q3) मॉडल Model: CP100W एचएसएन कोड HSN Code: HSN not specified by seller	25	pieces	845	NA	21,125
कुल ऑर्डर मूल्य Total Order Value (in INR)						21,125

परोक्ष विवरण Consignee Detail						
क्र.सं. S.No	परोक्ष Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By

1	<p>पद Designation :- ईमेल आईडी Email ID : buycon70.sdau.gj@gembuyer.in संपर्क Contact : 02748-278422- जीएसटीआईएन GSTIN :- पता Address : RESEARCH SCIENTIST , SEED TECHNOLOGY, SARDARKRUSHINAGAR DANTIWADA AGRICULTURAL UNIVERSITY, SARDARKRUSHINAGAR, BANASKANTHA, GUJARAT-385506, India</p>	Unbranded Led Flood Light, Power 100 Watt	-	25	24-May-2024	08-Jun-2024
---	---	---	---	----	-------------	-------------

Product Specification for Unbranded Led Flood Light, Power 100 Watt

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Constructional	LED Rating (in Watts)/System Wattage/Rated Power	100 Watt
	Mounting Plate size	(430mm x 340mm)+/-10mm
	The Luminaires works on single phase three wires system (Phase, Neutral and Earth)	Yes
	The luminaire body must be corrosion resistant powder coated	Yes
	Protection of the entire housing as per IS:10322 (Part 1):1982 latest	IP66
	Suitable connector shall be provided for LED connection between driver output and LED	Yes
	Length of ISI marked three core wire (shall be provided along with supply of material)	100 centimeter
	Extruded silicon loop gasket shall be provided in the lantern body to ensure a weather proof seal between the UV Glass cover and the metal housing to exclude the entry of the dust, water, insects etc.,	Yes
	The Luminaires casing/housing shall be Spun Aluminium/Die Cast Aluminium with higher thermal conductivity	Yes
	Light Source	SMD LED Chip as per LM 80/IS16106
	Toughned Glass shall not get discoloured shall not suffer degradation due to heat and ageing within warranty period	Yes
	Luminaries light transparency should be of Toughened glass	Yes
	Toughned transparent glass cover thickness	>/=4 mm
	Mounting Pipe size	32 millimeter
	Thickness Ik rating	3mm, IK-08
	Driver components shall be industrial grade or above	Yes
Diffuser Material	UV stabilized injection Moulded Poly Carbonate with Prismatic Cut	
Adjustable Mounting Bracket	Yes	
Electrical Efficiency	AC Power Factor at full load	>/=85%
	Rated voltage	240 V AC 50 Hz
	Input operating Voltage range and frequency	140 to 270 V olts AC at 50 Hz+/-2 with auto cutt off at below 120V
	Total Harmonics Distortion (as per IS: 16102)	10% max
	Impact Protection	IK-08
	Automatic Higher Cut off voltage above 300 volt	Yes
	Driver Efficiency (in %age)	Upto 100W: >/=85%
Optical	Working life for LED (as per LM-80 and LM 21 reports)	>/=50000
	LED Beam Angle (degree)	>/=120
	Colour temperature	5700 K
	LED chip Efficacy	90 Lm/Watt
	Colour Rendering Index(CRI)	>=65
	Junction Temperature	<85 deg C
	Heat sink should be die-cast aluminium along with sufficient heat sink fins to dissipate heat effectively	Yes
	High voltage test (1.5 KV for one minute between supply terminals and body of the unit)	Yes
	Over Voltage Protection	Yes

Protection	The luminaire shall be protected against surges and transients of >=10KV (External)	Yes
	Short Circuit Protection	Yes
	Over Load Protection	Yes
	The luminaire shall be protected against surges and transients (Internal)	>=5KV
	Insulation resistance between earth and current carrying part	>2 M Ohm
	Reverse Polarity	Yes
Thermal Management	Operating Humidity Range (RH)	10 % to 95%
	Operating Temperature Range	0 deg. C to 45 deg. C
Marking	Manufacturer's Name, Model Number, Serial Number on the aluminium die cast body Engraved/Embossed	Yes
	Date of Manufacture (month-year), and lot number as Identification Mark inside each unit and the outside of each packaging box	Yes
	Manufactures Name and and brand on the aluminium die cast body	Screening
	The operation characteristics voltage and power be marked inside of each LED luminaire unit	Yes
Standards	Luminaire System Efficacy (Lumen/watt)	>= 100+/-10 Lm/Watt
	Warranty for free replacement (in years)	2
	Photo biological safety of LEDs used shall be as per IS:16108/2012 (exempt group)	Yes
	Ingress Protection (IP Rating) as per IS:10322 (Part 1):1982 latest	IP67
	Types of LED Modules as per the IS:IS: 16103(Part-2)/2012	Type 3
Reports And Certifications	Photo biological Safety report as per IEC- 62471 issued by NABL/ vs EPA accredited lab to be submitted	Yes
	Test Report for Protection from High Voltage to be submitted	Yes
	Surge Test Report (as per IEC 61000) to be submitted	Yes
	TM- 21 report Test Report issued by NABL/ vs EPA accredited lab to be submitted	Yes
	LM-79 [as per IS- 16106 & IS-10322] Test Report issued by NABL/ vs EPA accredited lab to be submitted	Yes
	Test Report for Over Volatage Cut off with self restart feature to be submitted	Yes
	LED Make	OSRAM / NICHIA / CREE / SAMSUNG / SEOUL / LUMILEDS / PHILIPS / SYSKA / LUMENMAX / EVERLIGHT / EDISON / BRIDGELUX / NATIONSTAR / REFOND / NICHIA / CREE / SAMSUNG / SEOUL / LUMILEDS / PHILIPS / SYSKA / LUMENMAX / EVERLIGHT / EDISON / BRIDGE
	Wind Speed report as per IEC 62262 from NABL accredited Lab to be submitted	Yes
	Orinial Test Report from independent NABL Lab for Compliance with CRS Scheme as per IS-15885 & IS-16104 to be submitted	Yes
	Test certificate as per IEC62305 & IEC61643 from NABL/EPA certified third party Lab to be submitted	Yes
	Test Report for Protection from Low Voltage to be submitted	Yes
LM-80 [as per IS-16107 & IS- 16103] Test Report issued by NABL/ vs EPA accredited lab to be submitted	Yes	
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>खरीदार परिभाषित अतिरिक्त विशेषता के लिए Buyer Defined Additional Specification for Unbranded Led Flood Light, Power 100 Watt</p>		
विनिर्देश Specification		मूल्य Value
Service and Repairing		Local

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक | Advisory Bank :

NA

ईपीबीजी प्रतिशत (%) | ePBG Percentage(%):

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

2.3 Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 1 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

2.4 OEM

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

2.5 Sample Clause:

After award of contract – Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit

1 samples for Buyer's approval, within 5 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 5 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample – the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller.

Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

2.6 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2.7 Warranty:

Over and above the normal Warranty terms as per GeM GTC, the successful bidder / OEM shall have to provide Comprehensive Warranty during the entire Standard warranty period as per contract. : The comprehensive warranty shall be covering the following scope

Change piece to piece in warranty period

(Upload an undertaking with the bid confirming compliance by the bidder if Bidder is taking onus of this compliance. In case OEM is taking onus of this compliance, OEM undertaking is to be uploaded along with Bidder undertaking)

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.