

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687732069266

अनुबंध तिथि | Generated Date : 25-May-2024

संगठन विवरण | Organisation Details

प्ररूप | Type : State Government
मंत्रालय | Ministry : -
विभाग | Department : Higher Education Department Chhattisgarh
संगठन का नाम | Organisation Name : N/A
कार्यालय क्षेत्र | Office Zone: Bilaspur

खरीदार विवरण | Buyer Details

पद | Designation : FINENCE OFFICER
संपर्क नंबर | Contact No. : 07752-220007-
ईमेल आईडी | Email ID : alexkujur.dd@cg.gov.in
जीएसटीआईएन | GSTIN : 22AAJB1371M1DS
पता | Address : Koni, Bilaspur,
BILASPUR, CHHATTISGARH-495001, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval: ABVV
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval: ABVV

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: BUYER
भुगतान का तरीका | Payment Mode: Offline
पद | Designation : FINENCE OFFICER
ईमेल आईडी | Email ID : alexkujur.dd@cg.gov.in
जीएसटीआईएन | GSTIN : 22AAJB1371M1DS
पता | Address : Koni, Bilaspur,
Bilaspur, CHHATTISGARH-495001, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : 8014190000812614
कंपनी का नाम | Company Name : OCEAN ENTERPRISES
संपर्क नंबर | Contact No. : 06260429521
ईमेल आईडी | Email ID : natwar1561977@gmail.com
पता | Address : SHARDA CHOWK,JANJGIR,SHARDA CHOWK,JANJGIR,BILASPUR ROAD,SHARDA CHOWK,JANJGIR,NEAR BONGA TALAB SHARDA CHOWK,JANJGIR,
Janjgir-Champa,, CHHATTISGARH-495668, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : -
जीएसटीआईएन | GSTIN: 22APJPA5837R1ZJ (B) , (R) , 22APJPA5837R1ZJ (M)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Polycrystalline Off-Grid Solar Photovoltaic (PV) power plant, Capacity 7.5 kVA ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Off - Grid Solar Photovoltaic (PV) Power Plant (Q3) मॉडल Model: Entity Green off-gird III एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	496,697	NA	496,697
कुल ऑर्डर मूल्य Total Order Value (in INR)						496,697

प्रेषिती विवरण | Consignee Detail

क्र.सं. S.No	प्रेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : FINENCE OFFICER ईमेल आईडी Email ID : alexkujur.dd@cg.gov.in संपर्क Contact : 07752-220007- जीएसटीआईएन GSTIN : 22AAJB1371M1DS	Unbranded Polycrystalline Off-Grid Solar Photovoltaic (PV)	-	1	25-May-2024	09-Jun-2024

	पता Address : Koni, Bilaspur, BILASPUR, CHHATTISGARH-495001, India	power plant, Capacity 7.5 kVA			
Product Specification for Unbranded Polycrystalline Off-Grid Solar Photovoltaic (PV) power plant, Capacity 7.5 kVA					
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value			
PV Module	Module glass air withstand capacity (km/hrs)	>=200km/hr			
	Type of Solar Module	Polycrystalline			
	Additional features	PID Resistance Technology,Multi-Layer EVA Encapsulation			
	Rated power of each PV module used	110W			
	Module conformity to specification	IEC 61215 Ed2,IEC 61701,IEC 61730 -1,IEC 61730-2			
	Module linear power output degrassdation warranty	25 year			
	Zero negative power tolerance	Yes			
	Module frame material	anodised aluminium alloy frame			
	Juction box Protection class	IP67			
	open circuit voltage	21 Volt			
	Marking on PV module	Name of manufacturer,month & year of manufacturing,I-V curve of module,Peak Power,Im,Vm,Fill factor,Serial no.,Model number,Name of Lab issuing IEC,date & year of obtaining IEC PV module qualification			
	Module efficiency	>=17%			
	Module product warranty	25 year			
Power Conditioning Unit (PCU)	Power factor for lead	>=0.8			
	Charger technology	MPPT			
	Warranty of PCU	60 month			
	Electrical protections	Under/over voltage protection at input & output of battery,Reverse polarity protection for array & battery,Output overload protection,Short circuit protection,Over temperature protection,Surge protection			
	Output phase	Single			
	Charging stages	Boost,Absorption,Float			
	Output waveform type	Pure Sine Wave			
	Rated Output Voltage (AC)	230 Volt			
	Rated Power (kVA)	6			
	Conformity to specification	IEC 61683,IEC 60068,IEC 60529			
	Controller	32 bit DSP controller			
	Automatic changeover between solar & AC mains provided	Yes			
	Efficiency at STP for linear loading	>=95%			
	Protection class	IP20			
	Rated Frequency	50 Hertz			
	Input Phase	Single			
	Maximum operating ambient temperature	50 degree Celsius			
	Switching device	IGBT			
	Nominal battery DC system voltage	72 Volt			
	Display parameter	Array voltage,Array current,Array power,Battery voltage,Battery current,Grid Voltage,Output. Day kWh,Date,Time			
	Power factor for lag	>=0.8			
Module Mounting Structure	Material of all nuts, bolts & factners etc	Stainless steel			
	Adjacent Module air gap	27 millimeter			
	Mounting structure wind withstand ability	>=150km/hr			
	Weather proof Junction box provided for connections	Yes			
	Module tilt angle	10 degree			
	Type	Galvanised module mounting structures(MMS)			

	Thickness(micron)	>=80
Generic	Component	Balance of System (BOS) Items/Components,Module Mounting Structure,Battery Rack/Trolley,Electrical Connections,DC MCB/DC Distribution Box,AC DISTRIBUTION BOARD (ACDB),Earthing & Lightning Protection
	Additional features to be specified	NA
	capacity of power plant (kVA)	7.5
Battery specifications	Suitable battery stand/size with roller provided	Yes
	Acid level indicator provided	Yes
	Battery voltage	12 Volt
	Battery warranty	5 year
	No of battery	12
	Battery type	Lithium Ferro phosphate (Lifepo4)
	Battery capacity (Ah)	110
	Carrying handle	Yes
	Terminal cover provided	Yes
BOS items	Switches/Circuit breaker/connector with SPD as per	IEC 529,SPD as per IEC 61643-11/12,IEC 60947,IS 60947
	PVC insulated cable for working voltage and UV protected for outer installation as per	TUV,IEC 60228,IS 694,IS 1554
	Protection class of Junction box/enclosure box	IP 55,IP 65
	Earthing & Lighting protection as per	IEC- 62561-7
Certifications and Standards	ISO certification number and date	2019101403GS
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Manufacturer should be ISO certified	Yes
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>ईपीबीजी विवरण ePBG Detail</p>		
<p>NA</p>		
<p>नियम और शर्तें Terms and Conditions</p>		
<p>1. General Terms and Conditions-</p> <p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p> <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p> <p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		