

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687780177304

अनुबंध तिथि | Generated Date : 25-May-2024

संगठन विवरण | Organisation Details

प्रकार | Type : Central Government
मंत्रालय | Ministry : Ministry of Fisheries Animal Husbandry Dairying
विभाग | Department : Department of Animal Husbandry and Dairying
संगठन का नाम | Organisation Name : Cattle and Dairy Development Division
कार्यालय क्षेत्र | Office Zone: CENTRE OF EXCELLENCE FOR ANIMAL HUSBANDRY CEAH

खरीदार विवरण | Buyer Details

पद | Designation : REGIONAL OFFICER
संपर्क नंबर | Contact No. : 080-28466107-
ईमेल आईडी | Email ID : sahutapan.1978@dahd.nic.in
जीएसटीआईएन | GSTIN : -
पता | Address : The Director, Centre of Excellence for Animal Husbandry (CEAH) Campus-2 Hessarghatta, Bangalore-560088, BANGALORE, KARNATAKA-560088, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : Yes
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval: HOD
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval : HOD

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: DDO
भुगतान का तरीका | Payment Mode: PFMS
पद | Designation : DEPUTY COMMISSIONER
ईमेल आईडी | Email ID : mulinti.bhaskar@dahd.nic.in
जीएसटीआईएन | GSTIN : -
पता | Address : The Director, Centre of Excellence for Animal Husbandry (CEAH) Campus-2 Hessarghatta, Bangalore-560088, Bangalore Rural, KARNATAKA-560088, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : 024A180000706032
कंपनी का नाम | Company Name : Techno Scientific Instruments
संपर्क नंबर | Contact No. : 09416754884
ईमेल आईडी | Email ID : lyzerindia@gmail.com
पता | Address : # 4070, SARAFABAZAR, Sarafa Bazar, Ambala-Cantt, Ambala, HARYANA-133001, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-HR-01-0005014
एमएसई सामाजिक श्रेणी | MSE Social Category : General
एमएसई लिंग श्रेणी | MSE Gender : Male
जीएसटीआईएन | GSTIN: 06AADFT6866G1ZW (B), (M), (R), (B)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुक्र और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : LYER Top Loading Table Top Autoclave ब्रांड Brand : LYER ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM केसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भाँत Category Name & Quadrant : Table Top Autoclave (Q3) मॉडल Model: LSZ-01 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	5,000	NA	5,000

कुल और मूल्य | Total Order Value (in INR)

5,000

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : STORE IN CHARGE ईमेल आईडी Email ID : tammineni.raju50@dahd.nic.in संपर्क Contact : 080-28466107-					

1	जीएसटीआईएन GSTIN : - पता Address : The Director, Centre of Excellence for Animal Husbandry (CEAH) Campus-2 Hessarghatta, Bangalore-560088., BANGALORE, KARNATAKA-560088, India	LYZER Top Loading Table Top Autoclave	-	1	25-May-2024	09-Jun-2024
---	---	---------------------------------------	---	---	-------------	-------------

Product Specification for LYZER Top Loading Table Top Autoclave

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
Configuration	Type	Table top or bench top steam steriliser
	Sterilizer chamber capacity in L (usable volume)	5 - 19 liter
	Type of cycle processes available	N- process
	Sterilizer Chamber Type	Rectangular
	Steriliser chamber material	SS 316 or better grade steel
	Working Pressure of Chamber	2.2 bar
	Design Pressure of Chamber	3.8 bar
	Chamber pre-heating facility: Equipped with electrically heated jacket for preheating on standby mode:	No
	Type of Sterilizer Chamber Door	NA (for removable cassette chamber)
	Steriliser Chamber door Locking facility	NA
	Sterilizer Chamber door Operation:	NA
	Door sealing:	By elastomeric rubber gasket suitable to withstand temperature upto 140 degree C & pressure upto 20-30 psi
	Inlet Air Filtration:	Yes, Atmospheric air shall enter the sterilisation chamber after its filtering by a disposable air filter provided in the equipment.
	Air Filter efficiency:	>= 99.998%
	Sterilising Cycle Processes available:	121 degree C Wrapped
	Sterilizer has water circulation system so that no drain point and fixed water inlets are required:	No
	Water Storage Tank: Inbuilt water reservoir with Storage capacity of 3-5 litre with easy access for cleaning to avoid biofilm available:	Yes
	Steriliser have inbuilt steam generator designed for integrated energy storing system for building up power for sterilisation load in shot time:	No
	Type of control system available for Steriliser cycle operation:	Microprocessor based PLC system specifically designed for sterilisation operations, with CPU processor with battery back up, digital input/output controls, analog measuring inputs & COM ports for printer and PC connectivity. Automatic process checking, self checking of safety devices and failure correction should be possible by the control system.
	Power Source:	220 Volt, 50 Hz AC electric supply
	Power supply:	220 volt, 50 Hz AC electric supply single phase
	Number of Trays in steriliser chamber	1
	Steriliser Loading Type:	Top Loading
	Audio- visual Alarm facility available for notifying:	Power failure (no alarm if duration of power failure < 10 sec)
Accessories, Consumables & Warranty	Accessories:	Each Tabletop autoclave unit shall be supplied along with: One Rack unit with 5 levels and one set of suitable sized instrument trays.
	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	1 year
	Consumables: Sterilizer unit to be supplied with consumables sufficient to carry out sterilization cycles (No)	sufficient for 50 sterilization cycles
Overall Size	Overall Height:	400 millimeter
	Overall Width:	400 millimeter
	Overall Depth:	500 millimeter

Quality and Certifications	Compliance of Chamber for Chamber Pressure Equipment Directives (PED) AND EN 13445 norms:	No
	Quality Compliance available for quality systems as per as per ISO 9001:2000 , EN ISO 13485:2003, ISO 14001:2004:	No
	Certifications:	European CE

टिप्पणी|Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें| Terms and Conditions

1. Special terms and conditions- Version:5 effective from 29-04-2024

1.1

1. **Comprehensive warranty:** Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
2. **Service centres:** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address,telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled.Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
3. **Source of supply:** It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
4. **Packing and Marking:** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination.. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
5. **Spare Parts:** Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
6. **Installation, Training, Manuals:** Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
7. **Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
8. **Software:** All software updates should be provided free of cost during warranty period.
9. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

1.2.1. Comprehensive warranty:

Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.

2. Service centres:

Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled .Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.

3. Source of supply:

It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the

It shall be responsibility of seller to provide documents regarding source or equipments such as copy or Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them .

4. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of goods including quantity , Packing list reference number , country of origin of goods and any other relevant details.

5. Spare Parts:

Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied

6. Installation, Training, Manuals:

Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable.

7. Electrical safety checking:

Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

8. Software:

All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंटे आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.