

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687751888481

अनुबंध तिथि | Generated Date : 27-May-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	State Government	पद Designation :	Anhsul Bhagat			
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	-9622007297-			
विभाग Department :	Public Works Department Jammu and Kashmir	ईमेल आईडी Email ID :	buycon54.pwdjk.jk@gembuyer.in			
संगठन का नाम Organisation Name :	N/A	जीएसटीआईएन GSTIN :	-			
कार्यालय क्षेत्र Office Zone :	Executive Engineer PWD RnB Rajouri Jammu Kashmir	पता Address :	PWD(RnB) Division Rjaouri Near DC office Rajouri, RAJAURI, JAMMU & KASHMIR-185131, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	BUYER			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	EX EN. RNB RAJOURI	भुगतान का तरीका Payment Mode:	Offline			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	EX EN. RNB RAJOURI	पद Designation :	Anhsul Bhagat			
		ईमेल आईडी Email ID :	buycon54.pwdjk.jk@gembuyer.in			
		जीएसटीआईएन GSTIN :	-			
		पता Address:	PWD(RnB) Division Rjaouri Near DC office Rajouri, Rajauri, JAMMU & KASHMIR-185131, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	AKE4210004565273					
कंपनी का नाम Company Name :	HARI OM TRADERS					
संपर्क नंबर Contact No. :	09797488808					
ईमेल आईडी Email ID :	pankajisher@gmail.com					
पता Address :	House no 172,HARIOM TRADERS,Jawharnagar,Rajouri, Rajouri, JAMMU and KASHMIR-185131, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-jk-16-0003918					
एमएसई सामाजिक श्रेणी MSE Social Category :	General					
एमएसई लिंग श्रेणी MSE Gender :	Male					
जीएसटीआईएन GSTIN:	01ABVPI3317G2ZV (B) , (R)					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : CP PLUS 2MP BULLET CAMERA ब्रांड Brand : CP PLUS ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Camera for CCTV System (Q2) मॉडल Model: CP-UNC-TA21L8C-V एचएसएन कोड HSN Code: HSN not specified by seller	16	pieces	3,900	NA	62,400
कुल ऑर्डर मूल्य Total Order Value (in INR)						62,400
परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : Anhsul Bhagat ईमेल आईडी Email ID : buycon54.pwdjk.jk@gembuyer.in संपर्क Contact : -9622007297- जीएसटीआईएन GSTIN : - पता Address : PWD(RnB) Division Rjaouri Near DC office Rajouri,	CP PLUS 2MP BULLET CAMERA	-	16	27-May-2024	11-Jun-2024

Product Specification for CP PLUS 2MP BULLET CAMERA

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
IMAGE SENSOR	Image Sensor Type	CMOS
	Image Sensor Size	0.357 inch
	Camera Image Sensing capacity (Picture Mode)	2MP
	Resolution	Full HD (1920 x 1080 Pixel)
	Day/Night Capable	Yes
	IR illumination Range(mtr)	80
CAMERA TYPE	Type of Camera Housing	BULLET CAMERA
	IP Camera	Yes
	PTZ Camera	No
OPTICS	Lens Type	Fixed
	Focal Length(mm)	6
	Iris Control	Fixed iris
	Focus Mode	Auto
VIDEO	Frame Rate (fps)	25
	Video Compression	H.264,H.265
	Video Streaming	Dual compressed stream
PAN / TILT / ZOOM	Panning Range	NA
	Pan Speed (deg/sec)	NA
	Tilt Range below horizontal (deg)	NA
	Tilt Range above horizontal (deg)	NA
	Tilt Speed (deg/sec)	NA
	Optical Zoom	NA
	Digital Zoom	16X
AUDIO	Audio Support	Yes
	Audio Compression	G.711
	Audio Streaming	Two-Way
	Number of Audio Input Channel	1
	Number of Audio Output Channel	NA
	External Microphone Support	No
ALARM	Alarm Support	Yes
	Number of Alarm Digital Input	NA
	Number of Alarm Relay Output	NA
	Pre/Post Alarm Buffer	No
SECURITY	Multi Level User ID/Password	Yes
	IP Address Filtering	Yes
	Encrypted Data Transmission	HTTPS (SSL/TSL)
PERFORMANCE	Minimum Illumination for Capturing Color Image	0.01 lux
	Electronic Shutter Speed(sec)	1/3 to 1/10000
	WDR (Wide Dynamic Range)	DWDR
	SNR (Signal to Noise Ratio)	50-60
	Auto Exposure	Auto Level Control
	White Balance (Indoor/Out door/Manual Selectable)	Yes
	Auto Gain Control (On/Off selectable)	Yes
	Back Light Compensation	Yes
	Remote Administration (Remote configuration and status using web based tool)	Yes

FEATURES	Remote System Update Over Network	Yes
	PC Client (PC application client with a channel recording feature support)	Yes
	Web Client (Viewer through HTTP system configuration)	Yes
	On Screen Display in English	Yes
	ONVIF Support	Yes
	Presets	0
	Group Touring	0
	Privacy Zones	4
NETWORK AND INTERFACE	Supported Protocols	UDP,FTP
	IP Support	Static,Dynamic
	Signal Processing	Digital Signal Process
	IPv6 ready	No
	Wireless	No
	Simultaneous Connections	5
STORAGE	On Board SD Card Support	No
	SD Card Memory(GB)	NA
HOUSING	Installation Type	Outdoor
	Material of the Housing construction	Alluminium
	Protection	IP67
	Vandal Resistant Housing	No
	If Yes, IK rating	NA
	Mounting bracket	Wall Mounted
	Weight	640 gram
	Dimensions (mm x mm x mm)	194mm × 96mm × 89mm
POWER SUPPLY	Power Input	12 V DC,PoE
	Power Consumption	6.4 Watt
	Suitable Adapter Shall be Supplied to Make the Equipment Work on 230 V (+/- 10 %), 50 Hz	NA
OPERATING CONDITIONS	Operating Temperature Range	- 40 to +60 deg C
	Relative Humidity Non Condensing (%)	95
WARRANTY / SERVICES	Warranty	2 year
	Time for Replacement of Defective Product During Warranty Period	72 hour
	Supply of Compatible drivers and software included	Yes
ENVIRONMENTAL / CERTIFICATION	Availability of facility & infrastructure for verification of all parameters, features, and capability with Seller	No
	Availability of facility to test signal to noise ratio of camera at 0-01 lux	No
	Conformity to Dry Heat test at 55 degree C for 16 hours as per IS :9000 latest	Yes
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	Yes
	Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable	Yes
	BIS Registration for safety general requirements as per IS 13252 (Part 1):latest	Yes
	Availability of Type Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	Yes
	Test Report Number and Date	@Time of Supply
	Name and Address of Test Lab	@Time of Supply
	Certification	FCC,CE,BIS
उत्पाद का बीआईएस लाइसेंस BIS license of the product: 66000299		
ईपीबीजी विवरण ePBG Detail		
NA		

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.