अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687765842463

अनुबंध तिथि। Generated Date: 27-May-2024

बोली/आरए/पीबीपी संख्या|Bid/RA/PBP No.: <u>GEM/2024/B/4794064</u>

संगठन विवरण|Organisation Details

प्ररूप|Type: Central PSU मंत्रालय|Ministry: Ministry of Power विभाग | Department :

संगठन का नाम|Organisation Name : NTPC Limited

कार्यालय क्षेत्र|Office Zone: SSC COAL MINING NTPC खरीदार विवरण|Buyer Details

पद | Designation : CnM15

संपर्क नंबर|Contact No. :

पता|Address :

ईमेल आईडी|Email ID : buycon921.nl.jh@gembuyer.in

जीएसटीआईएन|GSTIN:

Coal Mining Head Quarters, NTPC Ltd. Ginni Plaza, Opposite

Chutia Police Station, Ranchi, Jharkhand, RANCHI, JHARKHAND-834001, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमित। IFD Concurrence : No

प्रशासनिक अनुमोदन का पदनाम|

AGM Designation of Administrative Approval: वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

भुगतान प्राधिकरण विवरण | Paying Authority Details

CONSIGNEE Role:

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : 68F6180000451827 कंपनी का नाम|Company Name : CHETAN REFRIGERATION

संपर्क नंबर|Contact No. : 07507214411

ईमेल आईडी|Email ID: cr.gem2023@gmail.com

22 A MALU NAGAR, GOPAL NAGAR AREA, 444607, GOPAL NAGAR, पता| Address :

Amravati, MAHARASHTRA-444607, -

AGM

एमआईआई स्थिति| MII Status : True एमएसएमई सत्यापित|MSME verified :

एमएसएमई पंजीकरण संख्या|MSME Registration number: UDYAM-MH-03-0003348

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिंग श्रेणी|MSE Gender :

जीएसटीआईएन|GSTIN: 27AGOPC7729A1ZH (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : FOR NTPC Chatti Bariatu Coal Mining Project, Pagar Substation, Keredari Hazaribag basis.

उत्पाद विवरण|Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1 :	उत्पाद का नाम Product Name: Oneiric Split Air Conditioner, Wall Mount Type 1.5 Ton 5 Star ब्रांड Brand: Oneiric ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As: OEM verified Reseller श्रेणी का नाम और चतुर्थीय Category Name & Quadrant: Split Air Conditioner Including Green AC, Wall Mount Type (Q2) मॉडल Model: ONC187IA2 एचएसएन कोड HSN Code: HSN not specified by seller	20	pieces	37,990	NA	759,800
कुल	ल ऑर्डर मूल्य Total Order Value (in INR)					759,800

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : - ईमेल आईडी Email ID : buycon23.nl.jh@gembuyer.in					

1 जीए पता Ba	र्क Contact : 9431-813796- र्सटीआईएन GSTIN : - i Address : Sikri Site Office, Pakri Barwadih CMP, NTPC, Post: rkagaon Sikri, Hazaribagh, Jharkhand, ZARIBAG, JHARKHAND-825311, India	Oneiric Split Air Conditioner, Wall Mount Type 1.5 Ton 5 Star	-	20	27-May-2024	11-Jul-2024		
Product Spe	ecification for Oneiric Split Air Conditioner, Wall Mou	ınt Type 1.5 Ton 5 Star						
विनिर्देश Specif	ication उप-विनिर्देश Sub-Spec		मूल्य Valı	ue				
	Description of stores		Split Air Co	Split Air Conditioner Including Green AC, Wall Mount Type				
	Split Air Conditioner conforming to		IS 1391 (Part 2)					
STANDARDS	Availability of BIS/ISI Mark Certification for Split AC Wall n	Availability of BIS/ISI Mark Certification for Split AC Wall mount type		Yes				
	BEE star rating plan	BEE star rating plan		As per Gazette Notification No. S.O. 3897 (E) dated. 29th October 2019 and as per BEE Notification dated 19th April 2022				
	Air Conditioner Compliance	Air Conditioner Compliance		Green AC				
	Technology of air conditioner		Inverter A	C - Variable Spe	ed			
	Nominal Marketing capacity as per BEE Star Rating Label Tolerance +/- 10%) (in Ton)	Nominal Marketing capacity as per BEE Star Rating Label (hint: 1 Ton = 3000 Kcal/Hr, Tolerance +/- 10%) (in Ton)						
GENERIC		Rated cooling capacity (in Watts) as per IS:1391 (Part 2) (Cooling Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage)		200				
oz.vz.	the items carry 5 star(under normal conditions where ann	BEE Star rating of the product (Central Ministries/Depts while procuring shall ensure that the items carry 5 star(under normal conditions where annual usages is expected to be >1000 hrs),3 Star(where usage is Limited)or higher Star Rating of BEE)		5				
	ISEER (Wh/Wh) values for compliance of Green AC	ISEER (Wh/Wh) values for compliance of Green AC		>/= 5.4 for 1.5 Ton				
	Rated voltage (in Volts)	Rated voltage (in Volts)		230 V, 1 Phase, 50 Hz, AC				
	Tolerance Value for Rated Voltage		As per IS 1	As per IS 1391 (Part 2)				
	Eco-friendly Refrigerant		Yes					
	Refrigerant designation	Refrigerant designation		R 32				
REFRIGERANTS	Refrigerant Global warming potential (GWP)	Refrigerant Global warming potential (GWP)		32)				
	Refrigerant Ozone Depletion Potential is Zero	Refrigerant Ozone Depletion Potential is Zero		Yes				
	Classification by function		Cooling only (Cooling and dehumidification during cooling mode)					
	Heating capacity (in Watts) (Heating Capacity Value should Nominal Marketing Capacity in Tonnage)	Heating capacity (in Watts) (Heating Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage)		Not applicable for Cooling only (Cooling and dehumidification during cooling mode)				
CONSTRUCTION	Unit type	Unit type		Single split (Single Indoor and Single outdoor)				
	Marking on the Split AC	Marking on the Split AC		As per IS 1391 (Part 2)				
	Additional requirement	Additional requirement		Not Applicable				
	Compressor Type	Compressor Type		Rotary Type				
	Material of Evaporator	Material of Evaporator		Copper				
	Material of Condenser	Material of Condenser		Copper				
MATERIAL	Material of Air Filter (on indoor unit)	Material of Air Filter (on indoor unit)		Synthetic Fiber				
	Reusable air filter	Reusable air filter		Yes				
	AC Modes		Turbo Mode,Dehumidification Mode,Power Saving Mode,Auto Clean Mode,Quiet Mode,Dry Mode,Eco saving,Convertible for energy consumption,Swing,Timer			le,Eco		
GENERAL FEATU	REMOTE Control Features	Remote Control Features		Timer,Swing,Fan speed control,On/OFF				
GENERALTEATO	Additional Features		Sleep mode,Auto Off,Auto Restart,Indoor Temperature Indicator,Active Carbon Filter,Dust Filter,Auto Air Swing,Refrigerant Leakage Detector,PM 0.3 Filter,Cathachin Filter					
	Noise level	Noise level		As per Table 5, Cl 9.13 of IS 1391 (Part 2) 2023				
ENVIRONMENTA FEATURE	Environmental Friendly Paint (Environmental Friendly Paint means Paint does not contain heavy metals or their compounds include mercury (Hg), lead (Pb), cadmium (Cd) and hexavalent chromium (Cr))		Yes					
	Recycled Plastic Components	Recycled Plastic Components			>80% by weight of total plastic components in product			
	Supply cord and the interconnecting cord between the in-	Supply cord and the interconnecting cord between the indoor and outdoor unit		3 m (PVC Insulated sheathed cables as per IS:694)				
ACCESSORIES			3 m Cu pip	oe, Remote with	battery, User Man	ual, Warranty		

	Standard accessories included for each air conditioners	card
WARRANTY	AC Machine warranty (in Year)	1
WARRAINTT	Warranty on compressor (in Years)	10
INSTALLATION	Installation	Without installation(installation not offered)
	Not included in the scope of supply	As per STC attached
	Availability of type test report from Govt Lab/ NABL accredited lab / ILAC accredited lab to prove conformity of the specification	Yes As per IS 1391 (Part 2)
	Test report number and date - Must declare	P522120613
CERTIFICATION	Name and address of Lab - Must declare	AMBER ENTERPRISES
	Availability of Environmental Management Certification	Yes
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

उत्पाद का बीआईएस लाइसेंस|BIS license of the product: 9512456518

विक्रैता विशिष्टता दस्तावेज़|Seller Specification Document:

1. <u>Applicable Specification Document</u>	mkp.gem.gov.in/uploaded_documents/cms/tp/home_dist_heat_cool_sp37313731/51/16/877/CategorySc hema/qr_spcn_document/2023/5/3/document-for-cms_2022-07-05-17-50-30_c3b90df06e58a7_2023-05-03-10-58- 17_0cd9e0d5e516735de899c5dcb95b3af0.pdf
2. <u>Verified and Signed Tp document</u>	mkp.gem.gov.in/uploaded_documents/cms/tp/home_dist_heat_cool_sp37313731/51/16/877/CategorySc hema/tp_document/2024/1/3/green_rac_2024-01-03-13-19-26_a782a2a5976948d5bcffe835d1111e2b.pdf

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें|Terms and Conditions

1. Special terms and conditions- Version:2 effective from 11-12-2023

1.1 STC FOR SPLIT AIR CONDITIONER

Central Ministries/ Departments while procuring electrical appliances notified by the Department of Expenditure (DoE) shall ensure that they carry the notified threshold or higher Star Rating of the Bureau of Energy Efficiency (BEE). In this regard, DoE OM No.26/6/2012-PPD dated 21.01.2013 may also be referred to wherein appliances and threshold star ratings have been circulated.

Scope of installation and Commissioning for Wall Mount / High wall Split AC

- (1) Mounting/Fitting of indoor and outdoor units at the respective locations.
- (2) Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall (all type of walls), if required.
- (3) Checking / Charging Refrigerant gas in the unit.
- (4) Suitable electric wiring between indoor units and switch upto 3 meters in length.
- (5) Testing for satisfactory working without any abnormal noise as well as leakage test of the entire system.

The following are not included in the scope of supply for Wall Mount / High wall Split AC $\,$

- (1) Chiselling / Ducting / grooving for concealing the Refrigerant piping/cabling
- (2) Switches/ Sockets / Plug Tops / Voltage Stabilizer/Stand for ODU/Drain pipe/Angles.

Note to Buyer: Buyer are advised to apply filters/ selections allowing all the values which are considered meeting or are better than their technical requirements e.g. if the requirement is 5 years compressor warranty; Buyer should select other superior values, i.e. 10 years warranty as well. Such selection will act as 5 years or better (in L1 buying). For any violation of the above advisory if resulting into limited competition or higher cost to the ex-chequer, the Buyer shall be solely responsible.

2. General Terms and Conditions-

- 2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 3. Buyer Added Bid Specific Terms and Conditions-
- 3.1 Generic.

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3.2 Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

a. Copy of PAN Card.

b. Copy of GSTIN.

c. Copy of Cancelled Cheque.

d. Copy of EFT Mandate duly certified by Bank.

3.3 Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

3.4 Scope of Supply:

Scope of supply (Bid price to include all cost components): Only supply of Goods

3.5 Buyer Added Bid Specific ATC:
Buyer Added text based ATC clauses

1.5 TON:INVERTER AIR CONDITIONER (SPLIT)

Capacity -1.5 ton

BEE Star Rating - 05

Input Voltage - 230 V AC (+/- 10 %), 50 Hz, AC

Type - Split

Technology - Inverter AC (Variable Speed)

Coil Material (Evaporator) - Copper

Coil Material (Condenser)- Copper

Without Installation

Accessories - Installation Kit, 2 No. Remote cell, Manual, Remote

AC Machine Warranty - 01 Year minimum

Compressor Warranty - 05 Year minimum

ISEER rating- >/= 5.4, bidder shall submit copy of BEE certificate with bid as supporting document.

In case of conflict arising for any parameter in GeM category specification and the Technical Specification attached in ATC, the parameter specified as per Technical Specification attached in ATC shall prevail.

Note:

- (i) On GeM portal, Bidders are required to quote the price inclusive of GST.
- (ii) 'Class-I local suppliers' only are eligible to participate in this tender, as defined in the bidding documents/Public Procu rement (Preference to Make in India), Order 2017 and its subsequent amendments/ revisions issued by DPIIT. The bidders may apprise themselves of the relevant provisions of bidding documents in this regard before submission of their bids. Bi ds received (if any) from Class-II Local Supplier / Non Local Supplier shall be out rightly rejected. Bidder has to also submit the declaration regarding Percentage Local content of the offered product.

Buyer Contact Details:

Vikas Pandey,

Manager(C&M),

Mob: 7070095394

Email: vikaspandey01@ntpc.co.in

3.6 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document <u>Click here to view the file</u>.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.