

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687728691830

अनुबंध तिथि | Generated Date : 27-May-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्ररूप Type :	Central Government	पद Designation :	SMM/C/III
मंत्रालय Ministry :	Ministry of Railways	संपर्क नंबर Contact No. :	361-2672786-
विभाग Department :	Indian Railways	ईमेल आईडी Email ID :	nayan.gogoi@gov.in
संगठन का नाम Organisation Name :	NFR Construction	जीएसटीआईएन GSTIN :	18AAAGM0289C1ZI
कार्यालय क्षेत्र Office Zone:	Genral Manager/construction/nfr	पता Address :	A.T Road, Opposite of Sanjeevani Hospital, KAMRUP, ASSAM-781011, India

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	No	Role:	BUYER
प्रशासनिक अनुमोदन का पदनाम	Dy.CE/CON/PAGT	भुगतान का तरीका	Railways
Designation of Administrative Approval:		Payment Mode:	
वित्तीय अनुमोदन का पदनाम	FA&CAO/CON/Maligaon	पद Designation :	SMM/C/III
Designation of Financial Approval :		ईमेल आईडी Email ID :	nayan.gogoi@gov.in
		जीएसटीआईएन GSTIN :	18AAAGM0289C1ZI
		पता Address:	A.T Road, Opposite of Sanjeevani Hospital, KAMRUP, ASSAM-781011, India

विक्रेता विवरण Seller Details	
जीम विक्रेता आईडी GeM Seller ID :	GZTD210004570343
कंपनी का नाम Company Name :	M/S KAVISH GEOTECH
संपर्क नंबर Contact No. :	07002750149
ईमेल आईडी Email ID :	kavishgeotech33@gmail.com
पता Address :	201,MK NIVRITI,JOYMOTI NAGAR NEAR UDAYCHAL PUBLIC LIBRARY, Kamrup, ASSAM-781012, -
एम्सएमई पंजीकरण संख्या MSME Registration number :	-
जीएसटीआईएन GSTIN:	18CBHPD9425L1ZA (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Portable RO Plant For Haemodialysis upto 2 HD Machine with capacity 125 Ltrs/hour ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भासा Category Name & Quadrant : Portable RO Plant For Haemodialysis (Q3) मॉडल Model: IRO 2M एचएसएन कोड HSN Code: HSN not specified by seller	2	pieces	18,000	NA	36,000
कुल और्डर मूल्य Total Order Value (in INR)						36,000

परेष्टी विवरण | Consignee Detail

क्र.सं. S.No	परेष्टी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : AXEN CON 1 SPTR ईमेल आईडी Email ID : abhishek.c4@gov.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : OFFICE OF Dy. Chief Engineer Construction Near old Dibrugarh Railway Station Dibrugarh ASSAM,	Unbranded Portable RO Plant For Haemodialysis upto 2 HD Machine with capacity 125 Ltrs/hour	-	2	27-May-2024	11-Jun-2024

Product Specification for Unbranded Portable RO Plant For Haemodialysis upto 2 HD Machine with capacity 125 Ltrs/hour

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
GENERAL FEATURES	Product name	Portable RO Plant For Hemodialysis
	Clinical purpose	To produce RO water enough for two to five dialysis machines
PRODUCT FUNCTIONAL FEATURES	Should provide water quality as per ISO-13959/23500 or AAMI standard for dialysis	Yes
	Should be of compact design trolley on wheels for easy movement	Yes
	The system should be microprocessor based and capable to display parameters such as input and output water conductivity, feed flow, permeable flow, reject flow, temperature of permeate water and pressure	Yes
	Minimum Plant Capacity (Liters/hour)	125 Ltrs/hour
	RO Plant suitable for	upto 2 HD Machine
	Hardness of feed water should be less than 200 ppm	Yes
	RO plant should have built in dual column softener with fully automated brine, fill and clean cycles, also have a brine tank incorporated in the system	Yes
	RO plant should have built in cartridge type Charcoal Filter	Yes
	Charcoal Filter size	5 micron
	Chemical disinfection & decalcification system	Semi-automatic/Automatic
	Provision of automated heat disinfection of internal flow path and permeate loop	No
	Plant should have built in cartridge filter	Yes
	Cartridge filter size	5 micron
	Should have programmable fully automated rinse cycle for membrane wash	Yes
	Provision of OFF line mode and ONLINE mode of permeate supply	Yes
	There should be a water saving system in place which adjusts the output to the number of machines in use and control yield accordingly	Yes
	Yield should be between 50 to 70 %	Yes
ACCESSORIES AND CONSUMABLES	Plant should have leakage sensor	Yes
	Provision of U-V lamp before RO membrane	Yes
ELECTRICAL FEATURES	Should not have noise level more than 65 dB	Yes
	Should have detailed error reporting	Yes
	Alarm against low feed water, high output conductivity and low rejection rate	Yes
	Provision of software update via SD Card or Ethernet	No
ENVIRONMENTAL CONSIDERATIONS	All accessories and consumables for installation and standardization of equipment required to be provided for smooth functioning of the equipment	Yes
	All spare parts and consumables should be available with the supplier for a period of at least 10 years after commission	Yes
PACKING MODE	Should have auto start/stop programming Facility	Yes
	LED indicator on front panel for status of machine	Yes
	Power supply	220-240 VAC, 50Hz fitted with Indian plug
	Online UPS of suitable rating to be provided for power back up of atleast 30 minutes in case of power failure	No
CERTIFICATIONS & REPORTS	The unit shall be capable of being stored continuously in ambient temperature of 0-40 deg C and relative humidity of 15-90%	Yes
	The unit shall be capable of operating continuously in ambient temperature of 10 -40 deg C and relative humidity of 30-85 %	Yes
PACKING MODE	The product should be packed with all its accessories and consumables in such a way that there will be no transit damage during transportation till destination	Yes
CERTIFICATIONS & REPORTS	Availability of test report/quality assurance report from parent manufacturer	YES
	Product certification	EU-CE/US-FDA/BIS
	Product Certificate No	351042
	Product Certificate Date	06/11/2020
	Product Certificate issuing authority	The patent office, government of

		India
	Four digit number of notified body If product is EU-CE certified	2412
	Confirmity to Manufacturer's Certification (copy of the same should be submitted to buyer)	ISO 13485
	Submission of all the certifications and water test report to the buyer along with supplies	Yes
INSTALLATION & TRAINING	Supplier to perform installation, safety and operation checks before handover	Yes
	Training of users in machine operation, trouble shooting aspects and basic maintenance shall be provided	Yes
	Contact details of manufacturer, supplier and local service agent to be provided	Yes
WARRANTY	Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	2
DOCUMENTATION	User/Technical/Maintenance manuals to be supplied in English	Yes
	Certificate of calibration to be provided	Yes

टिप्पणी | Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:2 effective from 25-05-2021

1.1 1. Comprehensive warranty:

Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer:x2s technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.

2. Service centres:

Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.

3. Source of supply:

It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.

4. Packing and Marking:

Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of goods including quantity ,. Packing list reference number , country of origin of goods and any other relevant details.

5. Spare Parts:

Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied

6. Installation, Training, Manuals:

Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee:x2s representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable.

7. Electrical safety checking:

Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

8. Software:

All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.