

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687703589564

अनुबंध तिथि | Generated Date : 28-May-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	Central Government	पद Designation :	AEIV			
मंत्रालय Ministry :	Ministry of Urban Development	संपर्क नंबर Contact No. :	0177-2836924-			
विभाग Department :	NA	ईमेल आईडी Email ID :	prasan.3121985@gov.in			
संगठन का नाम Organisation Name :	Central Public Works Department (CPWD)	जीएसटीआईएन GSTIN :	-			
कार्यालय क्षेत्र Office Zone :	Shimla Central Division-1	पता Address :	O/o SUPERINTENDING ENGINEER (SHIMLA), SHIMLA CIRCLE, CPWD, KENNEDY COTTAGE SHIMLA-04, SHIMLA, HIMACHAL PRADESH-171004, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	Yes	Role:	DDO			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	Executive Engineer	भुगतान का तरीका Payment Mode:	PFMS			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	Executive Engineer	पद Designation :	Executive Engineer			
		ईमेल आईडी Email ID :	naveenkumar.dhiman@gov.in			
		जीएसटीआईएन GSTIN :	N			
		पता Address:	O/o SUPERINTENDING ENGINEER (SHIMLA), SHIMLA CIRCLE, CPWD, KENNEDY COTTAGE SHIMLA-04, SHIMLA, HIMACHAL PRADESH-171004, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	B78F180000091056					
कंपनी का नाम Company Name :	DURIAN INDUSTRIES LIMITED					
संपर्क नंबर Contact No. :	07506007703					
ईमेल आईडी Email ID :	marketing@durian.in					
पता Address :	401,susheel kumar bansal,susheel kumar bansal,Durian Industries Ltd 401 the summit, W.E Highway, Hanuman Road,,VILE PARLE (EAST), Mumbai, Maharashtra-400057, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-MH-19-0013829					
एमएसई सामाजिक श्रेणी MSE Social Category :	General					
एमएसई लिंग श्रेणी MSE Gender :	Male					
जीएसटीआईएन GSTIN:	27AAACD1698N1Z6 (B) , 21AAACD1698N1ZI (B) , 20AAACD1698N1ZK (B) , 27AAACD1698N1Z6 (B) , 20AAACD1698N1ZK (B) , 27AAACD1698N1Z6 (M) , 10AAACD1698N1ZL (B) , 07AAACD1698N1Z8 (B) , (B) , 27AAACD1698N1Z6 (M) , 34AAACD1698N1Z6 (B) , 33AAACD1698N1ZD (B) , 27AAACD1698N1Z6 (B) , (B) , (R) , 24AAACD1698N1ZC (B) , 05AAACD1698N1ZC (B) , 33AAACD1698N1ZD (B) , 09AAACD1698N2Z3 (B) , 06AAACD1698N1ZA (B) , 23AAACD1698N2ZD (B) , 03AAACD1698N1ZG (B) , 20AAACD1698N1ZK (B) , 24AAACD1698N1ZC (B) , 23AAACD1698N2ZD (B) , 20AAACD1698N1ZK (B) , 03AAACD1698N1ZG (B) , 07AAACD1698N1Z8 (B) , 03AAACD1698N1ZG (B) , 23AAACD1698N2ZD (B) , 19AAACD1698N2Z2 (B) , (B) , 33AAACD1698N1ZD (B) , 07AAACD1698N1Z8 (B) , 29AAACD1698N2Z1 (B) , 33AAACD1698N1ZD (B) , 18AAACD1698N4Z2 (B) , 19AAACD1698N2Z2 (B) , 03AAACD1698N1ZG (B) , 07AAACD1698N1Z8 (B) , 27AAACD1698N1Z6 (B) , 24AAACD1698N1ZC (B) , 01AAACD1698N1ZK (B) , 24AAACD1698N1ZC (B) , 27AAACD1698N1Z6 (B) , (B) , 10AAACD1698N1ZL (B) , 20AAACD1698N1ZK (B) , 29AAACD1698N2Z1 (B) , 07AAACD1698N1Z8 (B) , 08AAACD1698N1Z6 (B) , 23AAACD1698N2ZD (B) , 29AAACD1698N2Z1 (B) , 27AAACD1698N1Z6 (B)					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : DURIAN Executive Table with One side E.R.U unit ब्रांड Brand : DURIAN ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Executive Table (V2) (Q3) मॉडल Model: DWS/34752 एचएसएन कोड HSN Code: 9403	1	pieces	51,100	NA	51,100
कुल ऑर्डर मूल्य Total Order Value (in INR)						51,100

परिष्ठा विवरण | Consignee Detail

क्र.सं. S.No	परिष्ठा Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : AEIV ईमेल आईडी Email ID : prasan.3121985@gov.in संपर्क Contact : 0177-2836924- जीएसटीआईएन GSTIN : - पता Address : O/o SUPERINTENDING ENGINEER (SHIMLA), SHIMLA CIRCLE, CPWD, KENNEDY COTTAGE SHIMLA-04, SHIMLA, HIMACHAL PRADESH-171004, India	DURIAN Executive Table with One side E.R.U unit	-	1	28-May-2024	12-Jul-2024

Product Specification for DURIAN Executive Table with One side E.R.U unit

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERIC	Structure /Frame of table	Gable end and modesty panel
	Frame type	Freestanding
	Accessories /Optional requirement for table	Internet point
	The type of Storage provided	One side E.R.U unit
	Keyboard tray	Not provided
	Footrest	Not Provided
	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	Thickness of table top material (± 1 mm)	36 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	25 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	25 mm
	Gable end and modesty panel plain side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
	Table top edges	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
	Leg Material	NA
	The thickness of the Leg material	NA
	Beam Material	NA
	Number of buffers provided	4 Numbers at the bottom
DIMENSION	Width of tabletop ±10 mm	1500 mm
	Depth of table ±10 mm	900 mm
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	3 drawers
	ERU top material	MDF and veneer with PU finish having scratch resistance of 2H
	ERU top material thickness ± 2 mm	19 mm
	Width of ERU unit ± 10 mm	900 mm
	Depth of ERU unit ± 5 mm	400 mm
	Height of ERU unit ± 5 mm	750 mm
	ERU side panel material	Prelaminated MDF board
	ERU side panel Thickness ± 2 mm	18 mm
	Number of lockable castors at the bottom	6 numbers
Size of lockable castors ± 2 mm	Diameter 40 mm and height 55 mm	

	Type of storage lock system	Proper locking arrangement
	Drawer /storage shutter pull-up mechanism	Chrome plated handle
	ERU outer Surface Finish	Laminate in color with matt finish 0.6 - 0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side
	ERU shade	As per buyer's choice
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	No Pedestal unit
	Complete body fascia and drawer material in Pedestal Unit	NA
	Thickness of the complete body fascia & drawer material	NA
	Material for back panel in pedestal unit	NA
	Back Panel Thickness in Pedestal Unit	NA
	Drawer Bottom Material	NA
	Drawer Bottom Material Thickness	NA
	Provision of Castor in Pedestal unit	Without
	Lock provided (for pedestal unit)	NA
	Pedestal handle material	NA
	Pedestal outer finish	NA
	Pedestal shade	NA
	Width of Pedestal unit in mm (± 10 mm)	NA
	Depth of pedestal unit ± 10 mm	NA
	Height of pedestal unit ± 5 mm	NA
KEYBOARD TRAY	Material of keyboard tray and Right angle L-type supporting bracket	NA
	Material thickness of keyboard tray ± 1 mm	NA
	Fixing of supporting bracket	NA
	Length of telescopic channel ± 10 mm	NA
	Keyboard height ± 10 mm	NA
	Keyboard front width ± 10 mm	NA
	Keyboard depth ± 10 mm	NA
FOOTREST	Material of footrest	NA
	Material thickness of footrest ± 2 mm	NA
	Height of footrest ± 10 mm	NA
	Width of footrest ± 10 mm	NA
	Depth of footrest ± 10 mm	NA
COLOUR AND FINISH	Table top finish	Laminate in color with matt finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	As per Buyer's choice
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	5 Years
CERTIFICATION	Test reports to be furnished to the buyer on demand	Yes
	The product has BIFMA certification	Yes
	OEM of the offered product is ISO 9001:2015 certified	Yes
	OEM of the offered product is ISO 14001:2015 certified	Yes
	OEM of the offered product is ISO 45001:2018 certified	Yes
	The product has GREENGUARD certification	No

The product has Green Pro certification

Yes

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.