

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687742081539

अनुबंध तिथि | Generated Date : 28-May-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4615616](#)

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्रकृत्या Type :	Central PSU	पद Designation :	Manager
मंत्रालय Ministry :	Ministry of Power	संपर्क नंबर Contact No. :	-6263740711-
विभाग Department :	POWER GRID Corporation OF INDIA Limited	ईमेल आईडी Email ID :	buyer357.pgcil.cg@gembuyer.in
संगठन का नाम Organisation Name :	POWER GRID Corporation OF INDIA Limited	जीएसटीआईएन GSTIN :	22AAACP0252G1Z3
कार्यालय क्षेत्र Office Zone:	Corporate Office Gurgaon		RAIGARH 400/220KV Substation, POWERGRID
			CORPORATION OF INDIA LIMITED, 11KM MileStone, Nandeli
		पता Address :	Road, Village and PO-Kotra, District-Raigarh, Chhattisgarh-496001,
			RAIGARH, CHHATTISGARH-496001, India

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राप्तिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO
प्रशासनिक अनुमोदन का पदनाम	Sr. GM	भुगतान का तरीका	PGCIL
Designation of Administrative Approval:		Payment Mode:	
वित्तीय अनुमोदन का पदनाम	Sr. GM	पद Designation :	Mgr1
Designation of Financial Approval :		ईमेल आईडी Email ID :	pao28.pgcil.mh@gembuyer.in
		जीएसटीआईएन GSTIN :	29AAACP0252G1ZP
			Power Grid Corporation of India Limited, Southern Region
		पता Address:	Transmission System-II, Near RTO Test Driving Track, Singanayakanahalli, Yelahanka Hobli, Bangalore – 560064, Bangalore, KARNATAKA-560064, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID :	A534180000094161
कंपनी का नाम Company Name :	ELMACK ENGG SERVICES
संपर्क नंबर Contact No. :	07358111402
ईमेल आईडी Email ID :	sales@elmackengg.com
पता Address :	AB-20,,5th Street,,ANNA NAGAR, Chennai, TAMIL NADU-600040, -
एमएसएमई सत्यापिता MSME verified :	No
एमएसएमई पंजीकरण संख्या MSME Registration number :	-
जीएसटीआईएन GSTIN:	27AABFE0031C1ZC (B) , 33AABFE0031C1ZJ (R) , 27AABFE0031C1ZC (B)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश Delivery Instructions : NA	
--	--

उत्पाद विवरण Product Details		आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुक्र और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : FLUKE Hand Held 100 KHz Digital Multimeter ब्रांड Brand : FLUKE ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्भास्ति Category Name & Quadrant : Digital Multimeter as per IS 9000 (Q3) मॉडल Model: FLUKE 87V Digital Multimeter एचएसएन कोड HSN Code: HSN not specified by seller		3	pieces	47,880	NA	143,640
कुल ऑर्डर मूल्य Total Order Value (in INR)							143,640

परेष्ठी विवरण Consignee Detail		परेष्ठी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
क्र.सं. S.No							

1	<p>पद Designation :- ईमेल आईडी Email ID : con504.pgcil.cg@gembuyer.in संपर्क Contact :- जीएसटीआईएन GSTIN :- पता Address : RAIGARH 400/220KV Substation, POWERGRID CORPORATION OF INDIA LIMITED, 11KM MileStone, Nandeli Road, Village and PO-Kotra, District-Raigarh, Chhattisgarh-496001, RAIGARH, CHHATTISGARH-496001, India</p>	FLUKE Hand Held 100 KHz Digital Multimeter	-	3	28-May-2024	27-Jul-2024
---	--	---	---	---	-------------	-------------

Product Specification for FLUKE Hand Held 100 KHz Digital Multimeter

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
MEASUREMENTS	DC Voltage Range	1000 Volt
	DC Voltage Accuracy	0.05 percent
	DC Voltage resolution	0.01 milliVolt
	AC Voltage Range	1000 Volt
	AC Voltage Accuracy	0.1 percent
	AC Voltage resolution	0.01 milliVolt
	DC Current Range	10 Ampère
	DC Current Accuracy	1 percent
	DC Current resolution	0.1 milliAmpère
	AC Current Range	10 Ampère
	AC Current Accuracy	0.5 percent
	AC Current resolution	0.1 milliAmpère
	Resistance Range	50 megaOhm
	Resistance Accuracy	1 percent
	Resistance resolution	0.1 Ohm
	Capacitance Range (Micro farad)	.01 to 1000
	Capacitance Accuracy (%)	1.5
	Capacitance resolution (nF)	0.001
	Frequency Range (KHz)	100
	Frequency Accuracy (%)	0.1
	Frequency resolution (Hz)	0.001
	Temperature Range (Degree C)	-40 to 400
	Temperature Accuracy (%)	1.5
	Temperature resolution (Degree C)	0.001
FEATURES	Type	Hand Held
	Display (Digits)	4.5
	Measurement Type	True RMS
	Counts	6000
OTHER FEATURES	Continuity test and Diode test	Available
	Data logging	Not Available
	If Data Logging Feature is Available, Internal Memory	NA
	Computer Interface along with software	Not Available
	Dimensions (mm X mm X mm)	520 x 98 x 201 in mm
	Weight	624 gram
	Other Features	ltd lifetime wrnty
SAFETY	Safety Rating	Category II 600 V of IEC 61010.
	Safety Certification	CE,CSA
	Power Requirements	Battery Operated
	if Battery Operated, then Type of Battery	Non- Rechargeable (Alkaline)
	if rechargeable , then chemistry of the battery	NA

POWER REQUIREMENTS	if Non-rechargeable , then size of the battery / cell	9-V rectangular battery
	number of non- rechargeable the battery / cell	1
	Voltage of rechargeable Battery	0 Volt
	capacity of rechargeable battery(milli Ampere Hour)	0
	Suitable charger / adaptor provided	NA
ACCESSORIES	Standard Accessories Supplied with the Equipment	Refer Data Sheet
WARRANTY	Warranty	3 year
OPERATING CONDITION	Minimum Operating Temperature	-20 degree Celsius
	Maximum Operating Condition	55 degree Celsius
	Operating Humidity (RH)	90 percent
TEST REPORT DETAILS	The equipment supplied with calibration certificate	YES
	conformity to Dry Heat for 16 hrs at a specified maximum temp in accordance with IS:9000/part-3/section-5/1977 latest	No
	conformity to Cold Test for 4 hrs at a specified minimum temp in accordance with IS:9000/part-2/section-4/1977 latest	No
	conformity to Damp Heat (Cyclic)Test for 2 Cycles of 24 hrs each at a temp of 40 degree C & 95% RH	No
	Availability of Test Reports from Central Govt/NABL/ILAC approved accredited lab to prove conformity to the specification	Yes
	Test Report Number and date for the specification test	at time of delivery
	Name and address of the Lab for the specification test	at time of delivery

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for FLUKE Hand Held 100 KHz Digital Multimeter

विवरण Specification	मूल्य Value
Make: HT Italia, Chauvin-arnoux, Yokogawa, Megger, Agilient, Fluke, Kyoritsu, Multi, hioki	Accepted
Continuity Check Range:0-250 ? (Min)	Accepted
Polarity Features: Polarity Automatic No indication for Positive Minus (-) Sign for Negative polarity	Accepted
Bidder will have to submit documentary evidences to of having eshtablished mechanism for prompt services as and when required by POWERGRID.	Accepted
The device is covered under comprehensive warranty which include all type of damage to device and device shall be repaired within 1 mon of the info from site or replacement to be provided for the device within 1 mon. Declaration for the same is required.	Accepted

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशेष (%) ePBG Percentage(%):	NA

नियम और शर्तें| Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 5 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

2.3 Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2.4 Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.

- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

2.5 Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

2.6 Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

2.7 Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

2.8 Purchase Preference (Centre)

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

2.9 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

1. Kindly Mention Make and Model of the product offered in the bid along with product catalog. (Non-Submission of product catalog will lead to disqualification of Bid.)

2. Below ATCs are also required to be complied with:

Make	HT Italia, Chauvin-arnoux, Yokogawa, Megger, Agilent, Fluke, Kyoritsu, Multi, hioki
Continuity Check Range	0-250 Ω (Min)
Power Supply Battery	Should be easily available in market and replaceable at site
Polarity Features	Polarity Automatic No indication for Positive Minus (-) Sign for Negative polarity
Accessories	All accessories required to perform all measurements given in TS to be supplied along with the device, alongwith carrying case, Spare fuses and manual etc
Working Condition	The device should work in charged switchyard area (765KV min)..
Calibration Certificate	Calibration certificate from/traceable to, NABL accredited lab or internationally reputed Lab shall be submitted, Date of Calibration shall not be Older than 1 month from the date of supply of the device
Services	Bidder will have to submit documentary evidences to of having eshtablished mechanism for prompt services as and when required by POWERGRID.
Warranty Condition	The device shall be covered under comprehensive warranty for 3 years that shall include any type of damage to the device and the device shall be repired within 1 month of the information from site or replacement to be provided for the device within 1 month. Declaration for the same is required

3. "In case of default, the bids received/submitted/ uploaded by you shall be considered nonresponsive/not eligible for a period of 1 (One) year reckoned from the date of issuance of the termination letter by POWERGRID".

3. Bidders, who are executing contract(s) or has executed contract(s) in the past for the Employer (Owned as well as Consultancy) and any of the following event(s) have been encountered during contract(s)execution, shall not be eligible to bid for the package(s) whose originally scheduled date of bid opening falls within the specified period reckoned from the date of determination by the Employer of such event as below:

S. no.	Event	Period for which bid(s) shall be considered as nonresponsive/not eligible
1	Termination of Contract due to Contractor's Default	1 year
2	Encashment of CPG due to non-performance	1 year
3	Repeated failure of major Equipment while in service	1 year
4	Substantial portion of works (more than 50% of the Contract*) is subcontracted, under an existing Contract	1 year
5	More than 25% of the Contract price (awarded value), in aggregate, is	1 year

	paid to sub-contractors/suppliers as Direct payment, under an existing Contract, due to financial position of Contractor	
6	Firm has been referred to NCLT under Insolvency & Bankruptcy Code (IRP has been appointed or Liquidation proceedings have been initiated under IBC)	Till the firm comes out of Resolution process

*For the purpose of working out 50% of the Contract, following shall be taken into account:

- (a) Scope of the contract which is permissible to be sub-contracted as per bidding documents, shall be excluded.
- (b) Scope of the Contract which primarily relates to the Qualification Requirement (QR) of the bidder.

Notwithstanding the above, in case any of the event(s) above is encountered afresh even prior to opening of Second Envelope/Price Part Bid of any package, the bid of such bidder shall be considered as nonresponsive/not eligible for that package.

The Employer shall be the sole judge in this regard and the Employer's interpretation on the aforesaid event(s) shall be final and binding.

4. Payment Tracking: The Contractor/Service Provider may track the status of its bills using POWERGRID's 'On-line Vendor Bill Tracking System'. To use this system, the Contractor is required to get itself registered once online at POWERGRID's ERP Portal with the link URL <https://etender.powergrid.in>. Once registered, the Contractor/ Service Provider may track status of bills submitted, passed and paid by POWERGRID's Corporate Centre and Regional Office under this Contract and other Contracts awarded on it by POWERGRID by following the method detailed herein below:

a) Once registered, the Contractor/ Service Provider can log-in to POWERGRID's Vendor Bill Tracking

System with Vendor Log-In ID and Password.

b) Bill entry is to be done by the Contractor/ Service Provider on POWERGRID's ERP Portal prior to submission of bill. An automated e-mail with unique reference number will be sent to the Contractor/Service Provider, which needs to be printed and attached on top of the corresponding physical bill to be submitted by the Contractor/ Service Provider to POWERGRID.

c) On receipt of physical bill, concerned POWERGRID's official shall online acknowledge the receipt of bill. This action will trigger an automated mail to the Contractor/ Service Provider intimating that the physical copy of the bill has been received and is under verification / processing.

d) The day the payment is made, a mail stating the "Bill number, net payment amount and details of the bank from where the payment has been made" will be sent to the Contractor/ Service Provider.

5. Procurement of Supply/ Service through GeM Bidding: Bidders are requested to quote the price in GeM Portal itself. The bid price shall include all the costs for the entire scope of work as per the Bidding Documents. Bidders shall not upload the price details in technical part otherwise the technical bid will be rejected.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.