

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687705089925

अनुबंध तिथि | Generated Date : 30-May-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4893196](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : Central Government मंत्रालय Ministry : Ministry of Railways विभाग Department : Indian Railways संगठन का नाम Organisation Name : Eastern Railway कार्यालय क्षेत्र Office Zone : Eastern Railway HQ	पद Designation : SrDMM/ASN संपर्क नंबर Contact No. : 0341-2315883- ईमेल आईडी Email ID : thewickerman.22@gov.in जीएसटीआईएन GSTIN : 19AAAGM0289C1ZG पता Address : DRM Building, Eastern Railway, Asansol, BARDHAMAN, WEST BENGAL-713301, India

निरीक्षण का प्रकार Type of Inspection: Pre Dispatch
--

गुणवत्ता आश्वासन योजना के लिए कृपया बोली देखें | For Quality Assurance Plan please refer to the bid GEM/2024/B/4893196

निरीक्षण एजेंसी / प्राधिकरण Inspection Agency/ Authority: RITES
--

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: Sr.DEE(TRD)/ASN वित्तीय अनुमोदन का पदनाम Designation of Financial Approval: Sr.DFM/ASN	Role: BUYER भुगतान का तरीका Payment Mode: Railways पद Designation : SrDMM/ASN ईमेल आईडी Email ID : thewickerman.22@gov.in जीएसटीआईएन GSTIN : 19AAAGM0289C1ZG पता Address: DRM Building, Eastern Railway, Asansol, ASANSOL DURGAPUR POLICE COMMISSIONERATE, WEST BENGAL-713301, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : C4E6180000654505 कंपनी का नाम Company Name : TESTING INSTRUMENTS MANUFACTURING CO. PRIVATE LIMITED संपर्क नंबर Contact No. : 09831012591 ईमेल आईडी Email ID : sushil.testing@gmail.com पता Address : 3-B, 2ND FLOOR,,BIKANER BUILDING,,LALBAZAR STREET,,OPPOSITE OF LALBAZAR HEAD QUARTER,, Kolkata, WEST BENGAL-700001, - एमआईआई स्थिति MII Status : True एमएसएमई सत्यापित MSME verified : No एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-WB-10-0009690 एमएसएमई सामाजिक श्रेणी MSE Social Category : General एमएसएमई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 19AACCT6915G1Z6 (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश Delivery Instructions : NA

उत्पाद विवरण Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Testo Color LCD Touch Display Thermal imager 300000 Pixel ब्रांड Brand : Testo ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : thermal imager (Q2) मॉडल Model: TESTO 883 एचएसएन कोड HSN Code: 90275090	5	pieces	588,000	NA	2,940,000

कुल ऑर्डर मूल्य Total Order Value (in INR)	2,940,000
--	-----------

निरीक्षण अधिकारी Inspection Officer: नाम Name: Western Region Inspection Officer, 2ND FLOOR, CHURCH GATE, M.K ROAD, CHURCH GATE MUMBAI -400020 ईमेल E-mail: wrinspn@rites.com संपर्क Phone: +91932644430
--

Place of Inspection:

पता|Address: PUNE, Maharashtra

नाम|person name: CHANDRA PRAKASH BOTHRA

संपर्क नंबर|contact number: 9830334711

प्रेषिती विवरण| Consignee Detail

क्र.सं. S.No	प्रेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation :- ईमेल आईडी Email ID : nivendu.kaushal@gov.in संपर्क Contact : 0341-2202474- जीएसटीआईएन GSTIN : - पता Address : DRM Building, Eastern Railway, Asansol, BARDHAMAN, WEST BENGAL-713301, India	Testo Color LCD Touch Display Thermal imager 300000 Pixel	-	5	30-May-2024	29-Jun-2024

Product Specification for Testo Color LCD Touch Display Thermal imager 300000 Pixel

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
LENS MEASUREMENTS FEATURES	Horizontal Field of View of Standard lens (degree)	26-30
	Vertical Field of View of Standard lens	20-25
	Horizontal Field of View of Telephoto lens	9-12
	Vertical Field of View of Telephoto lens	7-12
	IFOV of Standard lens (mRad)	2.1
	IFOV of Telephoto Lens (mRad)	0.7
	IFOV of (Spatial resolution) (mRad)	NA
PERFORMANCE FEATURES	Type	Hand held
	Detector Resolution (minimum) (pixel)	300000
	Temperature Range of Objects (Degree Celsius)	-20 to 650
	Temperature measuring accuracy of reading (or better)	± 2% oC
	Minimum Focus distance	10 centimeter
	Image capture frequency/ frame rate (Hz)	N ≥ 9
	Image Detector Type	Uncooled focal plane array (FPA)Vox/ Asi/BST/Silicon
	Thermal sensitivity (NETD)	0.05 degree Celsius
	User selectable Emissivity setting/correction	Between 0.01 and 1
	Infrared spectral band (micrometer)	7.5-14micrometer
	Image Palettes	11
DISPLAY	Display Type	Color LCD Touch Display
	Display size	3.5 inch
GENERAL FEATURES	Image capture, review and save mechanism	One handed image capture, review and save capability
	Storage medium	Inbuilt Memory
	Size of USB stick	0 gigabyte
	File formats	JPEG
	Built-in digital camera/ Visual Camera Resolution (Mpixel)	4
	Details of Operating functions	Touch Screen
	Facility for the adjustment/ selection of the time/date etc	yes
	Interface for image transfer	USB Cable with suitable drivers for downloading to PC
	Focus	Manual
	other features	Super resolution
	Minimum Operating Temperature	-10 degree Celsius

OPERATING CONDITION	Maximum Operating Temperature	50 degree Celsius
	Operating Humidity (RH)	90 percent
POWER REQUIREMENT	Power Requirements	Battery Operated
	chemistry of the battery	lithium ion
	Voltage of rechargeable Battery	3.6 Volt
	Capacity of rechargeable battery (milliAH)	6500
	Suitable charger/adaptor provided	yes
	Battery Backup	4 hour
	Power Management	Automatic shut down /User Selectable
	On-screen battery level indicator	yes
CERTIFICATION & SAFETY	IP Protection	IP54
	Safety certification	CE
GENERIC	Size/ dimension	171 x 95 x 236 mm
	Weight (including batteries)	0.827 kilogram
	Automatic active temperature stabilization system of camera	yes
	Provision for through-the-lens direct temperature measurement capability	yes
TEST REPORT DETAILS & TESTS	The equipment supplied with calibration certificate	yes
	conformity to Dry Heat for 16 hrs at a maximum temp in accordance with IS:9000/part-3/section-5/1977 latest	No
	conformity to Cold Test for 4 hrs at a minimum temp in accordance with IS:9000/part-2/section-4/1977 latest	No
	conformity to Damp Heat (Cyclic)Test for 2 Cycles of 24 h each at a temp of 40 degree C & 95% RH	No
	Availability of the test report from Central Govt/ NABL/ ILAC accredited lab to prove conformity to the specification	No
	Test Report Number and date for the specification test (not a part of biddable parameter)	CC-2869
	Name and address of the Lab for the specification test (not a part of biddable parameter)	TIPL PUNE

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	State Bank of India
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	5.00
बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा The bidder shall furnish ePBG as applicable as per bid's terms and conditions	

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2.3 Service & Support:

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

2.4 Service & Support:

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

2.5 Service & Support:

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

2.6 Forms of EMD and PBG:

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

FA&CAO/ER/KKK

payable at

FA&CAO/ER/KKK

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

2.7 Forms of EMD and PBG:

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C (Name of the Buyer). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

2.8 Forms of EMD and PBG:

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

FA&CAO/ER/KKK

payable at

FA&CAO/ER/KKK

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

2.9 Forms of EMD and PBG:

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

FA&CAO/ER/KKK

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

2.10 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file.](#)

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.