अनुबंध|Contract



अनुबंध क्रमांक|Contract No: GEMC-511687730734167

अनुबंध तिथि | Generated Date : 31-May-2024

बोली/आरए/पीबीपी संख्या|Bid/RA/PBP No.: <u>GEM/2024/B/4843678</u>

संगठन विवरण|Organisation Details

प्ररूप|Type : Central Autonomous

मंत्रालय|Ministry: Ministry of Health and Family Welfare विभाग|Department: Department of Health and Family Welfare

संगठन का नाम|Organisation Name : N/A

कार्यालय क्षेत्र|Office Zone: Pasteur Institute Of India, Coonoor, Nilgiris

खरीदार विवरण|Buyer Details

पद|Designation : Sr Research Officer संपर्क नंबर|Contact No. : 0423-2231852-ईमेल आईडी|Email ID : sro.pii-mohfw@nic.in जीएसटीआईएन|GSTIN : 33AAAAP0976B1ZZ

पता|Address : Pasteur Institute of India Coonoor, NILGIRIS, TAMIL NADU-643103, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No

प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

DIRECTOR

ADMINISTRATIVE OFFICER

भुगतान प्राधिकरण विवरण|Paying Authority Details

Role: PAO भुगतान का तरीका| Payment Mode: Offline

पद|Designation : Administrative Officer ईमेल आईडी|Email ID : admn.pii-mohfw@nic.in

जीएसटीआईएन|GSTIN : N

पता|Address: Pasteur Institute of India Coonoor, NILGIRIS, TAMIL NADU-643103, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : 7AF8190000749770 कंपनी का नाम|Company Name : Kaushal Devidas Harpalani

संपर्क नंबर|Contact No. : 09724332075 ईमेल आईडी|Email ID : kdhgem@gmail.com

पता| Address : 50,BHAGWATI PARK SOCIETY , OPP. GEET GOVIND FLATS,HONEY PARK ROAD,ADAJAN , SURAT, Surat, GUJARAT-395009, -

एमएसएमई सत्यापित। MSME verified : No

एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-GJ-22-0187512

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिंग श्रेणी|MSE Gender : Male

जीएसटीआईएन|GSTIN: 24AEDPH5642E1ZX (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : null

उत्पाद विवरण | Product Details (PAC)

#	ः आइटम विवेरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Impact By Honeywell 4MP BULLET CAMERA ब्रांड Brand : Impact By Honeywell ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थित Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Camera for CCTV System (Q2) मॉडल Model: I-HIB4PI-EL 4MP Bullet Audio Camera एचएसएन कोड HSN Code: HSN not specified by seller	14	pieces	4,565.72	NA	63,920.08
कुल ऑर्डर मूल्य Total Order Value (in INR)						63,920.08

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : - ईमेल आईडी Email ID : sro.pii-mohfw@nic.in संपर्क Contact : 0423-2231852-	Impact By Honeywell	1	14	31-May-2024	15- un-2024

पता Addr	ईएन GSTIN : 33AAAAP0976B1ZZ ress : Pasteur Institute of India Coonoor, , TAMIL NADU-643103, India	4MP BULLET CAMERA					
Product Specificati	on for Impact By Honeywell 4MP BULLET C	AMERA	I				
विनिर्देश Specification	उप-विनिर्देश Sub-Spec		मूल्य Value				
	Image Sensor Type		CMOS				
	Image Sensor Size Camera Image Sensing capacity (Picture Mode)		0.357 inch				
			4MP				
IMAGE SENSOR	Resolution			1080P (1920 x 1080),HD (1280 x 720 Pixel),D1 (704 x 480 Pixel),4 HD (3840 X 2160 Pixel)			
	Day/Night Capable		Yes	Yes			
	IR illumination Range(mtr)		50				
	Type of Camera Housing		BULLET C	BULLET CAMERA			
CAMERA TYPE	IP Camera		Yes				
	PTZ Camera		No	No			
	Lens Type		Fixed				
	Focal Length(mm)		3.6				
OPTICS	Iris Control		Fixed iris				
	Focus Mode		NA				
	Frame Rate (fps)		25,30				
VIDEO	Video Compression		H.264,H.2	165+			
	Video Streaming		Dual com	Dual compressed stream			
	Panning Range		NA .				
	Pan Speed (deg/sec)		NA				
	Tilt Range below horizontal (deg)		NA				
PAN / TILT / ZOOM	Tilt Range above horizontal (deg)		NA				
	Tilt Speed (deg/sec)		NA				
	Optical Zoom		NA				
	Digital Zoom		10X				
	Audio Support		Yes				
	Audio Compression		G.711,G7	11ulaw			
	Audio Streaming		One-Way				
AUDIO	Number of Audio Input Channel		1				
	Number of Audio Output Channel		NA				
	External Microphone Support		No				
	Alarm Support		No				
	Number of Alarm Digital Input		NA				
ALARM	Number of Alarm Relay Output		NA NA				
	Pre/Post Alarm Buffer		Yes				
	Multi Level User ID/Password		Yes				
SECURITY	IP Address Filtering		Yes				
52001411	Encrypted Data Transmission		HTTPS (SS	SL/TSL)			
	Minimum Illumination for Capturing Color Image		0.002 lux				
	Electronic Shutter Speed(sec)		1 to 1/100				
DEDECIDMANCE				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
ERFORMANCE	WDR (Wide Dynamic Range)		DWDR				
	SNR (Signal to Noise Ratio)		50-60	I Contuc!			
	Auto Exposure		Auto Leve	ei Control			
	White Balance (Indoor/Out door/Manual Selectable)		Yes				
	Auto Gain Control (On/Off selectable)		Yes				

	Back Light Compensation	Yes
	Remote Administration (Remote configuration and status using web based tool)	Yes
	Remote System Update Over Network	Yes
FEATURES	PC Client (PC application client with a channel recording feature support)	Yes
. 2.11 01.125	Web Client (Viewer through HTTP system configuration)	Yes
	On Screen Display in English	Yes
	ONVIF Support	(Profile S and G)
	Presets	0
	Group Touring	0
	Privacy Zones	4
	Supported Protocols	UDP,DHCP,RTP,HTTP,ICMP,HTTPS,RTSP,NTP,UPnP,TCP/IP,IPv4,IPv6
	IP Support	Static,Dynamic
NETWORK AND	Signal Processing	Digital Signal Process
INTERFACE	IPv6 ready	Yes
	Wireless	No
	Simultaneous Connections	7
	On Board SD Card Support	No
STORAGE	SD Card Memory(GB)	NA
	Installation Type	Outdoor
	Material of the Housing construction	Plastic
	Protection	IP67
	Vandal Resistant Housing	No
HOUSING	If Yes, IK rating	NA
	Mounting bracket	Wall Mounted
	Weight	350 gram
	Dimensions (mm x mm x mm)	208x81x81
	Power Input	12 V DC,PoE
POWER SUPPLY	Power Consumption	6 Watt
POWER SUPPLY	Suitable Adapter Shall be Supplied to Make the Equipment Work on 230 V (+/- 10 %), 50 Hz	NA
OPERATING	Operating Temperature Range	- 30 to +60 deg C
CONDITIONS	Relative Humidity Non Condensing (%)	95
	Warranty	2 year
WARRANTY / SERVICES	Time for Replacement of Defective Product During Warranty Period	72 hour
	Supply of Compatible drivers and software included	Yes
	Availability of facility & infrastructure for verification of all parameters, features, and capability with Seller	No
	Availability of facility to test signal to noise ratio of camera at 0-01 lux	No
	Conformity to Dry Heat test at 55 degree C for 16 hours as per IS :9000 latest	Yes
	Conformity to Dry Heat test at 55 degree C for 16 hours as per IS:9000 latest Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	Yes
ENVIRONMENTAL / CERTIFICATION	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8	
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as	Yes
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable	Yes Yes
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable BIS Registration for safety general requirements as per IS 13252 (Part 1):latest Availability of Type Test Report from Central Govt /NABL/ILAC accredited lab to	Yes Yes Yes
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable BIS Registration for safety general requirements as per IS 13252 (Part 1):latest Availability of Type Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	Yes Yes Yes Yes

शुद्धिपत्र|Corrigendum

1. तक बढ़ाया गया | Extended Upto: 2024-04-29 15:00:00

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें|Terms and Conditions

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2. Buyer Added Bid Specific Terms and Conditions-
- 2.1 Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
- 2.2 Make in india specific authorisation certificate needs to be enclosed.

2.3 Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

2 4 Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 3 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

2.5 Generic.

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2.6 Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

2.7 Generic

End User Certificate: Wherever Bidders are insisting for End User Certificate from the Buyer, same shall be provided in Buyer's standard format only.

2.8 Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

2.9 Generio

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 50% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.10 Generic

The successful bidder has to supply all essential accessories required for the successful installation and commissioning of the goods supplied. Besides standard accessories as per normal industry practice, following accessories must be part of supply and cost should be included in bid price:

YES

2.11 Generic.

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

2.12 Scope of Supply:

Scope of supply (Bid price to include all cost components): Supply Installation Testing and Commissioning of Goods

2.13 Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2.14 Turnover.

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

2.15 *OEM*

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

2.16 Service & Support:

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of

goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

2.17 Service & Support:

Dedicated /toll Free Telephone No. for Service Support: BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

2.18 Service & Support:

Escalation Matrix For Service Support: Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

2.19 Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2 20 Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

2.21 Certificates:

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

2.22 Certificates.

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

2 23 Certificates

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid):

WARRANTY CERTIFICATES

.

2.24 Warrantv.

Warranty period of the supplied products shall be 2 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training,
Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the hid

2.25 Warranty.

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.