

1	संपर्क Contact : 0863-2377303- जीएसटीआईएन GSTIN : - पता Address : ADMINISTRATIVE OFFICE STATE BANK OF INDIA KANNAVARI THOTA GUNTUR 522004, GUNTUR, ANDHRA PRADESH-522004, India	GODREJ INTERIO Almirah Steel shelving cabinets	-	1	01-Jun-2024	16-Jun-2024
---	---	--	---	---	-------------	-------------

Product Specification for GODREJ INTERIO Almirah Steel shelving cabinets

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERAL REQUIREMENT	Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	Type of Almirah steel	Almirah Steel shelving cabinets
	Construction type	Welded
	Installation	Free standing
	Pedestal	Yes
	Pedestal fitted with	3 mm Teflon Bush
	Pedestal height (± 5 mm)	125 mm
	Locker required	No
	Door type	Hinged
	Number of door	2
	Number of hinges (for each door)	3
	Door stiffener up to full door height provided	Yes
	Mirror fitted	No mirror
	Number of drawers required	No Drawer
	Shelves required	Adjustable
	Number of shelves	4
	Uniformly distributed load (UDL) for shelves	60 Kgs.
	Wardrobe by style	No wardrobe
	Tie Hanger	No
	Colour of finish	White
MATERIAL	Steel sheet material	CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)
	Sheet rounds and flats	N.A
	Screws	Conforming to IS 1365
	Hanging rod material	No hanging rod
	Mirror frame made out of (if provided)	No mirror frame
	Tie hanger made out of	N.A
	Stiffener material	MS sheet
	Almirah height(excluding the height of pedestal) ± 5 mm	1980 mm
	Almirah width ± 5 mm	920 mm
	Almirah depth ± 5 mm	480 mm
	Locker inside height ± 5 mm	No locker
	Locker inside width ± 5 mm	N.A
	Locker inside depth ± 5 mm	N.A
	Drawer height	N.A
	Drawer width	N.A
	Drawer depth	N.A
	Mirror sizes	N.A
	Shelves lipped flange	35 mm
	Side sheet thickness	0.9 mm
	Back sheet thickness	0.8 mm
	Top sheet thickness	0.9 mm
	Bottom sheet thickness	0.9 mm

DIMENSION	Shelves sheet thickness	0.7 mm
	Shelves supporting bracket thickness	1.6 mm
	Door metal stiffener thickness	0.8 mm
	Pedestal sheet thickness	0.8 mm
	Hinges sheet thickness	1.6 mm
	locker door sheet thickness	N.A
	Drawer sheet thickness	N.A
	Hanging rod wall thickness	N.A
	Hanging rod diameter ±2 mm	N.A
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Tie hanger sheet thickness	N.A
	Width of stiffener	115 mm
	Stiffener sheet thickness	0.6 mm
	Number of glass sheet fixed	N.A
	Handle size	12 cm
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah lock/locker lock	Six lever lock
	Material of lock	Finish having brass levers and MAZAK/ZAMAK bolt having Zinc plated finish along with MAZAK/ZAMAK handle
	Duplicate keys (for each)	Yes
	Keys material (for each lock)	Keys made of MAZAK/ZAMAK having nickel plated finish
	Steel Almirah locking mechanism	A three way bolting device controlled by a lock
	Door handle material for almirah lock	Zinc based alloy
	Handle material for locker	N.A
	Lockers locking mechanism	N.A
	Drawer lock	N.A
FINISH	All the mild steel parts shall be given phosphating treatment	N.A
	The process of application of phosphate coating	N.A
	Finish coat with enamels	N.A
	Powder coating	Conforming to IS: 13871
TESTING AND CERTIFICATION	Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification	Yes
	Test Report Number and Date	-
	Name and Address of the Lab	-
	Test reports to be furnished to buyer on demand, if claimed to be available	Yes

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

