

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687732190690

अनुबंध तिथि | Generated Date : 03-Jun-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्रारूप Type :	Central Government	पद Designation :	Assitant Section Officer			
मंत्रालय Ministry :	Ministry of New and Renewable Energy	संपर्क नंबर Contact No. :	011-20849041-1318			
विभाग Department :	Ministry of New and Renewable Energy	ईमेल आईडी Email ID :	raviprajapat.mnre@gov.in			
संगठन का नाम Organisation Name :	Ministry of New and Renewable Energy	जीएसटीआईएन GSTIN :	-			
कार्यालय क्षेत्र Office Zone :	Head Office	पता Address :	Atal Akshay Urja Bhawan, Lodhi Road, SOUTH EAST DELHI, DELHI-110003, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	Yes	Role:	DDO			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	US (Admin)	भुगतान का तरीका Payment Mode:	PFMS			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	US (Admin)	पद Designation :	Section Officer			
		ईमेल आईडी Email ID :	anjana.mnre@gov.in			
		जीएसटीआईएन GSTIN :	N			
		पता Address:	Atal Akshay Urja Bhawan, Lodhi Road, SOUTH DELHI, DELHI-110003, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	AA8F190000753692					
कंपनी का नाम Company Name :	SHIVAM ENTERPRISES					
संपर्क नंबर Contact No. :	09899512970					
ईमेल आईडी Email ID :	shivamenterprises234@gmail.com					
पता Address :	282/8, CHANDAN PARK, GALI NO.V5-6, LIBAS PUR, LIBASPUR, LIBASPUR, North West delhi, DELHI-110042, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	-					
जीएसटीआईएन GSTIN:	07CKWPS1418L1ZF (R)					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Laboratory Steel Furniture Side bench without rack with table top and Side bench with rack and table top and Island bench with table top and Side sink with table top ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Laboratory Steel Furniture (Q3) मॉडल Model: ELECTRIC LABORATORY TABLE एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	77,880	NA	77,880
कुल ऑर्डर मूल्य Total Order Value (in INR)						77,880
परेषिती विवरण Consignee Detail						
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : Assitant Section Officer ईमेल आईडी Email ID : raviprajapat.mnre@gov.in संपर्क Contact : 011-20849041-1318	Unbranded Laboratory Steel Furniture Side bench without rack with table top and Side bench with rack and	-	1	03-Jun-2024	18-Jul-2024

जीएसटीआईएन | GSTIN : -
पता | Address : Atal Akshay Urja Bhawan, Lodhi Road,
SOUTH EAST DELHI, DELHI-110003, India

table top and Island
bench with table top
and Side sink with table
top

Product Specification for Unbranded Laboratory Steel Furniture Side bench without rack with table top and Side bench with rack and table top and Island bench with table top and Side sink with table top

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERIC	Type of Lab furniture	Side bench without rack with table top, Side bench with rack and table top, Island bench with table top, Side sink with table top
	Type of Frame for installation of bench	C type frame
	Type of laboratories furniture and allied accessories	Modular
	Cabinet design	Facilitating future equipment retrofits and full reconfigurations without requiring any major modification to the structure
	Ground clearance \pm 5 mm	100 mm
	Table back bottom skirting	N.A
	Rear panel	Removable type (for maintenance)
	Provision of Electrical raceway	Yes
	Provision of Electrical points	Yes
	Provision of modular type reagent rack	Door type (single door)
	Provision of Electrical service panels	Door type (single door)
	Provision of Gas service panels	Door type (single door)
	Provision of Verticals	N.A
	Verticals (single)	N.A
	Verticals (double)	N.A
	Mini Vertical Service channel connector	N.A
	Provision of blower (to remove airborne contaminants)	No
	Provision of ducting (for purpose of ventilation)	No
	Scope of supply (offer price to include all cost components)	Furnishing/Installation all the laboratories furnitures and allied accessories along with the supporting structures
	Transportation /freight charges	Offer prices are on free delivery at consignee site
Approval of laboratory layout plan	After award of contract, seller shall have to get submitted layout plan within 10 days to get approved from buyer. Buyer shall convey his approval or otherwise within 10 days after submission of layout plan. If there is delay in approval of plan from buyer side, the D.P shall be regularized for the period of delay in plan approval	
	Type of Frame	C type Frame - One piece Deep Drawn moulded in EDD CRCA ζ frame work with 50 mm width x 50 mm height and epoxy powder coated with self adjusting levellers (No tubular construction) - 2 numbers per table
	Each moulded C frame leg have a load carrying capacity	600 Kgs.
	Material of Frame	Galvanized (Zinc coated) GI steel sheet double skin pass
	Thickness of Frame	1.2 mm
	Cabinets body (casing) material	GI steel sheets
	Thickness of Cabinet frame cover panel	1.2 mm
	Base Cabinets UDL (uniformly distributed load)	300 Kgs
	Drawers support brackets shelves slides thickness	1.2 mm
	Side cover panels material	1.1 mm
	Side cover panels thickness	1.1 mm
	Handles thickness	1.1 mm
	Sandwich type metal shutters (within filled sound deadening material) made up of	GI steel sheets epoxy powder coated
	Sandwich type metal shutters thickness	1.1 mm
	Shelves and Drawers load carrying capacity	40 Kgs

MATERIAL	Overall load carrying capacity of Cabinet	80 Kg (40 Kgs. On each shelf and 40 Kgs. On bottom)	
	Rear panel material	GI steel sheets epoxy powder coated	
	Rear panel material thickness	1.1 mm	
	Vertical construction (for reagent racks	Aluminum vertical sections extruded from Aluminum alloy T 6063 grade/GI constructions	
	Verticals provided with	Knock down assembly of service panel and adjustable shelves	
	Each Verticals with Nylon levellers bolts (for levelling)	Yes	
	All Verticals with top caps in plastic	Yes	
	Reagent shelves bracket made up of	Aluminum pressure die cast of size 180 mm x 50 mm	
	Glass for framed sliding and swinging doors	N.A	
	Glass for reagent shelf's	N.A	
	Drawers and Doors pulls	Made up of aluminium presser die cast (PDC) handles	
	Minimum length of handle	320 mm epoxy powder coated	
	Hinges	Made up of SS 304 5 digit knuckle butt hinges (at least 95 degree opening) compliant to SEFA 8M standard	
	Minimum thickness of hinges raw material	2 mm	
	Number of hinges for shutters / doors under 36 inches in height	Hung on 2 numbers of hinges	
	Number of hinges for shutters / doors over 36 inches in height	Hung on 3 numbers of hinges	
	Locks	Multipurpose type with two keys	
	"O" ring over the lock barrel	N.A	
	Shelf supports	Power coated shelf support clips	
	Drawer slides	Heavy duty type telescopic ball bearing slides and CED coated in black colour	
	Legs made up of	N.A	
	Leg size	N.A	
	Service pipe supports	L type supports duly perforated	
	Service pipe supports made up of	32 mm x 2 mm thick GI flats slotted at a particular pitch epoxy coated	
	Work tops	Acid resistant granite 18 mm thick	
	Colour of work top	Jet black	
	Granites edges	Half rounded mouldings on all working sides of the edges	
	Worktop placed on	4 mm thick neoprene rubber stop back (placed in between table tops and table frames work	
	Electrical points	Provided with one number of 3 Module Plate having 5/15Amps combined switch and 1 set of sockets	
	Modular type reagent rack	One number rack with 2 Shelf of grade Aluminium and 6 mm thick wired glass (to fit the table)	
	DIMENSION	Size of side benches/Island benches (LxWxH)	1200 mm X 750 mm X 750 mm
		C Type Fixed Under Bench Cabinet size	500 mm x 500 mm x 660 mm (having one door, one drawer and one adjustable/removable shelf)
C Type Sliding Under Bench Cabinet size		N.A	
Electrical raceway size		150 mm(H) x 150 mm(W) x 1800 mm	
Electrical service panels slideable size		N.A	
Size of Verticals		N.A	
SIDE SINK ACCESSORIES	Sink made up of	Polypropylene (PP)	
	Sink Size	560 mm(L) x 460 mm(W) x 250 mm(D)	
	Number of Sink	1 number	
	Water fitting	1 number (Three way)	
	Splash guard	Two numbers of size 750 mm	
	Peg board	One number of size 600 mm(L) x 600 mm(W)	
	Eye Wash fountain (table mounted)	One number (2-way)	
	Storage unit	One set Dummy storage unit with two doors	
	Exhaust system	N.A	

BLOWER	Fan made up of	N.A
	Condensate drain tube	N.A
	Air suction Capacity	N.A
	Fan mounted on	N.A
	Motor	N.A
	Motor speed	N.A
	Casing made up of	N.A
	Impeller (forward curved centrifugal type) made up of	N.A
DUCTING	Ducting made up of	N.A
	Size of ducting	N.A
LAB STEEL STOOL	Stool with backrest	No
	Revolving type stool	No
	Provision of adjustable height	N.A
	At bottom of legs of stool	N.A
	Seat made up of	N.A
	Backrest made up of	N.A
	Provision of prongs legs	N.A
	Colour shade of the table	N.A
STEEL PAINT FINISH AND PERFORMANCES	Furniture finish (C frame, GI steel sheet and Aluminum alloy structure) except table top	Epoxy powder coated
	Making and drilling holes in table top for accommodating the electrical gas	Yes
	Dry Film thickness (test by Elecometer or DFT meter as per ASTM-D 1186-93, IS 13871 : 1993, IS 101)	35 micron (minimum)
	Gloss at 600 reflection (test by Gloss meter as per ASTM-D 523-89 RA 1994 ISO 2813, DIN-67530, IS 13871:1993, IS 101)	70 ± 5 units
	Scratch hardness [test by Scratch hardness tester as per BS-3900PART E2 1970 , IS 101 (part-5/SEC-2) 1988, IS 13871 : 1993]	3 Kgs
	Impact resistance (Test by Impact tester as per ASTM-D2794-93, BS-3900 Part E3 1979, IS 101, JIS K 5400 - 1979, IS 13871 : 1993)	275 Kg.cm
	Cross cut adhesion (Test method : DIN 53151 , ISO 2409 , ASTM D 3002 ASTM D 3359 JIS K 5400-1979, IS 13871 : 1993)	1x1 mm
	Flexibility (test by Cylindrical mandrel bending tester as per DIN-53152, ISO 1519 ASTM D 522 BS 3900 Part E1, IS 101 Part-5 SEC-2 1988)	3.25 mm
	Erichsen Cupping (Test by Erichsen Cupping tester as per JIS K-5400-1990, IS 101 (part5 Sec2) 1988, IS 13871 : 1993)	8 mm
	Salt Spray (Test by Salt Spray chamber as per IS 101 (part 6 Sec 1) 1988, ASTM B117-95, IS 13871:1993)	1000 hours
TEST REPORT	Availability of Test certificate of the furniture system as per SEFA 8M duly certified by SEFA approved laboratory to prove conformity of products to the specification	No
	Test Report Number - Must declare, if test report available	-
	Name of the Lab - must declare, if test report available	-

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be

responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.