

1	ईमेल आईडी Email ID : s.maheshuni@gov.in संपर्क Contact : 044-22267239- जीएसटीआईएन GSTIN : 33AAAGM0289C1ZQ पता Address : Office of the Assistant Materials Manager Traction Stores Depot Tambaram, Chennai-45, KANCHIPURAM, TAMIL NADU-600045, India	GODREJ INTERIO Revolving Chair with Synchronic tilt mechanism	-	1	03-Jun-2024	18-Jul-2024
Product Specification for GODREJ INTERIO Revolving Chair with Synchronic tilt mechanism						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism				
	Locking mechanism	Any position Locking				
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)				
	Seat depth adjustment	Adjustable				
	Backrest type	Tilting type				
	Backrest support type	Adjustable lumber support				
	Headrest type	Adjustable type				
	Revolving mechanism	Designed with 360 degree-revolving type and upright locking				
	Height adjustments	Pneumatic				
	Additional requirement I	NA				
	Additional requirement II	NA				
	Additional requirement III	NA				
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Aluminium die Cast				
	Twin wheel castor material	Nylon				
	Number of twin wheel castor	5 Nos.				
	Minimum diameter of twin wheel castor	50 mm				
	Armrest Material	PU molded over plastic inner				
	Seat base material	Hot pressed plywood				
	Seat material	PU foam				
	Minimum density of foam used in seat	30 kg per cubic meter				
	Minimum thickness of PU foam used in seat	30 mm				
	Seat upholstery material	100 % Polyester fabric				
	Backrest base frame material	Hot pressed plywood				
	Padding at backrest	NA				
	The minimum density of foam used in the backrest	NA				
	Minimum thickness of PU foam used in backrest	NA				
	Backrest upholstery material	Mesh fabrics				
Upholstery material thickness /fabric substance used in seat /backrest	Minimum 200 GSM (for Woven fabric)					
DIMENSION	Minimum seat height from floor surface	400 mm				
	Minimum Seat height adjustment	Up to 100 mm				
	Minimum width of seat	500 mm				
	Minimum depth of seat	450 mm				
	Minimum width of backrest	450 mm				
	Backrest height	High back (551 and above)				
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm				
	Minimum pedestal size (diameter)	650 mm				
COLOUR AND FINISH	Upholstered material seat color	Grey				
	Upholstered material backrest color	Grey				
	Finish of exposed metal parts	Buff finish				
WARRANTY	Warranty period in number of years	1-Year				
TESTING AND	Green Pro Certification issued by CII	No				

CERTIFICATION

BIFMA membership

Yes

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.