

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687747773750

अनुबंध तिथि | Generated Date : 04-Jun-2024

संगठन विवरण | Organisation Details

प्ररूप | Type : State Government
मंत्रालय | Ministry : -
विभाग | Department : Home Department Uttar Pradesh
संगठन का नाम | Organisation Name : Uttar Pradesh Police
कार्यालय क्षेत्र | Office Zone: Gorakhpur Zone Gorakhpur

खरीदार विवरण | Buyer Details

पद | Designation : Computer operator gr a
संपर्क नंबर | Contact No. : 05252-232407-
ईमेल आईडी | Email ID : spbrh-up@nic.in
जीएसटीआईएन | GSTIN : -
पता | Address : SP OFFICE BAHRAICH PIN 271801,
BAHRAICH, UTTAR PRADESH-271801, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval: CO ACCOUNT
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval : CO ACCOUNT

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: PAO
भुगतान का तरीका | Payment Mode: Offline
पद | Designation : C O
ईमेल आईडी | Email ID : sogpolbeh-up@nic.in
जीएसटीआईएन | GSTIN : -
पता | Address: SP OFFICE BAHRAICH PIN 271801,
BAHRAICH, UTTAR PRADESH-271801, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : 9PYH210003027079
कंपनी का नाम | Company Name : M/S S. M. CONSTRUCTION & INTERIORS
संपर्क नंबर | Contact No. : 09839015501
ईमेल आईडी | Email ID : s.m.construction332@gmail.com
पता | Address : se-332,saraswati sector,trivenipuram jhusi,jhusi,
Allahabad, UTTAR PRADESH-211019, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : -
जीएसटीआईएन | GSTIN: 09AHJPM98921ZD (R) , (G)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : RI OFFICE POLICE LINE BAHRAICH

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	<p>उत्पाद का नाम Product Name : KHUSHI MEDI-DENT Air Decontamination System (Fumigation Cum Air Purification System) Air Filtration & Air Decontamination Module</p> <p>ब्रांड Brand : KHUSHI MEDI-DENT</p> <p>ब्रांड प्रकार Brand Type : Registered Brand</p> <p>कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM</p> <p>कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM</p> <p>श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Air Decontamination System (Fumigation Cum Air Purification System) (Q3)</p> <p>मॉडल Model: KMD SUPERPURE</p> <p>एचएसएन कोड HSN Code: HSN not specified by seller</p>	6	pieces	49,600	NA	297,600
कुल ऑर्डर मूल्य Total Order Value (in INR)						297,600

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : Computer operator gr a ईमेल आईडी Email ID : spbrh-up@nic.in संपर्क Contact : 05252-232407- जीएसटीआईएन GSTIN : -	KHUSHI MEDI-DENT Air Decontamination System (Fumigation Cum Air Purification System) Air Filtration &	-	6	04-Jun-2024	19-Jun-2024

	पता Address : SP OFFICE BAHRAICH PIN 271801, BAHRAICH, UTTAR PRADESH-271801, India	Air Decontamination Module				
Product Specification for KHUSHI MEDI-DENT Air Decontamination System (Fumigation Cum Air Purification System) Air Filtration & Air Decontamination Module						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec		मूल्य Value			
GENERAL FEATURES	Product Description		Air Decontamination System (Fumigation Cum Air Purification System)			
	Purpose		To kill bacteria, viruses, fungus in indoor air and eliminate other environmental pollutants like particulate matter and volatile organic compounds (VOC)			
	Areas of Application		Operation Theaters, Intensive Care Units, Transplant Units, Radiology, Infectious Diseases Unit, Isolation areas, Microbiology laboratory etc			
	Coverage area		≥ 40 square meter			
	Modules included in the scope of supply		Air Filtration & Air Decontamination Module			
	Control of modules		Wireless Controller for programming and control as per user requirement			
AIR FILTRATION MODULE	Mounting Type		Floor Mountable			
	Mechanism for particle removal		Multistage mechanical particle arrestors for removing particles			
	Pre filter to trap large size particles		Yes			
	Size of particles that can be trapped by pre filter		upto 50 microns			
	Type of filter to arrest very fine particles		HEPA Filter			
	HEPA filter efficiency		99.97% @ 0.3 microns			
	Filter for VOC management		Dual Stage Activated Carbon Filter			
	Type of filter for continuous decomposition of volatile organic compounds and destruction of microorganisms		Hybrid nano photocatalytic filter			
	Germicidal activity and activation of hybrid photo-hydro ionizer		By use of UV lamps			
	Number of UV lamps installed		2			
	Air flow		Adjustable Air Flow			
	PCI generator for enhancing particulate filtration and VOC destruction		Yes			
	Salient features available in air filtration module		Continuous real time online monitoring of the HEPA filter, Indication in case of choking breach of HEPA filter integrity			
	Body material of air filtration module		Non conducting, shock proof material			
	Dimensions of air filtration module (mm x mm x mm)		375 x 375 x 1200			
AIR DECONTAMINATION MODULE	Technology used for continuous decontamination of air		Flash Thermal Energy			
	Salient features of air decontamination module		No use of any toxic chemicals for air disinfection & fan free			
	Dimensions of air decontamination module (mm x mm x mm)		200 x 200 x 250			
FUMIGATION MODULE	Type of fumigation module		Gas Based Fumigation Module			
GAS BASED FUMIGATION MODULE	Principle of operation		Corona/Surface Discharge Technology			
	Salient features of gas based fumigation module		No requirement of liquid disinfectants and consumables			
	Generation of gas under safe limits for humans		Yes			
ULV FUMIGATION MODULE	Compatible disinfectants for fumigation		NA			
	Body material		NA			
	Coverage area of ULV fogger		NA			
	Size of particles produced		NA			
	Nozzle		NA			
	Nozzle pin material		NA			
	Air intake filter for dust and fog separation		NA			
	Reservoir filter for reducing the chances of debris clogging the nozzle		NA			
	Average flow rate		NA			
	Tank capacity		NA			
	Disinfection level visible in the tank		NA			
	Tank material		NA			
	Integrated timer with the fogger body		NA			

	Type of timer	NA
	Provided with rotational stand	NA
	Rotation to stand	NA
	Salient features of ULV fogger	NA
ELECTRICAL REQUIREMENTS	Power Source	230 ± 10 Volts / 50 Hz
CERTIFICATIONS & REPORTS	Availability of conformity certificate/test report of the equipment from OEM to prove conformity to the declared specifications	Yes
	Product certifications	EU-CE Class 1 Medical Device (from notified body)
	Manufacturer certifications	ISO: 9001 (Latest),ISO: 13485 (Latest),ISO: 14001 (Latest),GMP
	Conformity to standards	IEC- 60601 or Equivalent BIS for Electrical Safety
	Submission of all necessary certifications, test reports to the buyer along with supplies	Yes
INSTALLATION & TRAINING	Supplier to perform installation, safety and operation checks before handover	Yes
	The supplier/vendor shall provide free of cost training to the personnel in operation	Yes
	OEM/Reseller shall ensure uninterrupted availability of all spares and components	Yes
WARRANTY	Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	2 year
DOCUMENTATION	User/Technical/Operating/Maintenance manuals to be supplied in English in hard and soft copy	Yes
	Product catalog, technical write up in English to be provided both in hard and electronic copies	Yes
Advance Sample	Agree to provide advance sample to the buyer before bulk supply in case of bidding	Yes

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:2 effective from 04-12-2023

1.1.1. Comprehensive warranty:

Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.

2. Service centres:

Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.

3. Source of supply:

It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.

4. Packing and Marking:

Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of

goods including quantity ,. Packing list reference number , country of origin of goods and any other relevant details.

5. Spare Parts:

Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied

6. Installation, Training, Manuals:

Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable.

7. Electrical safety checking:

Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

8. Software:

All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.