

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687707447804

अनुबंध तिथि | Generated Date : 05-Jun-2024

## संगठन विवरण | Organisation Details

प्ररूप   Type :	Central Government
मंत्रालय   Ministry :	Ministry of Finance
विभाग   Department :	Department of Revenue
संगठन का नाम   Organisation Name :	Directorate of Enforcement

कार्यालय क्षेत्र | Office Zone: Jalandhar

## खरीदार विवरण | Buyer Details

पद   Designation :	Enforcement Officer
संपर्क नंबर   Contact No. :	-
ईमेल आईडी   Email ID :	amit.boora@gov.in
जीएसटीआईएन   GSTIN :	N
पता   Address :	ENFORCEMENT DIRECTORATE, JALANDHAR ZONAL OFFICE, 556-B, THE MIRAGE, COOL ROAD, JALANDHAR, PUNJAB-144001, India

## वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति   IFD Concurrence :	Yes
प्रशासनिक अनुमोदन का पदनाम	Joint Director
Designation of Administrative Approval:	
वित्तीय अनुमोदन का पदनाम	Joint Director

Designation of Financial Approval :

## भुगतान प्राधिकरण विवरण | Paying Authority Details

Role:	DDO
भुगतान का तरीका	PFMS
Payment Mode:	
पद   Designation :	AD
ईमेल आईडी   Email ID :	anupam.malik@gov.in
जीएसटीआईएन   GSTIN :	N
पता   Address:	ENFORCEMENT DIRECTORATE, JALANDHAR ZONAL OFFICE, 556-B, THE MIRAGE, COOL ROAD, JALANDHAR CITY, PUNJAB-144001, India

## विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी   GeM Seller ID :	5A82180000534685
कंपनी का नाम   Company Name :	D.N.COOLING APPLIANCES
संपर्क नंबर   Contact No. :	09988849993
ईमेल आईडी   Email ID :	dn.cooling@gmail.com
पता   Address :	153-B,KRISHNA SQUARE,PHASE 2, Amritsar, PUNJAB-143001, -
एमएसएमई पंजीकरण संख्या   MSME Registration number :	UDYAM-PB-10-0080413
एमएसई सामाजिक श्रेणी   MSE Social Category :	General
एमएसई लिंग श्रेणी   MSE Gender :	Male
जीएसटीआईएन   GSTIN:	03ANVPD3495L1ZI (B) , (B) , (R) , (B)

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

## वितरण निर्देश | Delivery Instructions : NA

## उत्पाद विवरण | Product Details

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुक्र और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : BLUE STAR Split Air Conditioner, Wall Mount Type 1.5 Ton 2 Star ब्रांड   Brand : BLUE STAR ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्भास्ति   Category Name & Quadrant : Split Air Conditioner Including Green AC, Wall Mount Type (Q2) मॉडल   Model: Blue Star & 218 Series or equivalent Fixed Speed एचएसएन कोड   HSN Code: HSN not specified by seller	1	pieces	37,345	NA	37,345
कुल और्डर मूल्य   Total Order Value (in INR)						37,345

## परेष्टी विवरण | Consignee Detail

क्र.सं.   S.No	परेष्टी   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा तक करना है   Delivery To Be Completed By
	पद   Designation : Enforcement Officer ईमेल आईडी   Email ID : amit.boora@gov.in					

1	संपर्क Contact :- जीएसटीआईएन  GSTIN : N पता Address : ENFORCEMENT DIRECTORATE, JALANDHAR ZONAL OFFICE, 556-B, THE MIRAGE, COOL ROAD, JALANDHAR, PUNJAB-144001, India	BLUE STAR Split Air Conditioner, Wall Mount Type 1.5 Ton 2 Star	-	1	05-Jun-2024	20-Jun-2024
<b>Product Specification for BLUE STAR Split Air Conditioner, Wall Mount Type 1.5 Ton 2 Star</b>						
विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value				
STANDARDS	Description of stores	Split Air Conditioner Including Green AC, Wall Mount Type				
	Split Air Conditioner conforming to	IS 1391 (Part 2)				
	Availability of BIS/ISI Mark Certification for Split AC Wall mount type	Yes				
	BEE star rating plan	As per Gazette Notification No. S.O. 3897 (E) dated. 29th October 2019 and as per BEE Notification dated 19th April 2022				
GENERIC	Air Conditioner Compliance	AC				
	Technology of air conditioner	Non Inverter AC				
	Nominal Marketing capacity as per BEE Star Rating Label (hint: 1 Ton = 3000 Kcal/Hr, Tolerance +/- 10% (in Ton)	1.5				
	Rated cooling capacity (in Watts) as per IS:1391 (Part 2) (Cooling Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage)	3501 ≤ 5200				
	BEE Star rating of the product (Central Ministries/Depts while procuring shall ensure that the items carry 5 star(under normal conditions where annual usages is expected to be >1000 hrs),3 Star(where usage is Limited)or higher Star Rating of BEE)	2				
	ISEER (Wh/Wh) values for compliance of Green AC	For Non Green AC as per Gazette Notification No. S.O. 3897 (E) dated. 29th October 2019 and as per BEE Notification dated 19th April 2022				
	Rated voltage (in Volts)	230 V, 1 Phase, 50 Hz, AC				
	Tolerance Value for Rated Voltage	As per IS 1391 (Part 2)				
REFRIGERANTS	Eco-friendly Refrigerant	Yes				
	Refrigerant designation	R 32				
	Refrigerant Global warming potential (GWP)	675 (for R32)				
	Refrigerant Ozone Depletion Potential is Zero	Yes				
CONSTRUCTION	Classification by function	Cooling only (Cooling and dehumidification during cooling mode)				
	Heating capacity (in Watts) (Heating Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage)	Not applicable for Cooling only (Cooling and dehumidification during cooling mode)				
	Unit type	Single split ( Single Indoor and Single outdoor)				
	Marking on the Split AC	As per IS 1391 (Part 2)				
	Additional requirement	Not Applicable				
	Compressor Type	Rotary Type				
MATERIAL	Material of Evaporator	Copper				
	Material of Condenser	Copper				
	Material of Air Filter (on indoor unit)	Synthetic Fiber				
	Reusable air filter	Yes				
GENERAL FEATURE	AC Modes	Turbo Mode,Dehumidification Mode,Power Saving Mode,Auto Clean Mode,Self Diagnosis Mode,Quiet Mode,Dry Mode,Eco saving,Swing,Timer,Smart diagnosis				
	Remote Control Features	Timer,Swing,Fan speed control,On/OFF				
	Additional Features	Sleep mode,Auto Off,Auto Restart,Indoor Temperature Indicator,Dust Filter,Auto Air Swing,Virus Deactivation Technology,Works Even at 52 degree C ambient,PM 0.3 Filter,4 way Auto Air Swing,Nanotek Coating on Evaporator Tubes,Automotive Grade Coating on outdoor unit				
ENVIRONMENTAL FEATURE	Noise level	As per Table 5, Cl 9.13 of IS 1391 (Part 2) 2023				
	Environmental Friendly Paint (Environmental Friendly Paint means Paint does not contain heavy metals or their compounds include mercury (Hg), lead (Pb), cadmium (Cd) and hexavalent chromium (Cr))	Yes				
	Recycled Plastic Components	>80% by weight of total plastic components in product				
ACCESSORIES	Supply cord and the interconnecting cord between the indoor and outdoor unit	3 m (PVC Insulated sheathed cables as per IS:694)				

	Standard accessories included for each air conditioners	3 m Cu pipe, Remote with battery, User Manual, Warranty card
WARRANTY	AC Machine warranty (in Year)	1
	Warranty on compressor (in Years)	5
INSTALLATION	Installation	Without installation(installation not offered)
	Not included in the scope of supply	As per STC attached
CERTIFICATION	Availability of type test report from Govt Lab/ NABL accredited lab / ILAC accredited lab to prove conformity of the specification	Yes As per IS 1391 (Part 2)
	Test report number and date - Must declare	NABL
	Name and address of Lab - Must declare	NABL
	Availability of Environmental Management Certification	Yes
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 9600047516

#### विक्रेता विशिष्टा दस्तावेज़ | Seller Specification Document:

1. <a href="#">Applicable Specification Document</a>	<a href="http://mfp.gem.gov.in/uploaded_documents/cms/tp/home_dist_heat_cool_sp37313731/51/16/877/CategorySchem/qr_spcl_document/2023/5/3/document-for-cms_2022-07-05-17-50-30_c3b90df06e58a7_2023-05-03-10-58-17_0cd9e0d5e516735de899c5dc95b3af0.pdf">mfp.gem.gov.in/uploaded_documents/cms/tp/home_dist_heat_cool_sp37313731/51/16/877/CategorySchem/qr_spcl_document/2023/5/3/document-for-cms_2022-07-05-17-50-30_c3b90df06e58a7_2023-05-03-10-58-17_0cd9e0d5e516735de899c5dc95b3af0.pdf</a>
2. <a href="#">Verified and Signed Tp document</a>	<a href="http://mfp.gem.gov.in/uploaded_documents/cms/tp/home_dist_heat_cool_sp37313731/51/16/877/CategorySchem/tp_document/2024/1/3/green_rac_2024-01-03-19-26_a782a2a5976948d5bcffe835d1111e2b.pdf">mfp.gem.gov.in/uploaded_documents/cms/tp/home_dist_heat_cool_sp37313731/51/16/877/CategorySchem/tp_document/2024/1/3/green_rac_2024-01-03-19-26_a782a2a5976948d5bcffe835d1111e2b.pdf</a>

ईपीबीजी विवरण | ePBG Detail

NA

#### नियम और शर्तें| Terms and Conditions

##### 1. Special terms and conditions- Version:2 effective from 11-12-2023

###### 1.1 STC FOR SPLIT AIR CONDITIONER

Central Ministries/ Departments while procuring electrical appliances notified by the Department of Expenditure (DoE) shall ensure that they carry the notified threshold or higher Star Rating of the Bureau of Energy Efficiency (BEE). In this regard, DoE OM No.26/6/2012-PPD dated 21.01.2013 may also be referred to wherein appliances and threshold star ratings have been circulated.

Scope of installation and Commissioning for Wall Mount / High wall Split AC

- (1) Mounting/Fitting of indoor and outdoor units at the respective locations.
- (2) Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall (all type of walls), if required.
- (3) Checking / Charging Refrigerant gas in the unit.
- (4) Suitable electric wiring between indoor units and switch upto 3 meters in length.
- (5) Testing for satisfactory working without any abnormal noise as well as leakage test of the entire system.

The following are not included in the scope of supply for Wall Mount / High wall Split AC

- (1) Chiselling / Ducting / grooving for concealing the Refrigerant piping/cabling
- (2) Switches/ Sockets / Plug Tops / Voltage Stabilizer/Stand for ODU/Drain pipe/Angles.

Note to Buyer: Buyer are advised to apply filters/ selections allowing all the values which are considered meeting or are better than their technical requirements e.g. if the requirement is 5 years compressor warranty; Buyer should select other superior values, i.e. 10years warranty as well. Such selection will act as 5 years or better (in L1 buying). For any violation of the above advisory if resulting into limited competition or higher cost to the ex-chequer, the Buyer shall be solely responsible.

##### 2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.