

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687797556749

अनुबंध तिथि | Generated Date : 06-Jun-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4978880](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : Central Government मंत्रालय Ministry : Ministry of Railways विभाग Department : Indian Railways संगठन का नाम Organisation Name : East Central Railway कार्यालय क्षेत्र Office Zone : ECR STORES	पद Designation : AMM D SPJ ECR संपर्क नंबर Contact No. : 977-1428771- ईमेल आईडी Email ID : anil.1510@gov.in जीएसटीआईएन GSTIN : 10AAAGM0289C1ZY पता Address : Office of General Stores Depot East Central Railway SAMASTIPUR, BIHAR-848101, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: AMM/D/SPJ वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : Sr.AFA/WS/SPJ	Role: BUYER भुगतान का तरीका Payment Mode: Railways पद Designation : AMM D SPJ ECR ईमेल आईडी Email ID : anil.1510@gov.in जीएसटीआईएन GSTIN : 10AAAGM0289C1ZY पता Address : Office of General Stores Depot East Central Railway SAMASTIPUR, BIHAR-848101, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 9ZTN210002868570 कंपनी का नाम Company Name : FIRENXT SAFETY PRIVATE LIMITED संपर्क नंबर Contact No. : 09820140655 ईमेल आईडी Email ID : firenxtsafety@gmail.com पता Address : Gala C-4/7,8,9, Bhiwandi,Jai Jalaram Complex,Kalyan Bhiwandi Road,Village/Town:- Pimplas Village, City:- Thane, THANE, MAHARASHTRA-421301, India एमएसएमई सत्यापित MSME verified : No एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-MH-33-0047490 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 27AAECF2786R1ZT (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : FIRENXT Automatic Fire Ball for Fire-Extinguishing of Medium size - the weight of the agent is not less than 1.0 kg but less than 1.8 kg ब्रांड Brand : FIRENXT ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Automatic Fire Ball for Fire - Extinguishing (Q3) मॉडल Model: FNFXT BALL एचएसएन कोड HSN Code: HSN not specified by seller	96	pieces	395	NA	37,920
कुल ऑर्डर मूल्य Total Order Value (in INR)						37,920

परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By

1	पद Designation :- ईमेल आईडी Email ID : anil.1510@gov.in संपर्क Contact : 977-1428771- जीएसटीआईएन GSTIN : 10AAAGM0289C1ZY पता Address : Office of General Stores Depot East Central Railway Samastipur, SAMASTIPUR, BIHAR-848101, India	FIRENXT Automatic Fire Ball for Fire- Extinguishing of Medium size - the weight of the agent is not less than 1.0 kg but less than 1.8 kg	-	96	06-Jun-2024	06-Jul-2024
---	--	---	---	----	-------------	-------------

Product Specification for FIRENXT Automatic Fire Ball for Fire-Extinguishing of Medium size - the weight of the agent is not less than 1.0 kg but less than 1.8 kg

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERIC	Automatic Fire Ball for Fire-Extinguishing	Fire extinguishing balls are portable extinguishers for a preliminary fire and typically designed in the round shapes with the soft shell to contain the extinguishing agent (Dry Chemical Powder for Fighting A,B,C, Class Fires duly ISI Marked and UL Listed), and the fire ignition material (fuse).
	Automatic activation Mechanism	The activation of the unit is achieved thermally by the use of the Pyrotechnic activator.
CONSTRUCTIONAL	Size of fire extinguishing balls	Medium size - the weight of the agent is not less than 1.0 kg but less than 1.8 kg
	General Appearance of Fire extinguishing balls	must not have any cracks, tears or leakage of the extinguishing agent on their shell
	Outer Shell Construction	Spherical in shape made of EPS (Thermocole Material) of minimum 10 mm thickness completely combustible and CFC free.
	Automatic Activation Mechanism	Net of activation ignition chords with 4 - 10 sensor points, connected with Paper Fuses, which shall be atleast 02 in numbers to afford redundancy
	Fire extinguishing agent (Dry Chemical Powder) weight	1 kilogram
	Gross Weight of Fire Ball without stand	1.5 kilogram
	Outer Diameter of Fire Ball	220 millimeter
	Mounting for Automatic Fire Ball	Stand made from 6 mm GI Wire Rod of suitable diameter which looks like basketball ring
PERFORMANCE	Self life Test for Extinguishing agent contained inside fire extinguishing balls	The ball with the age of one year or more must be tested By taking out the soft shell of the fire extinguishing ball, the chemical powder can be examined. It must not agglomerate.
	Moisture aging Test of the chemical powder	To test moisture aging of the chemical powder, a Desiccator or similar functional device is used. This can be conducted by filling water at the bottom of the device, hanging the ball above the water, and then sealing and keeping the device at the room temperature for 14 days. By taking out the soft shell of the fire extinguishing ball, the chemical powder can be examined. It must not agglomerate.
	Thermal resistance test after condetioning at 85 °C for 24 h ± 15 min	Fire extinguishing balls must not have any cracks, tears or leakage of the extinguishing agent on their shell, which is tested by the inspection.
	Test for Burst effect	The ball container with dimension of 56x56x56 cm constructed from the strong frame and 5 mm thick normal glasses for 4 sides by opening the top and the bottom .On igniting the ball by poring flammable liquid on the ball.The glasses used in the test must not be cracked or broken.
	Sound level test	When fire extinguishing balls are tested for the sound pressure level emitted from the burst , it must not be more than 140 dBA.
	Resistance to compression	Fire extinguishing ball must not have any cracks, tears or leakage of the extinguishing agent on their shell.
	Drop test	When fire extinguishing balls are tested by dropping them to the ground height of 2.5 m from a cement floor , must not have any cracks, tears or leakage of the extinguishing agent on their shell.
	Marking and Labeling	(1) Name labeled 'Fire Extinguishing Ball' in both Hindi and English languages. (2) Size of fire extinguishing balls and the weight of dry chemical powder. Symbol for the class or classes for which fire extinguishing balls are effective.
	Design application Density of compound (Extinguishing application density, including 30% safety factor , required for system design purposes) (gm/ml)	10
	Activation Temperature Range (Thermally activated Fire Extinguisher)	50 degree Celsius
	Operational discharge time at a define activation temperature	10 second
	Effective coverage Volume for one Fire Ball (in m ³)	1 cubic meter
Product lifespan period	60 month	
Pyrotechnic Activator Certification Approval	PESO Certified	
Fire Ball suitability for marine applications with wheel mark	Yes	

CERTIFICATION	Source of Type Approval of complete Product to prove the conformity of the product for declared parameters	Govt. of India Laboratory
	Test Report No and Date	NA
	Name and Address of the Lab	NA
	Test Reports to be furnished for the buyer on demand	Yes
	Availability of any other certification	NA

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Scope of Supply.

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2.2 Generic.

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

2.3 Inspection.

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

NONE

Post Receipt Inspection at consignee site before acceptance of stores:

Consignee at consignee end

2.4 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

1. Warranty 30 months from the date of supply or 24 months from the date of installation whichever is earlier

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.