अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687779137557

अनुबंध तिथि | Generated Date : 06-Jun-2024

बोली/आरए/पीबीपी संख्या|Bid/RA/PBP No.: <u>GEM/2024/B/4828405</u>

संगठन विवरण|Organisation Details

प्ररूप|Type: Central PSU मंत्रालय|Ministry: Ministry of Civil Aviation विभाग | Department : Airports Authority of India (AAI) संगठन का नाम|Organisation Name : Airports Authority of India

कार्यालय क्षेत्र|Office Zone: RHQ WR खरीदार विवरण|Buyer Details

पद | Designation : AGM CNS MUMBAI संपर्क नंबर|Contact No. : 94534-60345-

ईमेल आईडी|Email ID : buycon31.mca.mh@gembuyer.in

जीएसटीआईएन|GSTIN: 27AAACA6412D1Z8

Airports Authority Of India , ATS Complex, Sutar Pahadi

पता|Address: Road, Sahar, Andheri & #x28; E & #x29; ., MUMBAI, MAHARASHTRA-400099, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति|IFD Concurrence :

प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

GM (CNS) Mumbai

JGM (FIN) WR

भुगतान प्राधिकरण विवरण | Paying Authority Details PAO

भुगतान का तरीका| AAI

Payment Mode:

पद|Designation : SM Finance WR

ईमेल आईडी|Email ID : pao5.afheti.mh@gembuyer.in

जीएसटीआईएन|GSTIN :

पता|Address:

Airports Authority Of India , Operational Offices , New Airport Colony , Opp Parsiwada , Sahar Road , Andheri East,

Mumbai, Maharashtra,

Mumbai - City, MAHARASHTRA-400099, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : E49B180000107808 कंपनी का नाम|Company Name : NUMAX ENERGY SOLUTIONS

संपर्क नंबर|Contact No. : ईमेल आईडी|Email ID: numaxhyd@gmail.com

Plot 50 & 51 Narayanaswamy nagar, Cherlapally, Cherlapally, Hyderabad, पता| Address :

Hyderabad, TELANGANA-500051, -

एमआईआई स्थिति| MII Status : True एमएसएमई सत्यापित|MSME verified : No

एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-TS-20-0009920

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिग श्रेणी|MSE Gender : Male

जीएसटीआईएन|GSTIN: 36AAIFN0814D1ZO (R), (M)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

	#	आइटम विवेरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
	1	उत्पाद का नाम Product Name : EXIDE Acrylonitrile butadiene styrene (ABS) Stationary Valve Regulated Lead Acid Batteries of 12 Volt ब्रांड Brand : EXIDE ब्रांड प्रकार Brand Type : Registered Brand कैरलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्यांच Category Name & Quadrant : Stationary Valve Regulated Lead Acid Batteries As Per IS 15549 (Q3) मॉडल Model: EP42-12(WITH BUYBACK) एचएसएन कोड HSN Code: HSN not specified by seller	80	pieces	4,544	NA	363,520
1	कुल	कुल ऑर्डर मृल्य Total Order Value (in INR)					

परेषिती विवरण	Consignee	Detail
---------------	-----------	--------

क्र.सं. S.No परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है	वितरण पूरा कब तक करना है Delivery To Be
--------------------------------	------------	----------------------	-----------------	--	---

						Delivery Start After	Completed By	
1	संपर्क Conta जीएसटीआईए- पता Addres Road , Saha	ation : - Email ID : buycon31.mca.mh@gembuyer.in Ict : 94534-60345- I GSTIN : 27AAACA6412D1Z8 s : Airports Authority Of India , ATS Complex, Sutar Pahadi ar , Andheri (E) ., MAHARASHTRA-400099, India	EXIDE Acrylonitrile butadiene styrene (ABS) Stationary Valve Regulated Lead Acid Batteries of 12 Volt	,	80	06-Jun-2024	21-Jul-2024	
	•	ion for EXIDE Acrylonitrile butadiene styrene (A ত্ত্ব-বিনিৰ্বিখ Sub-Spec	BS) Stationary Valve I	Regulated I	_ead Acid Bat	teries of 12 Vo मूल्य Valu		
41.144112	pecineation	Stationary Valve Regulated lead acid batteries conforming to IS: 15549/2005 with Amendment 1 and 2 latest				72,414010	Yes	
		Stationary Valve Regulated lead acid batteries conforming	o IS: 15549/2005 with Amer	ndment 1 and	2 latest	Yes		
		Stationary Valve Regulated lead acid batteries conforming to ISI Marked	o IS: 15549/2005 with Amer	ndment 1 and	2 latest	Yes		
		, , , , ,		ndment 1 and	2 latest			
		ISI Marked		ndment 1 and	2 latest	Yes		
GENERIC		ISI Marked ISI Marked if "YES" declare BIS License Number (CM/L Num		ndment 1 and	2 latest	Yes		
GENERIC		ISI Marked ISI Marked if "YES" declare BIS License Number (CM/L Num Battery Voltage		ndment 1 and	2 latest	Yes YES 12 Volt 42 Ah	e butadiene SS)	
ENERIC		ISI Marked ISI Marked if "YES" declare BIS License Number (CM/L Num Battery Voltage Battery Capacity (in Ah) at 10 H Rate		ndment 1 and	2 latest	Yes YES 12 Volt 42 Ah Acrylonitril		
SENERIC		ISI Marked ISI Marked if "YES" declare BIS License Number (CM/L Num Battery Voltage Battery Capacity (in Ah) at 10 H Rate Material of Container		ndment 1 and	2 latest	Yes YES 12 Volt 42 Ah Acrylonitril styrene (AE		
GENERIC		ISI Marked ISI Marked if "YES" declare BIS License Number (CM/L Num Battery Voltage Battery Capacity (in Ah) at 10 H Rate Material of Container Material of separators as per Cl. 4.5 of IS:15549:2005 latest	ber). If "NO" write NA			Yes YES 12 Volt 42 Ah Acrylonitril styrene (AE	es)	

CONSTRUCTIONAL

CERTIFICATIONS

Application of battery

Number of cells per battery

Method of connections between cells

preventive measures required

Warranty (in Years)

Test report Number
Report date

Name of Lab

Address of Lab

Weight of each battery (in Kg) - Must declare

showing conformity of the Specification

Over all dimension of each battery (Length x Width x Height) in mm - Must declare

All the test reports and certificates shall furnish to the buyer/consignee on demand

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए |Buyer Defined Additional Specification for EXIDE Acrylonitrile butadiene styrene (ABS) Stationary Valve Regulated Lead Acid Batteries of 12 Volt

Instructions/Manuals shall be furnished for procedure and monitoring the health of battery during maintenance and

 $Availability \ of complete \ and \ satisfactory \ type \ test \ Report \ from \ Central \ Government \ / \ NABL/ILAC \ accredited \ laboratory \ to \ and \ satisfactory \ to \ accredited \ laboratory \ laborator$

विनिर्देश Specification	मूल्य Value
Batteries Type	Each battery shall be of Advanced Glass Mat or Valve Regulated Sealed Lead Acid Battery Construction (AGM or VRSLAB), in ABS Flame Retardant (UL94V-O) grade (UL2436) spill containment casing to meet UL 62368-1 / IEC 62133 or equivalent standards type.
Container Material, Container Design	Container Material: ABS/PP/PPCP/TP. Container Design: Fire/Flame retardant type enclosure (FR/FRP)
Battery Dimensions (LXWXH) in mm	1. Each supplied battery shall fit into available space of 201 mm (L) X 167 mm (W) X 181 mm (H) 2. The onus of ensuring that the proposed battery fit into the existing racks, is with the suppliers. 3. The supplier can choose to supply new Racks with battery bank and replace the existing Racks.
Accessories	Inter connecting cables and nut / bolts for all batteries shall be supplied by bidder along with the batteries. Battery Rack shall be provided by the bidder at no extra cost if the battery will not fit into available space of 201 mm (L) X 167 mm (W) X 181 mm (H). The Racks so provided, Shall be made of highgrade steel for durability and stability, designed to accommodate 42AH batteries. Powder coated finish and covered on top with fire retardant material.

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक | Advisory Bank :

6 Cells for 12 Volt Battery

Bolted

13.9

Yes

2 Years

302EATDBT14S0044

11.09.2014

Bangalore

CPRI

Yes

201*165*181

नियम और शर्तें|Terms and Conditions

- 1. Special terms and conditions- Version:1 effective from 04-05-2020
- 1.1 Battery serial number list shall be furnish by the seller along with the supply of the battery to Buyer
- 2. General Terms and Conditions-
- 2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 3. Buyer Added Bid Specific Terms and Conditions-

3.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

3.2 Turnover.

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3.3 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document $\underline{\text{Click here to view the file}}$.

3.4 Warranty

Warranty period of the supplied products shall be 2 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

3.5 Generic.

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

3.6 Purchase Preference (Centre):

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

3.7 Purchase Preference (Centre).

Purchase Preference linked with Local Content (PP-LC) Policy:

The bid clause regarding "Preference to Make In India products" stands modified in this bid and shall be governed by the PPLC Policy No. FP-20013/2/2017-FP-PNG dated 17.11.2020 issued by MoP&NG as amended up to date. Accordingly, bidders with Local Content less than or equal to 20% will be treated as "Non Local Supplier". The prescribed LC shall be applicable on the date of Bid opening. Sanctions on the bidders for false / wrong declaration or not fulfilling the Local Content requirement shall be as per the PPLC policy. Further following additional provisions are added in the certification and verification of local content provision of the Preference to Make in India clause:

- i. In case of foreign bidder, certificate from the statutory auditor or cost auditor of their own office or subsidiary in India giving the percentage of local content is also acceptable. In case office or subsidiary in India does not exist or Indian office/subsidiary is not required to appoint statutory auditor or cost auditor, certificate from practicing cost accountant or practicing chartered accountant giving the percentage of local content is also acceptable.
- ii. Along with Each Invoice: The local content certificate (issued by statutory auditor on behalf of procuring company) shall be submitted along with each invoice raised. However, the % of local content may vary with each invoice while maintaining the overall % of local content for the total work/purchase of the pro-rata local content requirement. In case, it is not satisfied cumulatively in the invoices raised up to that stage, the supplier shall indicate how the local content requirement would be met in the subsequent stages.
- iii. The bidder shall submit an undertaking from the authorized signatory of bidder having the Power of Attorney along with the bid stating the bidder meets the mandatory minimum LC requirement and such undertaking shall become a part of the contract.

3.8 Scope of Supply:

Scope of supply (Bid price to include all cost components): Supply Installation Testing and Commissioning of Goods

3.9 Past Project Experience:

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

- (i) Single order of at least 35% of estimated bid value; or
- (ii) Two orders of at least 20% each of estimated bid value; or
- (iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

The successful bidder has to supply all essential accessories required for the successi per normal industry practice, following accessories must be part of supply and cost s	ful installation and commissioning of the goods supplied. Besides standard accessories as hould be included in bid price:
Inter connecting cables and nut / bolts. Battery Rack as mentioned in technical Specif.	ication.

3.11 Generic.

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.