

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687733014256

अनुबंध तिथि | Generated Date : 06-Jun-2024

<b>संगठन विवरण   Organisation Details</b>		<b>खरीदार विवरण   Buyer Details</b>				
प्ररूप   Type :	State Government	पद   Designation :	ACMO2			
मंत्रालय   Ministry :	-	संपर्क नंबर   Contact No. :	-			
विभाग   Department :	Medical Health and Family Welfare Department Uttar Pradesh	ईमेल आईडी   Email ID :	buyer198.mhfdup.up@gembuyer.in			
संगठन का नाम   Organisation Name :	N/A	जीएसटीआईएन   GSTIN :	-			
कार्यालय क्षेत्र   Office Zone:	Ghazipur	पता   Address :	CMO District Hospital Gorabazar Ghazipur, GHAZIPUR, UTTAR PRADESH-233001, India			
<b>वित्तीय स्वीकृति विवरण   Financial Approval Detail</b>		<b>भुगतान प्राधिकरण विवरण   Paying Authority Details</b>				
आईएफडी सहमति   IFD Concurrence :	No	Role:	BUYER			
प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval:	CMO	भुगतान का तरीका   Payment Mode:	Offline			
वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval :	CMO	पद   Designation :	ACMO2			
		ईमेल आईडी   Email ID :	buyer198.mhfdup.up@gembuyer.in			
		जीएसटीआईएन   GSTIN :	-			
		पता   Address:	CMO District Hospital Gorabazar Ghazipur, Ghazipur, UTTAR PRADESH-233001, India			
<b>विक्रेता विवरण   Seller Details</b>						
जेम विक्रेता आईडी   GeM Seller ID :	5882180000120392					
कंपनी का नाम   Company Name :	VINAYAK MEDICARE					
संपर्क नंबर   Contact No. :	06388819042					
ईमेल आईडी   Email ID :	vinayakmedicareindia@gmail.com					
पता   Address :	4th Floor, VO-8366346, Halwasiya Court, Hazratganj, Hazratganj, Lucknow, UTTAR PRADESH-226001, -					
एमएसएमई पंजीकरण संख्या   MSME Registration number :	UDYAM-UP-50-0018894					
एमएसई सामाजिक श्रेणी   MSE Social Category :	General					
एमएसई लिंग श्रेणी   MSE Gender :	Male					
जीएसटीआईएन   GSTIN:	09AENPC9261Q1ZO (R)					
<b>*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा   GST / Tax invoice to be raised in the name of - Buyer</b>						
<b>वितरण निर्देश   Delivery Instructions : NA</b>						
<b>उत्पाद विवरण   Product Details</b>						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : Unbranded Single-point laser NA Handheld Digital Infrared Thermometer ब्रांड   Brand : NA ब्रांड प्रकार   Brand Type : Unbranded कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Handheld Digital Infrared Thermometer (Q3) मॉडल   Model: HT-668 एचएसएन कोड   HSN Code: HSN not specified by seller	80	pieces	500	NA	40,000
कुल ऑर्डर मूल्य   Total Order Value (in INR)						40,000
<b>परोक्षी विवरण   Consignee Detail</b>						
क्र.सं.   S.No	परोक्षी   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
	पद   Designation : ACMO2 ईमेल आईडी   Email ID : buyer198.mhfdup.up@gembuyer.in	Unbranded Single-point				

1	संपर्क   Contact : - जीएसटीआईएन   GSTIN : - पता   Address : CMO District Hospital Gorabazar Ghazipur, GHAZIPUR, UTTAR PRADESH-233001, India	laser NA Handheld Digital Infrared Thermometer	-	80	06-Jun-2024	21-Jun-2024
Product Specification for Unbranded Single-point laser NA Handheld Digital Infrared Thermometer						
विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value				
TYPE	Application	To measure temperatures in hard-to-reach areas such as metal refining / melting, heat treatment furnaces, chemical / petro chemical furnaces, processing operations, food services or hazardous areas etc				
	Type	Handheld, Non-Contact Type Digital Infrared thermometer				
PERFORMANCE (INFRARED / NON-CONTACT)	Lowest Measurable Temperature (Infrared Non-contact)	0 degree Celsius				
	Highest Measurable Temperature (Infrared Non-contact)	40 degree Celsius				
	Display Resolution	0.2 degree Celsius				
	Basic Accuracy (±)	1 degree Celsius				
	Spectral Range (in micrometer)	5 TO 14				
	Optical Resolution-Far field (Distance to spot ratio) (calculated at 90% energy)	4:1				
	Emissivity (W/m2)	Continuously Adjustable from 0.1 to 1.00				
	Response Time	1 millisecond				
	Typical distance to target	0 meter				
DISPLAY / DATA OUTPUT	Type of Display	LCD				
	Back-light display	No				
	Display Size(in inch)	2.0 to 2.4				
	Display digit Size - Max	2 inch				
	Data Output to other devices	No				
	Connectivity / interface	USB,RS 232				
	Data point logging capability (on board memory)	0				
BATTERY	Power Source	Alkaline Batteries (Non-Rechargeable)				
	Battery Size, if Non Rechargeable Battery	AA				
	Battery Chemistry	Li-ion				
	Capacity of Battery (mAh)	5				
	Battery Chargers for Rechargeable Batteries - inclusive in the scope of supply	Yes				
	Number of Batteries required for operation	2				
	Number of Batteries supplied (Inclusive in the Scope of Supply)	2				
	Battery back-up time under continuous use	4 hour				
SALIENT FEATURES / FUNCTIONS	Salient Features / Functions	Integrated thermocouple Input for contact Measurement				
ACCESSORIES	Standard accessories inclusive in the scope of supply	Battery Charger				
GENERIC	Built-in laser for precisely aiming the target	Yes				
	Laser Class	NA				
	Laser sighting	Single-point laser				
	"Typical Usage (May indicate the usage of the equipment)"	NA				
	Weight	155 gram				
	Dimensions (mm x mm x mm)	NA				
	Optional/User Guide/Manual	Yes				
	Additional features, if any	NA				
	List of Items and Quantity of each item included in the offer	NA				
	Minimum Operating Temperature	0 degree Celsius				

OPERATING CONDITIONS / INGRESS PROTECTION	Maximum Operating Temperature	50 degree Celsius
	Maximum Operating Humidity at 40 deg C - Non-condensing (Rh)	65 percent
	Maximum Operating Altitude (meters above MSL)	Upto 500
	Ingress Protection	NA
WARRANTY	Warranty	1 year
CERTIFICATION / TEST REPORTS	Compliance to Standards	EN/IEC 61010-1 General Safety
	Hazardous location (Intrinsically Safe / non-incendive) approval	No
	Availability of Test Reports from Central Govt / NABL approved / ILAC accredited Lab to prove conformity to the specification	No
	If Yes, Test Report to be furnished to the Buyer on demand	NA
	"Test Report No and Date (May indicate 'NA' if not applicable)"	NA
	"Name of the Lab and Address (May indicate 'NA' if not applicable)"	NA
CALIBRATION	Calibration Certificate for each Device Provided to the buyer along with supplies	Yes
	Calibration Certificate issuing authority	NPL
<b>टिप्पणी   Note::</b> Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.		
<b>ईपीबीजी विवरण   ePBG Detail</b>		
NA		
<b>नियम और शर्तें   Terms and Conditions</b>		
<b>1. General Terms and Conditions-</b>		
1.1 This contract is governed by the <a href="#">General Terms and Conditions</a> , conditions stipulated to this Product/Service as provided in the Marketplace.		
1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable		
नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।		
Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.		