

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687700102191

अनुबंध तिथि | Generated Date : 09-Jun-2024

संगठन विवरण | Organisation Details

प्रकार | Type : State Government
मंत्रालय | Ministry : -
विभाग | Department : Health Department Haryana
संगठन का नाम | Organisation Name : Haryana State Health Resource Center (HSHRC)
कार्यालय क्षेत्र | Office Zone : Civil Surgeon Office

खरीदार विवरण | Buyer Details

पद | Designation : Buyer
संपर्क नंबर | Contact No. : 180-2640255-
ईमेल आईडी | Email ID : buycon1.hshrch.hr@gembuyer.in
जीएसटीआईएन | GSTIN : -
पता | Address : O/o Civil Surgeon, Civil Hospital, Near Bus Stand G.T. Road, Panipat, PANIPAT, HARYANA-132103, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval: Civil Surgeon
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval : Dy Civil Surgeon

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: BUYER
भुगतान का तरीका | Payment Mode: Offline
पद | Designation : Buyer
ईमेल आईडी | Email ID : buycon1.hshrch.hr@gembuyer.in
जीएसटीआईएन | GSTIN : -
पता | Address : O/o Civil Surgeon, Civil Hospital, Near Bus Stand G.T. Road, Panipat, PANIPAT, HARYANA-132103, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : S83K220005720873
कंपनी का नाम | Company Name : KAUSTUBH ENTERPRISES
संपर्क नंबर | Contact No. : 09817347450
ईमेल आईडी | Email ID : Ksent7524@gmail.com
पता | Address : V Block,FF , V Block „DLF Phase 3, Gurgaon, HARYANA-122010, -
एमएसई पंजीकरण संख्या | MSME Registration number : UDYAM-HR-05-0036294
एमएसई सामाजिक श्रेणी | MSE Social Category : General
एमएसई लिंग श्रेणी | MSE Gender : Female
जीएसटीआईएन | GSTIN: 06AEWPL3902J2Z5 (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : JKSE 1 channels TFT Preconfigured / Non Modular Multipara Monitor - Low End ब्रांड Brand : JKSE ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्भासा Category Name & Quadrant : Multipara Monitor - Low End (Q2) मॉडल Model: SCHILLR TRUESCOPE III एचएसएन कोड HSN Code: HSN not specified by seller	2	pieces	211,500	NA		423,000
कुल और मूल्य Total Order Value (in INR)							423,000

परेष्ठी विवरण | Consignee Detail

क्र.सं. S.No	परेष्ठी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा तक करना है Delivery To Be Completed By
	पद Designation : Buyer ईमेल आईडी Email ID : buycon1.hshrch.hr@gembuyer.in					

1	संपर्क Contact : 180-2640255- जीएसटीआईएन GSTIN :- पता Address : O/o Civil Surgeon, Civil Hospital, Near Bus Stand G.T. Road, Panipat, PANIPAT, HARYANA-132103, India	JKSSE 1 channels TFT Preconfigured / Non Modular Multipara Monitor - Low End	-	2	09-Jun-2024	24-Jun-2024
Product Specification for JKSSE 1 channels TFT Preconfigured / Non Modular Multipara Monitor - Low End						
विवरण Specification	उप-विवरण Sub-Spec			मूल्य Value		
Standards	Conformity to Certifications (In case of EU CE/CE European certification from notified body)			CE European		
	Conformity to Manufacturing Standards			ISO 9001 & ISO 13485		
	Conformity to Safety Standards			ISO 80601-2-49 and IEC 60601-1 or BIS equivalent		
Performance Parameters	Purpose			Low-end monitors are designed to perform basic vital-signs monitoring. These monitors may also be appropriate for IPD as well as OPD patients		
	Type of Monitor			Preconfigured / Non Modular		
	Monitoring Parameters			ECG,HR, NIBP, PR, respiratory rate, SpO2, and body temperature		
ECG parameters	Number of leads of ECG			5		
	12-lead interpretation for ECG			No		
	Arrhythmia detection and analysis			Yes		
	Number of leads analyzed for ECG in single time			3		
	Heart rate measurement range			At-least 30 -250 BPM		
	Accuracy			± 5 BPM		
	Minimum gradation			1 bpm		
Respiration Parameters	Respiration Method			Impedance pneumography		
	Display waveform of respiration			Yes		
	Threshold control for respiration			Yes		
	Respiration rate measurement range			At-least 0-100 bpm		
	Minimum gradation of respiratory measurement			1 BPM		
Pulse Oximetry Parameters	Measurement technique			Nellcor		
	Other Measuring Techniques (In case measurement technique is nelcor, masimo , draeger, oxisure, trusignal put NA otherwise indicate the measurement technique)			Nellcor		
	Probe type supplied			Adult,Pediatric,Neonatal		
	Type of adult probe			Reusable		
	Type of pediatric probe			Reusable		
	Type of neonatal probe			Reusable		
	SPO2 measurement range			Atleast 40-70 % & 70 to 99%		
	Accuracy of SPO2 measurement			Better than ±1 % for 40-70 range & better than ± 3 % for 70-99 range		
NIBP Parameters	Minimum Gradation			1%		
	Measurement technique for NIBP			Step-deflation oscillometric		
	Cuff supplied			Adult,Pediatric,Neonatal		
	Cuff size for Adult			Medium		
	Cuff size for pediatric			Standard		
	Cuff size for neonate			Standard		
	Blood pressure monitoring range			30-300mm/Hg		
Temperature	Gradation			1 mm/Hg or better		
	Number of channels for temperature			1		
	Probe type			skin		
	Temperature probe type			Reusable		
	Temperature probe range			Atleast 30 - 40 degree		
	Minimum gradation of temp probe			1/10 degreeC		

Parameters	Accuracy in %	±1%
	Length of time of full disclosure of patient data in hr	≥48
	Operating conditions	Capable of operating continuously in ambient temperature of 0 to 50 degrees c and relative humidity of 15 to 90% in ideal circumstances
	Length of time of trending in hr	≥24
Alarms	Operator can set audio visual alarm levels for low or high levels of each parameter independently	Yes
	Systolic BP - low and high	Yes
	Diastolic BP - low and high	Yes
	Mean BP - low and high	Yes
	Heart rate - low and high	Yes
	SPO2 - low and high	Yes
	Respiratory rate - low and high	Yes
	Temperature -low and high	Yes
	Alarm Volume should be adjustable	Yes
	Type of alarm	Audio and Visual
	Activating silence of alarm	Yes
	Duration of alarm silence in sec	120
	Suspension of all alarms	Yes
	Latching of alarms	Yes
	Cuff leakage alarm	Yes
	Cuff disconnect alarm	Yes
	Alarm for inflation/deflation errors	Yes
	Low battery voltage indication	Yes
	Sensor/ wire/probe disconnection alarm	Yes
Networking Parameters	Ethernet port	Yes
	Wireless	No
	USB port	Yes
	Connectivity provision with Central Nursing Station	No
Display Parameters	Type of display	TFT
	Display Size,inch with ±5% tolerance	12
	Traces of display	6 or more
	User Interface of display	Rotary knob
	Inbuilt thermal Recorder (Printer)	No
	Display must allow easy viewing at all ambient light levels	Yes
Standard Accessories	Reusable SpO2 probe	Adult,Pediatric,Neonatal
	Number of adult probe	1
	Number of pediatric probe	2
	Number of neonatal probe	2
	ECG cable	5 lead
	Number of ECG cable	1
	Skin and Rectal temperature probe	1
Additional Parameters	Accessories to wall mount the monitor	Yes
	Weight of the Machine in kg	4.51
	Noise level in dB	50
	Body of the monitor to be strong , durable and splash proof	Yes
	Should be supplied with protective case for clean storage and safe transport	Yes
	Type of power supply in VAC,Hz	220-240, 50Hz Single Phase
	Mains cable to be atleast 3m length Indian type 3 pin	Yes

Power Requirements	Type of battery backup	Lithium-ion ,rechargeable
	Backup time in minutes	60
	Recharging time of battery in hr	≤6
Warranty, Servicing and Installation	Original User / Technical manuals to be supplied in English in hard and soft copy	Yes
	Installation, Demonstration and training to be provided at consignee end at any part of country	Yes
	The Principal Manufacturer Must Have Direct Presence/approved service center In India	Yes
	Advanced maintenance task required shall be documented and procedures required for local calibration and routine maintenance and list of imp spare parts with accessories along with part numbers to be furnished	Yes
	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes
	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	3
	Copies of all certifications and reports to be provided to buyer on demand at time of supplies	Yes

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें| Terms and Conditions

1. Special terms and conditions- Version:3 effective from 21-10-2022

1.1. 1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by *Central Drugs Standard Control Organisation (CDSCO)*, Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.

2. The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.

3. The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.

4. **Comprehensive warranty:** Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.

5. **Service centres:** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.

6. **Source of supply:** It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.

7. **Packing and Marking:** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.

8. **Spare Parts:** Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.

9. **Installation, Training, Manuals:** Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.

10. **Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

11. **Software:** All software updates should be provided free of cost during warranty period.

12. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.