अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687740310774

अनुबंध तिथि | Generated Date : 10-Jun-2024

बोली/आरए/पीबीपी संख्या|Bid/RA/PBP No.: <u>GEM/2024/B/4979363</u>

संगठन विवरण|Organisation Details

प्ररूप|Type: State Government

मंत्रालय|Ministry:

विभाग | Department : Labour Department West Bengal संगठन का नाम|Organisation Name : Directorate of ESI MB Scheme West Bengal

कार्यालय क्षेत्र|Office Zone: ESI Complex Block GB Salt Lake Sec 3 kol 97 70

खरीदार विवरण|Buyer Details

पद | Designation : ASSISTANT SUPERINTENDENT NON MEDICAL

संपर्क नंबर|Contact No. : 033-26330015-

ईमेल आईडी|Email ID : himpal.gesih-wb@wblabour.gov.in

जीएसटीआईएन|GSTIN: 19CALE02301F1DF

G T ROAD, ANGUS, NEAR CHANDANNAGAR, HOOGHLY, पता|Address:

HOOGHLY, WEST BENGAL-712221, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमित IFD Concurrence :

प्रशासनिक अनुमोदन का पदनाम| Superintendent

Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम। Designation of Financial Approval :

Accounts Officer

भुगतान प्राधिकरण विवरण|Paying Authority Details

Role: भगतान का तरीका। Offline Payment Mode:

ACCOUNTS OFFICER GOURHATI पद | Designation :

ईमेल आईडी|Email ID : hgdlbm001-wb@gov.in जीएसटीआईएन|GSTIN : 19CALE02301F1DF

G T ROAD , ANGUS, NEAR CHANDANNAGAR, HOOGHLY, पता|Address:

Hooghly, WEST BENGAL-712221, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : 32A4200001070401

कंपनी का नाम|Company Name : YOUNG ENGINEERING REFRIGERATION

संपर्क नंबर|Contact No. : 09831022987

ईमेल आईडी|Email ID : young.refrigeration1980@gmail.com

GROUND FLOOR, Dolnabari, Islampur, Islampur, पता। Address :

Howrah, WEST BENGAL-711401, -एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-WB-10-0014839

एमएसई सामाजिक श्रेणी|MSE Social Category :

एमएसई लिंग श्रेणी|MSE Gender :

जीएसटीआईएन|GSTIN: 19AAKPI3566P2ZX (B), (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : Contact Person Name - HIMADRI PAL CONTACT NUMBER - 9836954180

उत्पाद विवरण | Product Details

#	आइटम विवेरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name: LLOYD Split Air Conditioner, Floor Type 2 Ton, 1 Star ब्रांड Brand: LLOYD ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थित Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As: OEM verified Reseller श्रेणी का नाम और चतुर्थाश Category Name & Quadrant: Split Air Conditioner (Floor Type), as per IS: 1391 (part 2) (Q2) मॉडल Model: GLT24B series or equivalent model एचएसएन कोड HSN Code: 8415	3	pieces	67,498	NA	202,494
कुल	कुल ऑर्डर मूल्य Total Order Value (in INR)					202,494

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : - ईमेल आईडी Email ID : himpal.gesih-wb@wblabour.gov.in संपर्क Contact : 033-26330015-	LLOYD Split Air Conditioner, Floor Type	-	3	10-lun-2024	25-lun-2024

पता Addre	न GSTIN : 19CALE02301F1DF 2 Ton, 1 Star ss : G T ROAD , ANGUS, NEAR CHANDANNAGAR, HOOGHLY, , WEST BENGAL-712221, India			
Product Specifica	tion for LLOYD Split Air Conditioner, Floor Type 2 Ton, 1 Star			
विनिर्देश Specificatior	उप-विनिर्देश Sub-Spec	मूल्य Value		
	Description of stores	Split Air Conditioner Indoor Unit-Floor standing type/Tower type		
	Split Air Conditioner conforming to	IS 1391 (Part 2)		
STANDARDS	Availability of BIS/ISI Mark Certification for Split AC Floor type	Yes		
	BEE star rating plan	As per Gazette Notification No. S.O. 3897 (E) dated. 29th October 2019 and as per BEE Notification dated 19th April 2022		
	Technology of air conditioner	Non Inverter AC		
	Nominal Marketing capacity as per BEE Star Rating Label (hint: 1 Ton = 3000 Kcal/Hr, Tolerance +/- 10%) (in Ton)	2		
	Rated cooling capacity (in Watts) as per IS:1391 (Part 2) (Cooling Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage)	6001 ≤ 7000		
GENERIC	BEE Star rating of the product (Central Ministries/Departments while procuring shall ensure that the items carry 5 star (under normal conditions where annual usages is expected to be more than 1000 hrs),3 Star (where usage is Limited)or higher Star R	1		
	ISEER (Wh/Wh) values for compliance of Green AC	For Non Green AC : As per Gazette Notification No. S.O. 3897 (E) dated. 29th October 2019 and as per BEI Notification dated 19th April 2022		
	Rated voltage (in Volts)	230 V, 1 Phase, 50 Hz, AC		
	Tolerance Value for Rated Voltage	As per IS 1391 (Part 2)		
	Eco-friendly Refrigerant	Yes		
	Refrigerant designation	R 32		
REFRIGERANTS	Refrigerant Global warming potential (GWP)	675 (for R32)		
	Refrigerant Ozone Depletion Potential is Zero	Yes		
	Classification by function	Cooling only (Cooling and dehumidification during cooling mode)		
	Heating capacity (in Watts) (Heating Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage)	Not applicable for Cooling only (Cooling and dehumidification during cooling mode)		
CONSTRUCTION	Unit type	Single split (Single Indoor and Single outdoor)		
	Compressor Type	Rotary Type		
	Marking on the Split AC	As per IS 1391 (Part 2)		
	Additional requirement	Not applicable		
	Material of Evaporator	Copper		
	Material of Condenser	Copper		
MATERIAL	Material of Air Filter (on indoor unit)	Synthetic Fiber		
	Reusable air filter	Yes		
	AC Modes	Dry Mode		
SENERAL FEATURE	Remote Control Features	Timer,Swing,Fan speed control,On/OFF		
	Additional Features	Dust Filter		
	Noise level	As per Table 5 , Cl 9.13 of IS 1391 (Part 2) 2023		
	Environmental Friendly Paint (Environmental Friendly Paint means Paint does not contain heavy			
NVIRONMENTAL EATURE	metals or their compounds include mercury (Hg), lead (Pb), cadmium (Cd) and hexavalent chromium (Cr))	Yes		
	Recycled Plastic Components	<80% by weight of total plastic components in product		
ACCESSORIES	Supply cord and the interconnecting cord between the indoor and outdoor unit	3 m (PVC Insulated sheathed cables as per IS:694)		
	Other standard accessories	Remote with Battery,User Manual,Warranty Card		
VARRANTY	AC Machine warranty (in Year)	1		
	Warranty on compressor (in Years)	1		
	Installation	Standard Installation included (Scope of installation		

	as per STC attached)
Not included in the scope of supply	As per STC attached
Availability of type test report from Govt Lab/ NABL accredited lab / ILAC accredited lab to prove conformity of the specification	Yes, As per IS 1391 (Part 2)
Test report number and date - Must declare	NABL
Name and address of Lab - Must declare	Havells India Ltd
Availability of Environmental Management Certification	Yes
Agreed to furnish all the test reports and certificates to buyer on demand	Yes
	Availability of type test report from Govt Lab/ NABL accredited lab / ILAC accredited lab to prove conformity of the specification Test report number and date - Must declare Name and address of Lab - Must declare Availability of Environmental Management Certification

उत्पाद का बीआईएस लाइसेंस|BIS license of the product: 8600101512

विक्रैता विशिष्टता दस्तावेज़|Seller Specification Document:

4 Applicable Consideration Decument	mkp.gem.gov.in/uploaded_documents/cms/tp/home_dist_heat_cool_sp54160447/51/16/877/CategorySc hema/qr_spcn_document/2023/5/3/document-for-cms_2022-07-05-17-50-30_c3b90df06e58a7_2023-05-
Applicable Specification Document	03-10-56-
	37_49a2c1176c5b2458563a0644b1fa7293.pdf

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें|Terms and Conditions

1. Special terms and conditions- Version:1 effective from 03-05-2023

1.1 STC FOR SPLIT AIR CONDITIONER

Central Ministries/ Departments while procuring electrical appliances notified by the Department of Expenditure (DoE) shall ensure that they carry the notified threshold or higher Star Rating of the Bureau of Energy Efficiency (BEE). In this regard, DoE OM No.26/6/2012-PPD dated 21.01.2013 may also be referred to wherein appliances and threshold star ratings have been circulated.

Scope of installation and Commissioning for Floor Standing / Tower type Split AC

- (1) Mounting/Fitting of indoor and outdoor units at the respective locations.
- (2) Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall (all type of walls), if required.
- (3) Checking / Charging Refrigerant gas in the unit.
- (4) Suitable electric wiring between indoor units and switches up to 3 meters in length.
- (5) Testing for satisfactory working without any abnormal noise as well as leakage test of entire system.

Following are not included in the scope of supply for Floor Standing / Tower type Split AC

- (1) Refrigerant pipe of the required length.
- (2) Chiselling / Ducting / grooving for concealing the Refrigerant piping/cabling.
- (3) Switches/ Sockets / Plug Tops / Voltage Stabilizer / Stand for ODU/Drain pipe/Angles.
- 2. General Terms and Conditions-
- 2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 3. Buyer Added Bid Specific Terms and Conditions-
- 3.1 Generic.

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.