

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687719470914

अनुबंध तिथि | Generated Date : 10-Jun-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4904919](#)

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्ररूप Type :	Central PSU	पद Designation :	Commercial Manager
मंत्रालय Ministry :	Ministry of Petroleum and Natural Gas	संपर्क नंबर Contact No. :	78967-57020-
विभाग Department :	NUMALIGARH REFINERY Limited	ईमेल आईडी Email ID :	buyer15.mpng.as@gembuyer.in
संगठन का नाम Organisation Name :	NUMALIGARH REFINERY Limited	जीएसटीआईएन GSTIN :	18AACN6984B1ZD
कार्यालय क्षेत्र Office Zone:	Numaligarh Refinery Limited		Numaligarh Refinery Limited, Chief General Manager
		पता Address :	(Commercial) PO-NRP, Numaligarh Warehouse office 03776-265562, GOLAGHAT, ASSAM-785699, India

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO
प्रशासनिक अनुमोदन का पदनाम	SM(EM)	भुगतान का तरीका	NRL
Designation of Administrative Approval:		Payment Mode:	
वित्तीय अनुमोदन का पदनाम	NRL-2022 DOA Committee A	पद Designation :	PAO COmmercial Officer
Designation of Financial Approval :		ईमेल आईडी Email ID :	pao9.mpng.as@gembuyer.in
		जीएसटीआईएन GSTIN :	-
		पता Address:	NRL Centre, Christianbasti, Guwahati, Kamrup, ASSAM-781005, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID :	7042190000942709
कंपनी का नाम Company Name :	GARG ENTERPRISES
संपर्क नंबर Contact No. :	09872715153
ईमेल आईडी Email ID :	GARGENTERPRISES15153@GMAIL.COM
पता Address :	MIG 1113,SEC 32 A,CHANDIGARH ROAD,NR POLICE DIVISION NO 7, Ludhiana, PUNJAB-141008, -
एमआईआई स्थिति MII Status :	True
एमएसएमई सत्यापिति MSME verified :	No
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-PB-12-0028536
एमएसई सामाजिक श्रेणी MSE Social Category :	General
एमएसई लिंग श्रेणी MSE Gender :	Male
जीएसटीआईएन GSTIN:	03ABVPH1510L2ZQ (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुक्र और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : INDCOOL Split Air Conditioner, Wall Mount Type 1.5 Ton 5 Star ब्रांड Brand : INDCOOL ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्भूति Category Name & Quadrant : Split Air Conditioner Including Green AC, Wall Mount Type (Q2) मॉडल Model: IDCACSN18K5 (INDcool) एचएसएन कोड HSN Code: HSN not specified by seller	15	pieces	31,499	NA	472,485
कुल और मूल्य Total Order Value (in INR)						472,485

परेष्टी विवरण | Consignee Detail

क्र.सं. S.No	परेष्टी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By

1	<p>पद Designation :- ईमेल आईडी Email ID : con5.mpng.as@gembuyer.in संपर्क Contact : 95311-40080- जीएसटीआईएन GSTIN : 18AACN6984B1ZD पता Address : Numaligarh Refinery Limited, Chief General Manager (Commercial) PO-NRF, Numaligarh Warehouse office 03776-265562, GOLAGHAT, ASSAM-785699, India</p>	<p>INDCOOL Split Air Conditioner, Wall Mount Type 1.5 Ton 5 Star</p>	-	15	10-Jun-2024	10-Jul-2024
---	--	--	---	----	-------------	-------------

Product Specification for INDCOOL Split Air Conditioner, Wall Mount Type 1.5 Ton 5 Star

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
STANDARDS	Description of stores	Split Air Conditioner Including Green AC, Wall Mount Type
	Split Air Conditioner conforming to	IS 1391 (Part 2)
	Availability of BIS/ISI Mark Certification for Split AC Wall mount type	Yes
	BEE star rating plan	As per Gazette Notification No. S.O. 3897 (E) dated. 29th October 2019 and as per BEE Notification dated 19th April 2022
GENERIC	Air Conditioner Compliance	AC
	Technology of air conditioner	Inverter AC - Variable Speed
	Nominal Marketing capacity as per BEE Star Rating Label (hint: 1 Ton = 3000 Kcal/Hr, Tolerance +/- 10%) (in Ton)	1.5
	Rated cooling capacity (in Watts) as per IS:1391 (Part 2) (Cooling Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage)	3501 ≤ 5200
	BEE Star rating of the product (Central Ministries/Depts while procuring shall ensure that the items carry 5 star(under normal conditions where annual usages is expected to be >1000 hrs),3 Star(where usage is Limited)or higher Star Rating of BEE)	5
	ISEER (Wh/Wh) values for compliance of Green AC	For Non Green AC as per Gazette Notification No. S.O. 3897 (E) dated. 29th October 2019 and as per BEE Notification dated 19th April 2022
	Rated voltage (in Volts)	230 V, 1 Phase, 50 Hz, AC
	Tolerance Value for Rated Voltage	As per IS 1391 (Part 2)
REFRIGERANTS	Eco-friendly Refrigerant	Yes
	Refrigerant designation	R 32
	Refrigerant Global warming potential (GWP)	675 (for R32)
	Refrigerant Ozone Depletion Potential is Zero	Yes
CONSTRUCTION	Classification by function	Cooling only (Cooling and dehumidification during cooling mode)
	Heating capacity (in Watts) (Heating Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage)	Not applicable for Cooling only (Cooling and dehumidification during cooling mode)
	Unit type	Single split (Single Indoor and Single outdoor)
	Marking on the Split AC	As per IS 1391 (Part 2)
	Additional requirement	Not Applicable
	Compressor Type	Rotary Type
MATERIAL	Material of Evaporator	Copper
	Material of Condenser	Copper
	Material of Air Filter (on indoor unit)	Synthetic Fiber
	Reusable air filter	Yes
GENERAL FEATURE	AC Modes	Turbo Mode,Dehumidification Mode,Auto Clean Mode,Self Diagnosis Mode,Quiet Mode,Convertible for energy consumption,Swing,Timer
	Remote Control Features	Timer,Swing,Fan speed control,On/OFF
	Additional Features	Sleep mode,Auto Off,Auto Restart,Indoor Temperature Indicator,Active Carbon Filter,Dust Filter,Auto Air Swing,Works Even at 52 degree C ambient,PM 0.3 Filter,Cathachin Filter,4 way Auto Air Swing,Nanotek Coating on Evaporator Tubes,Automotive Grade Coating on outdoor unit
ENVIRONMENTAL FEATURE	Noise level	As per Table 5, Cl 9.13 of IS 1391 (Part 2) 2023
	Environmental Friendly Paint (Environmental Friendly Paint means Paint does not contain heavy metals or their compounds include mercury (Hg), lead (Pb), cadmium (Cd) and hexavalent chromium (Cr))	Yes
	Recycled Plastic Components	<80% by weight of total plastic components in product
	Supply cord and the interconnecting cord between the indoor and	

ACCESSORIES	outdoor unit	3 m (PVC Insulated sheathed cables as per IS:694)
	Standard accessories included for each air conditioners	3 m Cu pipe, Remote with battery, User Manual, Warranty card
WARRANTY	AC Machine warranty (in Year)	1
	Warranty on compressor (in Years)	10
INSTALLATION	Installation	Standard Installation included (Scope of installation as per STC attached)
	Not included in the scope of supply	As per STC attached
CERTIFICATION	Availability of type test report from Govt Lab/ NABL accredited lab / ILAC accredited lab to prove conformity of the specification	Yes As per IS 1391 (Part 2)
	Test report number and date - Must declare	202201060004181
	Name and address of Lab - Must declare	EIPL, Noida
	Availability of Environmental Management Certification	Yes
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 8800121608

खरीदार परभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for INDCOOL Split Air Conditioner, Wall Mount Type 1.5 Ton 5 Star

विवरण Specification	मूल्य Value
Accessories shall be provided	Supply of interconnecting cable between the indoor and outdoor unit: Min. 3 mtr PVC Insulated sheathed cables Supply of copper pipe: Min. 3 mtr
Installation- Standard installation package includes as stated	A. Mounting/Fitting of indoor and outdoor units at the respective locations. B. Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall (all type of walls), if required. C. Checking / Charging Refrigerant gas in the unit. D. Suitable electric wiring between indoor units and switch E. Testing for satisfactory working without any abnormal noise as well as leakage test of the entire system
Refrigerant	Environment Friendly

विक्रेता विशेषता दस्तावेज़ | Seller Specification Document:

1. Applicable Specification Document	mfp.gem.gov.in/uploaded_documents/cms/tp/home_dist_heat_cool_sp37313731/51/16/877/CategorySchem/aqr_spcn_document/2023/5/3/document-for-cms_2022-07-05-17-50-30_c3b90df06e58a7_2023-05-03-10-58-17_0cd9e0d5e516735de899c5dcb95b3af0.pdf
2. Verified and Signed Tp document	mfp.gem.gov.in/uploaded_documents/cms/tp/home_dist_heat_cool_sp37313731/51/16/877/CategorySchem/tp_document/2024/1/3/green_rac_2024-01-03-13-19-26_a782a2a5976948d5bcffe835d1111e2b.pdf

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	AXIS BANK LTD
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	5.00

बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा | The bidder shall furnish ePBG as applicable as per bid's terms and conditions

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:2 effective from 11-12-2023

1.1 STC FOR SPLIT AIR CONDITIONER

Central Ministries/ Departments while procuring electrical appliances notified by the Department of Expenditure (DoE) shall ensure that they carry the notified threshold or higher Star Rating of the Bureau of Energy Efficiency (BEE). In this regard, DoE OM No.26/6/2012-PPD dated 21.01.2013 may also be referred to wherein appliances and threshold star ratings have been circulated.

Scope of installation and Commissioning for Wall Mount / High wall Split AC

(1) Mounting/Fitting of indoor and outdoor units at the respective locations.

(2) Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall (all type of walls), if required.

(3) Checking / Charging Refrigerant gas in the unit.

(4) Suitable electric wiring between indoor units and switch upto 3 meters in length.

(5) Testing for satisfactory working without any abnormal noise as well as leakage test of the entire system.

The following are not included in the scope of supply for Wall Mount / High wall Split AC

(1) Chiselling / Ducting / grooving for concealing the Refrigerant piping/cabling

(2) Switches/ Sockets / Plug Tops / Voltage Stabilizer/Stand for ODU/Drain pipe/Angles.

Note to Buyer: Buyer are advised to apply filters/ selections allowing all the values which are considered meeting or are better than their technical requirements e.g. if the requirement is 5 years compressor warranty; Buyer should select other superior values, i.e. 10years warranty as well. Such selection will act as 5 years or better (in L1 buying). For any violation of the above advisory if resulting into limited competition or higher cost to the ex-chequer, the Buyer shall be solely responsible.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

3. Buyer Added Bid Specific Terms and Conditions-

3.1 *Generic*

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

3.2 *Buyer Added Bid Specific ATC:*

Buyer Added text based ATC clauses

Sub: Supply of 1.5TR, Inverter Split AC, 5 Star BEE Rating, environment friendly refrigerant with Standard Installation charges to NRL site, Numaligarh

PQC (Pre Qualification Criteria) for bidders:

1. Bidder Should be OEM authorized dealer & service provider of Air conditioner.

2. Proof of necessary supporting documents/certificates of OEM authorized dealership of Air Conditioner need to be submitted along with the offer.

Payment Terms:

80% payment after complete material delivery & inspection clearance at NRL site & balance 20% after successful installation & commissioning at site

3.3 *Certificates:*

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

3.4 *Certificates:*

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.