

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687783004226

अनुबंध तिथि | Generated Date : 10-Jun-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4901224](#)

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्रकार Type :	Central PSU	पद Designation :	Engineer3
मंत्रालय Ministry :	Ministry of Power	संपर्क नंबर Contact No. :	937-5577766-
विभाग Department :	POWER GRID Corporation OF INDIA Limited	ईमेल आईडी Email ID :	buycon300.pgcil.gj@gembuyer.in
संगठन का नाम Organisation Name :	POWER GRID Corporation OF INDIA Limited	जीएसटीआईएन GSTIN :	-
कार्यालय क्षेत्र Office Zone:	Corporate Office Gurgaon	पता Address :	Powergrid Corporation of India Ltd. WR2HQ PLOT NO.54, ADJACENT TO PRIYA REVATI RESORT OPP AMBE VIDYALAYA, SAMA-SAVLI ROAD VADODARA, VADODARA, GUJARAT-390008, India

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO
प्रशासनिक अनुमोदन का पदनाम	General Manager	भुगतान का तरीका	PGCIL
Designation of Administrative Approval:	Senior GM	Payment Mode:	
वित्तीय अनुमोदन का पदनाम		पद Designation :	Asst Mgr2
Designation of Financial Approval :		ईमेल आईडी Email ID :	pao43.pgcil.tn@gembuyer.in
		जीएसटीआईएन GSTIN :	33AAACP0252G1Z0
		पता Address:	Powergrid Corporation of India limited, Madurai 400/230KV Substation P.O. Kinnimangalam Via Chekkanurani Distt. Madurai, Tamilnadu-625514, Madurai, TAMIL NADU-625514, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID :	BD7C180000639529
कंपनी का नाम Company Name :	Mohan Plastic Industries
संपर्क नंबर Contact No. :	09999333580
ईमेल आईडी Email ID :	HARKRISHAN15@GMAIL.COM
पता Address :	3/11,DSIDC SHED SHAKURPUR, North West delhi, DELHI-110034, -
एमएसएमई सत्यापिता MSME verified :	No
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-HR-07-0004081
एमएसई सामाजिक श्रेणी MSE Social Category :	General
एमएसई लिंग श्रेणी MSE Gender :	Male
जीएसटीआईएन GSTIN:	06ABBDFM7440A1ZR (R) , (M)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details					
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	मूल्य (INR में सभी शुक्र और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : BOXXMANN 2 (Bottom side) and 2 (Top side) Polycarbonate Grey ब्रांड Brand : BOXXMANN ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Junction Box for Lighting (Q3) मॉडल Model: polycarbonate junction box एचएसएन कोड HSN Code: HSN not specified by seller	100	pieces	1,095	NA
कुल ऑर्डर मूल्य Total Order Value (in INR)					109,500

परेषिती विवरण Consignee Detail					
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start
					वितरण पूरा तक करना है Delivery To Be Completed

					After	By
1	<p>पद Designation :- ईमेल आईडी Email ID : con244.pgcil.mp@gembuyer.in संपर्क Contact :- जीएसटीआईएन GSTIN :- पता Address :"Power Grid Corporation of India limited, 765/400/220 KV Sub-Station Village-Lalpur, Post-sitpura, NH-75, Panna Road, Dist- satna-485445(M.P.), SATNA, MADHYA PRADESH-485446, India</p>	BOXXMANN 2 (Bottom side) and 2 (Top side) Polycarbonate Grey	-	100	10-Jun-2024	09-Aug-2024

Product Specification for BOXXMANN 2 (Bottom side) and 2 (Top side) Polycarbonate Grey

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
GENERIC	Description of store	Junction Box for Lighting
	Material of Junction Box	Polycarbonate
	Shape of Junction Box	Rectangle
	Colour of junction box	Grey
	Degree of protection	IP66 (as per IS/IEC 60529:2001 latest)
	Safety compliances	Fire retardant Class - FV-0 (as per IS:11731 Part-II)
DIMENSIONS	Junction Box Width (in mm)	160
	Junction Box Height (in mm)	210
	Junction Box Depth (in mm)	100
	Overall dimension tolerance (+/- in mm)	5
	Material (sheet) thickness (in mm)	3
	Thickness tolerance (+/- in mm)	0.5
	Weight of each junction box (in Kg) - Must declare	0.250
CONSTRUCTION	Type of front cover fixing on junction box (front side)	Front cover with 4 Nos. Of fastners with retainers (Stainless steel 304 Gr.)
	No of way on Junction Box (in Nos)	2 (Bottom side),2 (Top side)
	Cable Glands on junction box	Yes
	Voltage Grade of terminal block	750 V, 50 HZ, AC
	Number of terminal connector on junction box	4
	Terminal connector supporting for maximum size of conductor (in Sq mm)	25
	Type of mounting	Pole Mounting
	Accessories for each junction box	Pole mounting kits with fixing bolts
	Insulation resistsnce (between all live parts connected together and the body)	>200 MΩ
	High voltage withstand test (between all live parts connected together and the body)	2 KV (rms) for 1 minute
CERTIFICATIONS	Availability of test reports with complete drawings from Central Govt Lab/NABL/ILAC accredited laboratory to prove conformity of the specification	Yes
	Test report number and date if claimed "Yes" If No write NA	GN68616-16APRIL2024
	Name and address of lab (If No test reports write NA)	Narang Delhi
	Agreed to furnish all the test reports and certificates to the buyer/consignee on demand	Yes

टिप्पणी|Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

क्रेता द्वारा जोड़ी गई बोली विशेष की अतिरिक्त विशेषता - चित्र|Buyer added Bid Specific Additional Specification - Drawings

क्र.सं. S.No	दस्तावेज़ का शीर्षक Document Title	विवरण Description	लागू आईआरजी सामान Applicable i.r.o. Items
1	Junction Box for Lighting Pole राय View	Procurement of "Lighting Junction Box for the control room pathway and boundary light pole installed in POWERGRID 765/400/220kV Satna S/s."	Junction Box For Lighting(100)

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें| Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2.3 Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

a. Copy of PAN Card.

b. Copy of GSTIN.

c. Copy of Cancelled Cheque.

d. Copy of EFT Mandate duly certified by Bank.

2.4 Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

2.5 Generic

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.

2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.

3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

2.6 Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

2.7 Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

i) The Seller fails to comply with any material term of the Contract.

ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.

iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.

iv) The Seller becomes bankrupt or goes into liquidation.

v) The Seller makes a general assignment for the benefit of creditors.

vi) A receiver is appointed for any substantial property owned by the Seller.

vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

2.8 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file.](#)

2.9 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

Eligibility Criteria;

i. The bidder shall submit signed compliance sheet of the buyer uploaded technical specifications in GeM bid at buyer added Bid Specific ATC.

TECHNICAL SPECIFICATIONS FOR JUNCTION BOX FOR LIGHTING

SI. No.	Description/ Parameter	Value
1	Material of Junction Box	Polycarbonate
2	Standard Compliance	IEC60670
3	Degree of protection	IP66 (as per IS/IEC 605 29:2001 latest)

4	Safety compliances	Fire retardant Class - FV-0 (as per IS:11731 Part-II)
5	Junction Box Width (in mm)	Min 155
6	Junction Box Height (in mm)	Min 210
7	Junction Box Depth (in mm)	Min 92
8	Material (sheet) thickness (in mm)	Min 03
9	No of way on Junction Box (in Nos)	04 (02 top & 02 bottom)
10	Cable Entry	Via multiple knockouts at all sides
11	Cable size accommodation	6 x 6 mm², 6 x 10 mm² 4 x 16 mm² 4 x 25 mm² 2 x 35 mm² each
12	Voltage Grade of terminal block	Min 750 V AC/DC
13	Rated connecting capacity of terminal block	6-35 sq mm, Copper
14	Installation Type of Terminal Block	DIN Rail
15	Current Carrying Capacity of each terminal block	Min 100 Amps
16	Poles per Pole	05
17	Number of terminal connectors on junction box	05
18	Terminal connector supporting for maximum size of conductor (in Sq mm)	35
19	Type of mounting	Pole Mounting
20	Accessories included for each junction box	Pole mounting kits with fixing bolts/ Clamping Units
21	Insulation resistance (between all live parts connected and the body)	>200 MΩ
22	High voltage withstand test (between all live parts connected and the body)	2 KV (rms) for 1 minute
23	Availability of test reports with complete drawings from Central Govt Lab/NABL/ILAC/ reputed lab to prove conformity of the specification	Yes The test report requirement is of conformance of specifications to the relevant IS/ IEC by the bidder. Certification may be provided by the bidder post contract award along with the material, which shall be checked & verified at site.

24	Application	Outdoor
25	Flame Retardant	Yes
26	Self-Extinguishing	Yes
27	Warranty Clause	Warranty of 01 year for any manufacturing defects from the date of material receipt at site.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.