

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687740634990

अनुबंध तिथि | Generated Date : 11-Jun-2024

| संगठन विवरण Organisation Details | खरीदार विवरण Buyer Details |
|---|---|
| प्ररूप Type : State Government मंत्रालय Ministry : - विभाग Department : Home Department Gujarat संगठन का नाम Organisation Name : Bhavnagar District Police Office कार्यालय क्षेत्र Office Zone : office | पद Designation : Mahavirsinh A gohil संपर्क नंबर Contact No. : 0278-2513720- ईमेल आईडी Email ID : cb2-sp-bav@gujarat.gov.in जीएसटीआईएन GSTIN : 24AAAGS0105H1ZU पता Address : S.P. OFFICE NAVAPARA BHAVNAGAR, BHAVNAGAR, GUJARAT-364001, India |

| वित्तीय स्वीकृति विवरण Financial Approval Detail | भुगतान प्राधिकरण विवरण Paying Authority Details |
|--|--|
| आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : superintendent of police, bhavnagar वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : superintendent of police, bhavnagar | Role : PAO भुगतान का तरीका Payment Mode : Offline पद Designation : Dy SP ईमेल आईडी Email ID : dyasp-hq-bav@gujarat.gov.in जीएसटीआईएन GSTIN : 24AAAGS0105H1ZU पता Address : S.P. OFFICE NAVAPARA BHAVNAGAR, Bhavnagar, GUJARAT-364001, India |

| विक्रेता विवरण Seller Details |
|--|
| जेम विक्रेता आईडी GeM Seller ID : 9CKT210003444008 कंपनी का नाम Company Name : YOUNG INDIA SPORTS संपर्क नंबर Contact No. : 09714757060 ईमेल आईडी Email ID : pravin.b.bhaliya@gmail.com पता Address : 1ST FLOOR,UPNISHAD ARC,VIR MAKHDJI CIRCLE,GHOGHA CIRCLE, Bhavnagar, GUJARAT-364001, - एमएसएमई पंजीकरण संख्या MSME Registration number : - जीएसटीआईएन GSTIN : 24CWQP83525F1ZR (R) |

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

| उत्पाद विवरण Product Details | | | | | | |
|--|---|-------------------------------|-------------|-------------------------------------|---|---|
| # | आइटम विवरण Item Description | आइटम विवरण Ordered Quantity | इकाई Unit | इकाई मूल्य (INR) Unit Price (INR) | कर विभाजन (INR) Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR) |
| 1 | उत्पाद का नाम Product Name : Unbranded Polyester Blended with Cotton Knitted Track Suits - Sports ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status : Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Track Suit - Sports (Q3) मॉडल Model : Track Suits एचएसएन कोड HSN Code : HSN not specified by seller | 12 | pieces | 1,870 | NA | 22,440 |
| कुल ऑर्डर मूल्य Total Order Value (in INR) | | | | | | 22,440 |

| परेषिती विवरण Consignee Detail | | | | | | |
|----------------------------------|--|--|--------------------|-------------------|---|--|
| क्र.सं. S.No | परेषिती Consignee | वस्तु Item | लॉट नंबर Lot No. | मात्रा Quantity | दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After | वितरण पूरा कब तक करना है Delivery To Be Completed By |
| 1 | पद Designation : MT Supervisor IC MT PSI ईमेल आईडी Email ID : cb3-sp-bav@gujarat.gov.in संपर्क Contact : 0278-2513724- जीएसटीआईएन GSTIN : 24AAAGS0105H1ZU पता Address : S.P. OFFICE NAVAPARA BHAVNAGAR, BHAVNAGAR, GUJARAT-364001, India | Unbranded Polyester Blended with Cotton Knitted Track Suits - Sports | - | 12 | 11-Jun-2024 | 26-Jun-2024 |

Product Specification for Unbranded Polyester Blended with Cotton Knitted Track Suits – Sports

| विनिर्देश Specification | उप-विनिर्देश Sub-Spec | मूल्य Value |
|---|--|---|
| UTILITY | UTILITY | Unisex |
| COMPONENTS | Components | Complete Set consisting of Upper and Lower |
| MATERIAL | Fabric (Composition) | Polyester Blended with Cotton |
| | Percentage of Blending (in case of Blended Fabric) | Polyester 50 % and Cotton 50 % |
| | Mass (gram per square mtrs) | 180 gram |
| | Fabric Construction | Knitted |
| | Weave (In case of Woven Fabric) | Any other weave as per buyer's requirements |
| | Any other weave as per buyer's requirements (in case weave is other than already mentioned above) | - |
| | Knitting (In case of knitted Fabric) | Plain (Single Jersey) Knitted, |
| | Ends per dm | - |
| | Picks per dm | - |
| | Courses per dm | - |
| | Wales per dm | - |
| | Count of knitting yarn | - |
| | Raising at inner side of Main Fabric | Yes |
| | Upper Lining | Yes |
| | Lower Lining | Yes |
| | Lining Material | Not Applicable |
| | Mass of Lining (Gram per Square Meter) | 55 |
| | Netting mesh No of holes on base & bias within 625 Square millimeter | 155 |
| | Technical Requirements of Slide Fastener for Upper Closing | Medium special duty Open End as per IS 14181 Latest |
| | Technical Requirements of Slide Fastener for Pocket Closing (For Pockets with Slide Fastner for closing) | Not applicable |
| | Slide Fastners are BIS Marked | Not Applicable |
| | Width of Tape Elastic at Waist of Trouser | 3.5 cm |
| | Width of Tape Elastic at Bottom of Upper | 3.5 cm |
| | Technical Requirements of Waist Band | No |
| | Waist Draw Cord | Polypropylene Cord of 4mm dia |
| | Draw Cord Ends | Fused |
| | Breaking Strength of Draw Cord | 340 N minimum |
| | Sleeve Ends (Cuff) | Elastic Tape |
| | Upper provided with Piping | Yes |
| | Lower provided with Piping | Yes |
| | Piping Fabric- Composition | 100 percent Polyester |
| | Piping Fabric- Any other material as per buyer's requirements (Other than mentioned above) | - |
| Piping Fabric Mass (gram per square mtrs) | Not Applicable | |
| Embroidery Thread | Polyester | |
| SIZE | Size | Extra Large (XL) |
| DIMENSIONS OF UPPER | Width Across Chest 25 mm below under arm | 57.5 cm (Extra Large) |
| | Width Across Bottom Opening (relaxed) | 50 cm (Extra Large) |
| | Length at front from top of collar to bottom | 70 cm (Extra Large) |
| | Sleeve length (from center of back to bottom of sleeve | 89.5 cm (Extra Large) |
| | Sleeve opening relaxed (Cuff) Width | 4 inch |
| | Front Neck Drop | 3.8 inch |
| | Back Neck Drop | 0.5 inch |

| | | |
|---------------------|---|---|
| | Length of Slide Fastener | 68 cm (Extra Large) |
| DIMENSIONS OF LOWER | Side Seam Length | 109.5 cm (Extra Large) |
| | Waist relaxed (Width Across) | 47 cm (Extra Large) |
| | Waist stretched (Width Across) | 57.5 cm (Extra Large) |
| | Seat/ Hip (15 cm below waist band) | 57.5 cm (Extra Large) |
| | Thigh (at Crotch) (Width Across) | 38 cm (Extra Large) |
| | Bottom Opening (Width Across) | 25 centimeter |
| | Front rise including waist band | 30 cm (Extra Large) |
| | Back rise including waist band | 40 cm (Extra Large) |
| | Length of Waist Tying Cord | 155 centimeter |
| | Bottom Fold (Hem) with full turn in(cm) | 2.0 |
| POCKETS | Number of Pockets (Upper) | 2 Side Pockets |
| | Size of Side Pockets-Upper (Length X Width) (cm) | 18 X 20 cm |
| | Size of Inside Pocket at Chest- Upper | 11 cm X 15 cm |
| | Side Pocket opening - Upper | 15.0 cm |
| | Side Pocket Closure with Slide Fastener -Upper | Yes |
| | Number of Pockets (Lower) | 2 Side Pockets |
| | Size of Side Pockets - Lower (Length X Width) (cm) | 17 cm X 18 cm |
| | Side Pocket Opening- Lower | 15 centimeter |
| | Pocket Closure with Slide Fastener - Lower | Side Pockets with Slide Fastener |
| | Material of Pockets | Main Basic Fabric |
| COLLAR | Collar Type | Stand and Fall Type, Made of two layers of self material |
| | Collar Reinforcement | With Canvas Reinforcement |
| SLEEVE | Sleeve Type | Reglan Sleeve |
| PIPING | Position and Dimensions of Piping on Upper | - |
| | Position and Dimensions of Piping on Lower | - |
| STITCHING | Sewing Thread | 145 d tex X 3, Polyester |
| | Raw edges, if any shall be bound by overlock stitching | Yes |
| | Waist band stitching of Upper | Stitched in single rows with chain stitch on the elastic |
| | Sleeve Bottom (Cuff) Stitching | Stitched in single rows with chain stitch on the elastic |
| | Waist band stitching of Lower | Stitched in single rows with chain stitch on the elastic |
| | Lining seams | Inverted |
| | Bartack Stitching (Reinforcement Stitching) at stress bearing areas | Pocket opening, Centre of Waist Band Seam and bottom hem and other stress bearing areas |
| | Tunnel at Waist Band for Lower | Two holes stitched to allow the draw cord with insertion free movement |
| | Stitches per dm (min) | 36 |
| COLOUR/ PRINT | Colour | Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements |
| | Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements | - |
| | Sublimation Printing (for 100 % polyester only) | Not applicable |
| | Sublimation Print as per buyer's requirements | - |
| | Colourfastness to Light (IS 2454) | 5 |
| | Colourfastness to Washing (IS/ ISO 105-C10, Test- C (3)) | Change in Colour- 4; Staining of Adjacent Fabric- 3-4 |
| | Colourfastness to Rubbing (IS 766) | Dry- 4 / Wet- 3 |
| | Colourfastness to perspiration (IS 971) | 4 |
| | Colour of Mesh Lining | Not Applicable |
| | Any other colour of Mesh Lining as per buyer's requirements | - |
| | Colourfastness to Washing (IS/ISO 105-C10, Test- C (3))- Mesh Lining | Change in Colour- 4; Staining of Adjacent Fabric- 3-4 |
| | Colourfastness to perspiration (IS 971)- Mesh Lining | 4 |

| | | |
|---|--|--|
| | Colour of Piping Material | Any other colour as per buyer's requirements |
| | Any other colour as per buyer's requirements | - |
| OTHER REQUIREMENTS | Pilling Resistant [after 5 hours Test as per IS 10971 (Part 1)], min | 4 |
| | Dimensional stability to washing, Shrinkage or Elongation Percentage, max (IS 2977 latest), in lengthwise and widthwise direction | 1 |
| LOGO AND MARKING | Logo/ Totem Marking | No |
| | Type of Logo | Not Applicable |
| | Number of Logos on Upper | Not Applicable |
| | Number of Logos on Lower | Not Applicable |
| | Size, Design and Location of Logo as per buyer's requirement | - |
| TEST REPORT | Availability of Test Report from designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification | No |
| | Test Report No | - |
| | Test Report Date | - |
| | Name of the Lab | - |
| | Address of the Lab | - |
| | Test reports to be furnished to buyer on demand, if claimed to be available | Not applicable |
| ADVANCE SAMPLE | Agree to provide Advance Sample(s) for buyer's approval before commencement of supply | Yes |
| <p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p> | | |
| <p>ईपीबीजी विवरण ePBG Detail</p> | | |
| <p>NA</p> | | |
| <p>नियम और शर्तें Terms and Conditions</p> | | |
| <p>1. General Terms and Conditions-</p> | | |
| <p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p> | | |
| <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p> | | |
| <p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p> | | |
| <p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p> | | |