

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687749045684

अनुबंध तिथि | Generated Date : 19-Jun-2024

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : Central Government मंत्रालय Ministry : Ministry of Environment Forest and Climate Change विभाग Department : NA संगठन का नाम Organisation Name : Botanical Survey of India (BSI) कार्यालय क्षेत्र Office Zone : Headquarter	पद Designation : HOO IBG संपर्क नंबर Contact No. : 033-26680554- ईमेल आईडी Email ID : hoo-ajcbibg@bsi.gov.in जीएसटीआईएन GSTIN : 19CALC01282B1DD Botanical Survey of India,AJC Bose Indian Botanic Garden, पता Address : Howrah, HOWRAH, WEST BENGAL-711103, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : Yes प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : Scientist-E & HoO वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : Scientist-E & HoO	Role: DDO भुगतान का तरीका Payment Mode: PFMS पद Designation : DDO IBG ईमेल आईडी Email ID : ddo-ajcbibg@bsi.gov.in जीएसटीआईएन GSTIN : N Botanical Survey of India,AJC Bose Indian Botanic Garden, पता Address : Howrah, HOWRAH, WEST BENGAL-711103, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 4AD7180000109604 कंपनी का नाम Company Name : HANNA EQUIPMENTS (INDIA) PRIVATE LIMITED संपर्क नंबर Contact No. : 02227746554 ईमेल आईडी Email ID : tenders@hannainst.in पता Address : 3/4/5/6,Aum Sai Building,Sector-7,Plot No. 23,,Kharghar, Navi Mumbai, Maharashtra-410210, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-MH-27-0003402 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 27AACCH2670Q1Z4 (B) , (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : hanna instruments Handheld Water Quality Meter / Analyzer Measuring pH Meter 0.5 year Year Warranty ब्रांड Brand : hanna instruments ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Water Quality Meters / Analyzers (Q3) मॉडल Model: HI98319 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	9,145	NA	9,145
कुल ऑर्डर मूल्य Total Order Value (in INR)						9,145

परोक्ष विवरण Consignee Detail						
क्र.सं. S.No	परोक्ष Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिलोक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : HOO IBG ईमेल आईडी Email ID : hoo-ajcbibg@bsi.gov.in	hanna instruments				

1	संपर्क Contact : 033-26680554- जीएसटीआईएन GSTIN : 19CALC01282B1DD पता Address : Botanical Survey of India, A/C Bose Indian Botanic Garden, Howrah, HOWRAH, WEST BENGAL-711103, India	Handheld Water Quality Meter / Analyzer Measuring pH Meter 0.5 year Year Warranty	-	1	19-Jun-2024	04-Jul-2024
---	--	--	---	---	-------------	-------------

Product Specification for hanna instruments Handheld Water Quality Meter / Analyzer Measuring pH Meter 0.5 year Year Warranty

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
TYPE / NOMENCLATURE / PROTECTION	Type of Meter / Analyzer	Handheld
	Functional nomenclature	pH Meter
	Ingress Protection (Main Unit)	NA
	Calibration	Automatic
MEASURED WATER QUALITY PARAMETERS	Dissolved Oxygen (DO)	No
	DO % Saturation	No
	Conductivity	No
	Resistivity	No
	Salinity	Yes
	Total Dissolved Solids (TDS)	No
	pH	No
	Oxidation Reduction Potential (ORP)	No
	Ammonium	No
	Nitrate	No
	Chloride	No
	Turbidity	No
	Depth	No
	Temperature	Yes
Atmospheric Pressure	No	
MEASUREMENT OF DISSOLVED OXYGEN (DO) / DO % Saturation	Dissolved Oxygen (DO) measurement Principle	NA
	Sensor / Probe/ Electrode Type	NA
	Measurement Range for DO Content (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	DO Accuracy (+/-)	0 percent
	Measurement Range for DO % Saturation (in %)	NA
	DO % Accuracy (+/-)	0 percent
MEASUREMENT OF CONDUCTIVITY (EC)	Conductivity measurement principle	NA
	Sensor/ Probe/Electrode Type	NA
	Material of Electrode	NA
	Measurement Range (in μ S/cm)	NA
	Resolution (in mho or μ S/cm)	NA
	EC Accuracy (+/-)	0 percent
MEASUREMENT OF RESISTIVITY	Resistivity measurement principle	NA
	Lowest Measurement Value for Resistivity (in ohm-cm)	NA
	Highest Measurement Value for Temperature ($^{\circ}$ C)	NA
	Resolution (in ohm-cm)	NA
	Resistivity Accuracy(+/-)	0 percent
MEASUREMENT OF SALINITY	Salinity measurement principle	Conductivity Conversion
	Measurement Range (in parts per thousand or g/l or PSU)	0-40
	Resolution (in g/l)	0.01
	Salinity Accuracy (+/-)	2 percent
	TDS measurement principle	NA

MEASUREMENT OF TOTAL DISSOLVED SOLIDS (TDS)	TDS Measurement Range (in parts per thousand or g/l)	NA
	Resolution (in g/l)	NA
	TDS Accuracy (+/-)	0 percent
MEASUREMENT OF pH	pH measurement principle	NA
	Sensor / Probe / Electrode Type	NA
	Number of Sensors / Electrodes	NA
	pH Measurement Range	NA
	Resolution (in pH number)	NA
	pH Accuracy (+/-)	0 percent
MEASUREMENT OF OXIDATION REDUCTION POTENTIAL (ORP)	ORP measurement principle	NA
	Sensor / Probe/ Electrode Type	NA
	Number of Sensors /Electrodes	NA
	Lowest Measurement Value for ORP (in mV)	0
	Highest Measurement Value for ORP (in mV)	NA
	Resolution (in \pm mV)	NA
	ORP Accuracy (+/-)	0 percent
MEASUREMENT OF AMMONIUM	Sensor / Probe/ Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Ammonium Accuracy (+/-)	0 percent
MEASUREMENT OF NITRATE	Sensor / Probe/ Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Nitrate Accuracy (+/-)	0 percent
MEASUREMENT OF CHLORIDE	Sensor/Probe/Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Chloride Accuracy (+/-)	0 percent
MEASUREMENT OF TURBIDITY	Turbidity measurement principle	NA
	Light Source	NA
	Measurement of scattered light	NA
	Lowest Measurement Value for Turbidity (in FNU or NTU)	NA
	Highest Measurement Value for Turbidity (in FNU or NTU)	NA
	Resolution (in FNU or FTU)	NA
	Turbidity Accuracy (+/-)	0 percent
MEASUREMENT OF TEMPERATURE	Sensor/Probe Type	NA
	Lowest Measurement Value for Temperature ($^{\circ}$ C)	0
	Highest Measurement Value for Temperature ($^{\circ}$ C)	50
	Resolution ($^{\circ}$ C)	0.1
	Temperature Accuracy (+/-)	0.5 percent
MEASUREMENT OF PRESSURE	Sensor /Probe Type	NA
	Lowest Measurement Value for Pressure (in mmHg)	NA
	Highest Measurement Value for Pressure (in mmHg)	NA
	Resolution (in mmHg)	NA
	Pressure Accuracy (+/-)	0 percent
MEASUREMENT OF DEPTH	Measurement Method	NA
	Depth Measurement Range (in meters)	NA
	Length of Cable connecting peobe (inclusive in the scope of supply)	0 meter

COMPENSATION / CORRECTION	Temperature correction	Automatic
	Salinity Correction	NA
	Barometric Pressure correction	NA
DISPLAY / STORAGE	Type of Display	LCD
	Display Digit Size	0 millimeter
	Number of Digits in Display	3
	Number of parameters displayed simultaneously	2
	Memory (in Data Sets)	0
	Internal memory (GB)	0
	In-built GPS	No
	Date /time Stamp in Entries	No
POWER SOURCE	Connectivity interface	NA
	Power Source	Alkaline Batteries (Non-Rechargeable)
	Battery Size, if Non Rechargeable Battery	NA
	Battery Chemistry, if Rechargeable Battery	NA
	Voltage of each Battery	3 Volt
	Number of Batteries required for operation	1
	Number of Batteries Inclusive in the Scope of Supply	1
	Battery Capacity (mAh)	0
	Battery Life	100 hour
Suitable Adapter to be supplied to make the equipment Work on 230 V ± 10 %, 50 Hz	No	
GENERIC	Armour housing of Sensor / Probe	Plastic
	Probe / Sensor / Electrode supplied with equipment	Yes
	Number of electrodes supplied	1
	Weight	68 gram
	Dimensions (mm x mm x mm)	160 x 40 x 17 mm
	Carry Case included in the scope of supply	No
	Any other features	Warranty 6 Months
	List of Items and Quantity of each item included in the offer	HI98319 Only
OPERATING CONDITIONS	Minimum Operating Temperature	0 degree Celsius
	Maximum Operating Temperature	50 degree Celsius
	Operating Humidity, Rh at 40 deg C	95 percent
WARRANTY	Warranty on Equipment	0.5 year
	Warranty on Probe / Electrode	6 month
	Warranty on Cables for Connecting Probe	0 year
CERTIFICATION	Availability of Test Reports from Central Govt / NABL approved / ILAC accredited Lab to prove conformity to the specification	No
	If Yes, Test Report to be furnished to the Buyer on demand	NA
	Test Report No and Date	NA
	Name of the Lab and Address	NA
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>ईपीबीजी विवरण ePBG Detail</p>		
<p>NA</p>		

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.