



1	ईमेल आईडी   Email ID : antfor.00030126@jk.gov.in संपर्क   Contact : - जीएसटीआईएन   GSTIN : - पता   Address : DIVISIONAL FOREST OFFICER LIDDER FOREST DIVISION BJJBEHARA, ANANTHAG, JAMMU & KASHMIR-192124, India	Unbranded Universal Closer (suitable for both anti-clockwise and clockwise doors without any change in the parts of closer)	-	3	20-Jun-2024	05-Jul-2024
<b>Product Specification for Unbranded Universal Closer (suitable for both anti-clockwise and clockwise doors without any change in the parts of closer)</b>						
<b>विनिर्देश   Specification</b>		<b>उप-विनिर्देश   Sub-Spec</b>		<b>मूल्य   Value</b>		
GENERIC	Specification for Door closers		Conforming to IS 3564 – As amended upto date : attached at QR/Spcn			
	Configuration		Exposed type hydraulically regulated door closers for vertical hinge type doors opening to one side only and not weighing more than 80 kgs			
	Types of door closers		Tubular type (Type B)- As per Fig. 3 and 4 of governing specification			
	Main components of door closers		As mention in Fig. 1,3 and 4 of governing specification			
	Nominal sizes of door closers		Designation of closer: 3 – for main doors in a building such as entrance doors (Mass of door 61 to 80 Kgs)			
	Scope of supply		Assembled Ready to Use			
	Accessories –must be supplied with each closer		One fitting key or a suitable spanner for adjusting the spring valve and regulating screw alongwith leaflet furnishing instructions for installation			
	Type of Closer (based on direction of the opening of door)		Universal Closer (suitable for both anti-clockwise and clockwise doors without any change in the parts of closer)			
	Closing time of regulating screw		10 Secs			
	Hydraulic oil filling shall work		Satisfactorily (at all temperature between 50 degree Centigrade and (-) 10 Degree Centigrade without requiring any change except adjustment of the regulating screw			
	Checking of performance requirements		After 15 Minutes of its conditioning – at the range of test the closer shall show no defects or leakage of oil			
	Profile use for Fitting Main arm to Shaft		By a nut and a washer			
	Provision for securely fixing the door closer		To the door frame and to the door panel			
	Provision for carrying out repairs - such as replacement of broken spring, oil seal etc		Nut / Top Lid of the assembly shall be fixed firmly on to the body and its shall be possible to remove the same whenever necessary			
Capability of closer to regulate the speed		By extending spring or adjustment in control valve screw				
MATERIAL FOR COMONENT PARTS	Non-porous body and back plate		Aluminium alloy confmg. to IS 617 : latest			
	Torsion spring helcal spring		Steel confmg. to IS 4454 (PART 2) : latest			
	Nuts		Brass confmg. to IS 292 : latest			
	Piston or Rack-piston/pinion		Aluminium alloy confmg. to IS 617 : latest			
	Packing / Washers		Neoprane rubber			
	Control valve screw		Aluminium alloy confmg. to IS 617 : latest			
	All weather resistant homogeneous high viscosity hydraulic fluid		Hydraulic Oil confmg. to IS 3098 : latest			
	Adjusting Arm		Aluminium alloy confmg. to IS 617 : latest			
	Main Arm		Aluminium alloy confmg. to IS 617 : latest			
	Clamp		Steel confmg. to IS 7283 : latest			
	Concentric ratchet (For bottle type)		Aluminium alloy confmg. to IS 617 : latest			
	Eccentric shaft		Steel confmg. to IS 7283 : latest			
	Internal bearing and gland		Steel confmg. to IS 7283 : latest			
	Main arm bolt		Steel confmg. to IS 7283 : latest			
	Top nut		Steel confmg. to IS 7283 : latest			
Pawl		Steel confmg. to IS 7283 : latest				
Top lid		Aluminium alloy sheet confmg. to IS 737 : latest				
FINISHING	Finish of door closer		Be polished and finished with lacquer in colours			
	Finish of mild steel parts		As per Clouse 9.2.1 and 9.2.2 of governing specification			
MARKING	Marking on each closer		Manufacturer's name or trade-mark - Right closer - left closer - universal closer - 'R' - 'L' - 'U' respectively - Size of the closer - Type of the closer - Serial number			
PACKING	Packing		Packed in individual card board with reinforcing board / straw – to prevent damage to			

		painting
WARRANTY	Warranty period	2 - Years
CERTIFICATION	Criteria for conformity – for construction – finish – dimension – Interchangeability of parts and performance test	As per clause 14.3 of governing specification
	ISI Mark	No
	BIS Licence No (Write NA if not applicable)	NA
	Test reports in respect of to be furnished to buyer's on demand	No
	OEM of offered product is ISO 9001:2015 certified	No
	OEM of offered product is ISO 14001:2015 certified	No
	OEM of offered product is ISO 18001:2007 certified	No
<p><b>टिप्पणी   Note::</b> Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p><b>विक्रेता विशिष्टता दस्तावेज़   Seller Specification Document:</b></p>		
1. <a href="#">Applicable Specification Document</a>	mkp.gem.gov.in/uploaded_documents/cms/tp/home_stru_door_door_hydr/51/16/877/CategorySchema/q_r_spcn_document/2019/2/22/is-3564-1995_2019-02-22-10-32-55_b31546a45ff9e6af3dd29db1f478fe16.pdf	
<p><b>ईपीबीजी विवरण   ePBG Detail</b></p>		
<p>NA</p>		
<p><b>नियम और शर्तें   Terms and Conditions</b></p>		
<p><b>1. General Terms and Conditions-</b></p> <p>1.1 This contract is governed by the <a href="#">General Terms and Conditions</a>, conditions stipulated to this Product/Service as provided in the Marketplace.</p> <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p> <p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		