

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687741265263

अनुबंध तिथि | Generated Date : 21-Jun-2024

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : State Autonomous मंत्रालय Ministry : - विभाग Department : Department of Panchayati Raj संगठन का नाम Organisation Name : SOLAPUR District Panchayats कार्यालय क्षेत्र Office Zone : Gram Panchayat Sohale	पद Designation : GRAMSEVAK संपर्क नंबर Contact No. : 02189-976603-1008 ईमेल आईडी Email ID : gpsohale01-mh@panchayat.gov.in जीएसटीआईएन GSTIN : 27PNEG19820D1DY पता Address : Sohale, SOLAPUR, MAHARASHTRA-413253, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : sarpanch sohale वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : gramsevak sohale	Role: BUYER भुगतान का तरीका Payment Mode: MOPR पद Designation : GRAMSEVAK ईमेल आईडी Email ID : gpsohale01-mh@panchayat.gov.in जीएसटीआईएन GSTIN : 27PNEG19820D1DY पता Address: Sohale, Solapur, MAHARASHTRA-413253, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 12XR230010354445 कंपनी का नाम Company Name : MAULI RO SYSTEM AND ENTERPRISES संपर्क नंबर Contact No. : 08983805383 ईमेल आईडी Email ID : ingalesuraj164@gmail.com पता Address : ground floor gat no 913/1,mainroad kurdu,madha,kurdu, Solapur, MAHARASHTRA-413208, - एमएसएमई पंजीकरण संख्या MSME Registration number : udyam-mh-32-0028447 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 27AJFP10573A1ZP (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : good product

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Drinking Water ATM Reverse Osmosis (RO) 500 ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Drinking Water ATM / Water Vending Machine (Version 2) (Q3) मॉडल Model: NA एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	248,870	NA	248,870
कुल ऑर्डर मूल्य Total Order Value (in INR)						248,870

परेषिती विवरण Consignee Detail						
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : GRAMSEVAK ईमेल आईडी Email ID : gpsohale01-mh@panchayat.gov.in संपर्क Contact : 02189-976603-1008 जीएसटीआईएन GSTIN : 27PNEG19820D1DY	Unbranded Drinking Water ATM Reverse	-	1	21-Jun-2024	06-Jul-2024

Product Specification for Unbranded Drinking Water ATM Reverse Osmosis (RO) 500

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Coin / Card Acceptor / Quantity of Dispensing Water	Number of Dispensing points	2
	Water Dispensing using coin acceptor	Yes
	Coins accepted for payment	Rs. 5
	Water Dispensing using RFID/NFC card	Yes
	Mobile Wallet accepted for payment	Yes
	Quantity of Dispensing Water	Configurable as Per Buyer Requirement
CAPACITY / TYPE / WATER SOURCE / OUTLET WATER QUALITY	Purification Capacity of Water ATM (LPH)	500
	Type of Operation	Semi-Automatic
	Water Source	Municipal Tap water
	Quality of outlet water from each dispenser of the Water ATM	Conforms to IS:10500(latest)
TECHNOLOGY	Technology	Reverse Osmosis (RO)
	UV Disinfection	Yes
	Filters deployed in the system hint: (Select applicable Parameters only)	Pressure Sand Filter
	Anti scalant dosing pump	Yes
	pH Correction Dosing Pump	Yes
CONSTRUCTIONAL	Raw water Storage capacity (Indicate '0' for direct connection to continuous Tap Water source)	500
	Raw water Storage Tank Material of Construction	HDPE
	Location of the Raw Water Storage Tank	Outside the ATM Enclosure
	Treated water Storage capacity	401-500
	Treated water Storage Tank Material of Construction	Stainless Steel 304 Gr
	Equipped with an in-built chiller unit for providing continuous cold water of temperature around 15 degree Celcius	Yes
	In-built Chiller Tank Capacity (Liter)	251-300
	Chiller Tank Material of Construction	Stainless Steel 304 Gr
	ATM Installation Type	Floor mounted
	Number of Filtration steps	5
	Minimum Water Recovery Percentage @27 degree ambient temperature (%)	31-40
	Provided with suitable vending place for filling container of 20 liters capacity	No
	Agreed to STC of the product category	Yes
	DISPLAY	Display of water purity parameters
Display Type		NA
Backlit Display		No
Touch Screen Display		No
Display Size (Characters x Lines)		NA
Display of outlet water TDS level		No
Display of outlet water pH level		No
Display of outlet water Temperature		No
Inlet / Feed Pump to feed water from raw water storage tank to filter	Inlet / Feed Pump Type	Horizontal Centrifugal
	Number of Inlet / Feed Pumps	1
	Rated Heat (Meter)	<=40
	Pump Motor Rating (HP)	<=10
	Inlet / Feed Pump Capacity at rated head (LPH)	<=5000
	Pump Motor / Head (HP)	<=5

Multi Media Filter Vessels for First stage filtration for suspended particles	Type of Multi Media Filter Vessels	Vertical Multi Media Filter
	Material Of Construction for Multi Media Filter Vessels	FRP
	Number of Multi Media Filter Vessels	1
	Size of Multi Media Filter Vessels (mm)	10X54
Multi-Port Valve to control filtration and backwash for media filter having sand & carbon	Type of Multi-Port Valve	Manual
	Multi-Port Valve Material of Construction	ABS
	Number of Multi-Port Valves	1
	Nominal Bore (Size) of Multi-Port Valve	<=63
Anti scalent Dosing Pump to inhibit scaling of hardness salt and silica on RO Membranes, doze pH and Cl as per water quality	Type of Anti scalent Dosing Pump	Electronic diaphragm
	Material Of Construction for Anti scalent Dosing Pump	PP
	Number of Anti scalent Dosing Pumps	1
	Capacity of Anti scalent Dosing Pump (LPH)	<=10
pH Correction Dosing Pump & Dosing Tank to dilute water with dosing chemicals	Type of pH Correction Pump	NA
	Material Of Construction for pH Correction Dosing Pump	NA
	Number of pH Correction Dosing Pumps	NA
	Capacity of pH Correction Dosing Pump (LPH)	<=10
	Dosing Tank Material of Construction	NA
	Dosing Tank Capacity (L)	<=50
High Pressure Pump to develop required pressure for Reverse Osmosis on RO Membranes	Type of High Pressure Pump	Vertical Centrifugal Pump
	Material Of Construction for High Pressure Pump	SS
	Number of High Pressure Pumps	1
	Low pressure switch for Protection of HP pump from burn-out	Yes
RO Pressure Vessel	Type of RO Pressure Vessel	Membrane housing mounted on skid - End port type
	Material Of Construction for RO Pressure Vessel	FRP
	Number of RO Pressure Vessels	1
Ultra Violet (UV) System to disinfect water, kill bacteria and micro-organisms	Material Of Construction for UV System	SS
	Number of UV Systems	1
	Number of UV Lights	1
	Total UV Power	16 Watts
CIP (Clean-In-Place)Tank to mix / Dilute chemicals for membrane cleaning and permeate back wash	CIP Tank	Yes
	CIP Tank Material of Construction	HDPE
	Number of CIP Tanks	1
	Capacity of CIP Tank (Liters)	NA
Piping	Material of Construction for Piping from storage tank to Raw water inlet, total internal piping HPP side / Low Pressure side, plant to product tank & through UV distribution system	ISI Marked U-PVC
Power Source	Power Source	AC Power Supply
	Power Supply	230 ±10 V AC
	Battery Voltage	NA
	Battery Chemistry	NA
	Battery Capacity (AH)	<=200
	Battery back-up time (Hours)	6
EMBEDDED DEVICES FOR AUTOMATION	Quantitative Monitoring (Select applicable Parameters only)	Number of Glasses of water dispensed in a day
	Outlet Water Quality Monitoring (Select applicable Parameters only)	TDS level of water
	Multi-Processor Integrated Control System with Interface cables/ connectors for integration	System to operate after successful operator login only

	Other Features	Interface for connecting coin-acceptors
	Additional features, if any	NOP
Water ATM - Enclosure	Structure	Rigid structure made of MS frame
	Thickness of the frame of structure (mm)	2.5
	Material of Construction of Side Panels of Water ATM	Stainless Steel Sheet
	Side Panel Sheet Thickness (mm)	1
	PUF insulation of Side Panels of Water ATM	Without
	PUF insulation of the door of Water ATM	Without
	Provision for in-built litter space	No
	Covered area of treatment plant enclosure (Square Foot)	10.1-15
	Shape of the Water ATM housing	Cuboidal
	Top Canopy of the Water ATM housing	Flat
	Floor area around the unit covered with vitrified / anti-skid tiles (Specify area of the tiles) (Square foot)	<=25
	Headroom for the Water ATM enclosure (Foot)	7.1-8.0
	Internal / External finish on Steel panels	As per Buyer requirements
	Floor area around the Water ATM enclosure covered with anti-skid tiles	Yes
	Water ATM enclosure protected with enclosed MS grill / mesh	Yes
Installation & Commissioning / Warranty	Installation and Commissioning inclusive in the scope of Supply	Yes
	Trial Run and Training provided (inclusive in the Scope of Supply) (Days)	5
	Warranty for storage Tanks (Year)	1
	Warranty for electrical motors (Year)	1
	Warranty for the filters (Year)	1
	Warranty for the system (Year)	1
Test Reports	Availability of Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	Yes
	Test Report No and Date	DW/0223/16101
	Name and Address of the Lab	SPECTRA ANALYTIC LABS,FARIDABAD
	All the test reports and certificates shall furnish by the supplier to the buyer/consignee on demand	Yes
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>ईपीबीजी विवरण ePBG Detail</p>		
<p>NA</p>		
<p>नियम और शर्तें Terms and Conditions</p>		
<p>1. General Terms and Conditions-</p>		
<p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p>		
<p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p>		
<p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		

