

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687751357758

अनुबंध तिथि | Generated Date : 21-Jun-2024

| | |
|--|---|
| संगठन विवरण Organisation Details | खरीदार विवरण Buyer Details |
| प्रकार Type : Central PSU मंत्रालय Ministry : Ministry of Power विभाग Department : Contracts and Materials संगठन का नाम Organisation Name : N/A कार्यालय क्षेत्र Office Zone : Kudgi | पद Designation : kbraveendra संपर्क नंबर Contact No. : - ईमेल आईडी Email ID : buycon158.cm.ka@gembuyer.in जीएसटीआईएन GSTIN : - पता Address : NTPC LIMITED KUDGI SUPER THERMAL POWER PLANT, BIJAPUR, KARNATAKA-586121, India |

| | |
|--|--|
| वित्तीय स्वीकृति विवरण Financial Approval Detail | भुगतान प्राधिकरण विवरण Paying Authority Details |
| आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : DGM वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : DGM | Role: BUYER भुगतान का तरीका Payment Mode: Offline पद Designation : kbraveendra ईमेल आईडी Email ID : buycon158.cm.ka@gembuyer.in जीएसटीआईएन GSTIN : 29AAACN0255D1ZU पता Address : NTPC LIMITED KUDGI SUPER THERMAL POWER PLANT, BIJAPUR, KARNATAKA-586121, India |

| |
|---|
| विक्रेता विवरण Seller Details |
| जेम विक्रेता आईडी GeM Seller ID : Y18R230009010977 कंपनी का नाम Company Name : anubha industrial solutions संपर्क नंबर Contact No. : 09599175415 ईमेल आईडी Email ID : anubhaindustrialolutions@gmail.com पता Address : Shop no.2, Gadarwara,NTPC GATE 1 MARKET,Gangai Road,Village/Town:- NTPC GATE NO 1 GANGAI, City:- Gadarwara, Narsinghpur, MADHYA PRADESH-487441, India एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-MP-32-0010624 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Female जीएसटीआईएन GSTIN: 23EBVPG7601B1ZV (R) |

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

| उत्पाद विवरण Product Details | | | | | | |
|--|--|-------------------------------|-------------|-------------------------------------|---|---|
| # | आइटम विवरण Item Description | आइटम विवरण Ordered Quantity | इकाई Unit | इकाई मूल्य (INR) Unit Price (INR) | कर विभाजन (INR) Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR) |
| 1 | उत्पाद का नाम Product Name : BRUTFORCE 380-512 MHz VHF Split Band 16 Channel Analog Handheld ब्रांड Brand : BRUTFORCE ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Analog Transceiver - Handheld (Q3) मॉडल Model: Brutforce BFR-001 License free walkie talkie एचएसएन कोड HSN Code: HSN not specified by seller | 6 | pieces | 3,899 | NA | 23,394 |
| कुल ऑर्डर मूल्य Total Order Value (in INR) | | | | | | 23,394 |

| परोक्षी विवरण Consignee Detail | | | | | | |
|---|--|--|--------------------|-------------------|---|--|
| क्र.सं. S.No | परोक्षी Consignee | वस्तु Item | लॉट नंबर Lot No. | मात्रा Quantity | दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After | वितरण पूरा कब तक करना है Delivery To Be Completed By |
| 1 | पद Designation : kbraveendra ईमेल आईडी Email ID : buycon158.cm.ka@gembuyer.in संपर्क Contact : - जीएसटीआईएन GSTIN : - | BRUTFORCE 380-512 MHz VHF Split Band 16 Channel Analog | - | 6 | 21-Jun-2024 | 06-Jul-2024 |

Product Specification for BRUTFORCE 380-512 MHz VHF Split Band 16 Channel Analog Handheld

| विनिर्देश Specification | उप-विनिर्देश Sub-Spec | मूल्य Value |
|---------------------------|---|---|
| PERFORMANCE FEATURES | Frequency Range (MHz) | 380-512 |
| | Types of Bandwidth | VHF Split Band |
| | Channel Capacity | 16 |
| | Channel Spacing | 12.5 kiloHertz |
| | Frequency Spread without degradation in Tx / Rx Specification | 5 megaHertz |
| | Frequency Stability (±) | 2.5 parts per million |
| | Antenna Impedance | 50 Ohm |
| TRANSMITTER | RF Power output setting of transmitter | Programmable |
| | RF Power output Range | 1 to 4 Watts (UHF) |
| | Type of Emission | 11K0F3 |
| | Frequency deviation | ± 2.5Khz max. for 100% at 1KHz |
| | Modulation Sensitivity | 1 to 10mV at 1 KHz at mic. Input for +/- 1.5 KHz standard deviation |
| | Modulation Distortion | 2.5 percent |
| | Modulation Fidelity | +1, -3 dB of 6dB/ octave pre-emphasis characteristics from 350 Hz to 2700 Hz with 1KHz as reference |
| | Spurious & Harmonics Suppression (dB) | 60 |
| | VSWR | 1.5 |
| RECEIVERS | Sensitivity at 12 dB SINAD | 0.2 microVolt |
| | Squelch Sensitivity of receiver | 0.25 microVolt |
| | Adjacent Channel Selectivity (dB) | 60 |
| | Image Rejection (dB) | 65 |
| | Audio Output, (with less than 5 % distortion at 1 KHz reference measured at specified AF output) | 250,500 milliWatt |
| | Audio Response | +1, -3 dB of 6dB/ octave de-emphasis characteristics from 350 Hz to 2700 Hz with 1KHz as reference |
| ACCESSORIES | Antenna | Helical Antenna |
| | Programming kit | No |
| | Technical repairing & maintenance manual with complete block diagram, circuit layout etc in soft as well as hard copy | No |
| | Battery charger | Yes |
| | Output voltage of the charger | 7.4 |
| | Battery charger suitable for | Lithium-ion |
| | Charging time for standard mode | 6 to 14hrs |
| | Charging time for rapid mode | 1 to 3 hrs |
| | Number of spare batteries with each Radio Set | NA |
| POWER SOURCE/BATTERY | Chemistry of Battery | Li-ion |
| | Voltage rating of the Battery | 7.2 Volt |
| | capacity of Battery (milli AH) | 2600 |
| | Simple Press to talk | yes |
| | Protection against high VSWR | yes |
| | Low Battery Alert | yes |
| | CTCSS or DCS | yes |
| | Capable of VOX for hands-free operation | Yes |
| | PTT ID Encode | No |
| | Busy Channel Lockout | No |

| | | |
|---------------------|---|--|
| VARIOUS FEATURES | Channel Scanning with call quieting facility | No |
| | Selective Call Decode | No |
| | Capable of being Killed/ Unkilled | No |
| | Emergency SOS/SIREN | Yes |
| | LCD Display (Min 4 characters) | No |
| | Automatic Number Identification (ANI) | No |
| | Talk-around | No |
| | DTMF Keypad | No |
| | DTMF Microphone | No |
| | Keypad Lock | No |
| | Built-in GPS | No |
| | Battery Strength Bar Indicator or Digital Voltage read out | No |
| | Signaling | 2Tone,5Tone |
| GENERIC | Internal Speaker impedance | 4 Ohm |
| | External Speaker impedance | 4 Ohm |
| | Output Termination | Others |
| | Weight of Transceiver with Battery | 280 gram |
| | Other features | LICENSE FREE WALKIE |
| SAFETY | Protections | Reverse polarity protection & short circuit protection |
| SERVICE | Warranty | 1 year |
| OPERATING CONDITION | Minimum Operating temperature | -10 degree Celsius |
| | Maximum Operating temperature | 55 degree Celsius |
| | Minimum Storage temperature | -40 degree Celsius |
| | Maximum Storage temperature | 70 degree Celsius |
| | Humidity non-condensing (at +40 oC) | 95 percent |
| CERTIFICATION | BIS registration under CRS of Meity for the battery | Yes |
| | BIS registration Number and Date for the Battery | R-81007250 |
| TEST REPORT DETAILS | conformity to Dry Heat for 16 hrs at a maximum temp in accordance with IS:9000/part-3/section-5/1977 latest | No |
| | conformity to Cold Test for 4 hrs at a minimum temp in accordance with IS:9000/part-2/section-4/1977 latest | No |
| | conformity to Damp Heat (Cyclic)Test for 2 Cycles of 24 h each at a temp of 40 degree C & 95% RH in accordance with IS:9000/part-5/section-1/ 1991 latest | No |
| | Drop Test (in packed condition): IS 9000 Part VII/SEC,3/1979 (reaffirmed 2004): Six drops one on each face, Height of fall 1000 mm incase of handheld items and 500 mm in case of other items | No |
| | Vibration Test: IS 9000 Part VIII/1981 (reaffirmed 2006): 12 hours, 4 hours along with each axis, at 15-150 Hz and with amplitude of 0-15 mm/2g | No |
| | Storage Test: IS 9000 Part III/SEC 5/1977 & Part II/ SEC 4/1977 (reaffirmed 2004): -40 deg C for 5 hours, then raise the temperature to 70 deg C for 16 hours | No |
| | Bump Test: IS 9000 Part VII/SEC 2/1979 (reaffirmed 2004): 4000 bumps at peak acceleration of 400 m/s sq | No |
| | Availability of the test report from Central Govt/ NABL/ ILAC accredited lab to prove conformity to the specification | Yes |
| | If yes test report to furnished,to the buyer on demand | Yes |
| | Test Report Number and date for the specification test | AGC01635180203E502 |
| | Name and address of the Lab for the specification test | Qixiang Electron |

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.