# अनुबंध|Contract



**अनुबंध क्रमांक|Contract No:** GEMC-511687780019463

अनुबंध तिथि | Generated Date : 22-Jun-2024

### संगठन विवरण|Organisation Details

प्ररूप|Type : Central PSU मंत्रालय|Ministry : Ministry of Power

विभाग|Department: POWER GRID Corporation OF INDIA Limited संगठन का नाम|Organisation Name: POWER GRID Corporation OF INDIA Limited

कार्यालय क्षेत्र|Office Zone: Corporate Office Gurgaon

#### खरीदार विवरण|Buyer Details

पद | Designation : Senior Engineer संपर्क नंबर | Contact No. : 0141-2440726-

ईमेल आईडी|Email ID : buyer2.mop.jaipur@gembuyer.in

जीएसटीआईएन|GSTIN: 08AAACP0252G1ZT

POWERGRID CORPORATION OF INDIA, Jaipur Office, B-4/184

Chitrakoot Scheme, Near Pratap Stadium, Vaishali Nagar,

पता|Address : Jaipur, Rajasthan-302021,

JAIPUR, RAJASTHAN-302021, India

भुगतान प्राधिकरण विवरण|Paying Authority Details

PAO

## वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति] IFD Concurrence : No

प्रशासनिक अनुमोदन का पदनाम| Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

Role: भूगतान का तरीका|

CGM

SR DGM

भुगतान का तराका। Payment Mode:

पद|Designation : Dy Manager

ईमेल आईडी|Email ID : pao16.pgcil.hr@gembuyer.in जीएसटीआईएन|GSTIN : 06AAACP0252G1ZX

Power Grid Corporation of India Ltd., 400/220kV Sonipat

Substation, Village: Jaji, PO-Juan, Sonipat-Gohana Road,

पता|Address: Haryana-131024,

Sonipat, HARYANA-131024, India

### विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : DMCV230008105317 कंपनी का नाम|Company Name : LAXMI NARAYAN SAHU संपर्क नंबर|Contact No. : 08770165243

ईमेल आईडी|Email ID : awarebooks4u@gmail.com

WARD NO 10, TALAIYA CHOWK BERASIA, BERASIA,

पता| Address : Bhopal, MADHYA PRADESH-463106, -

एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-MP-10-0052535

एमएसई सामाजिक श्रेणी|MSE Social Category : OBC एमएसई लिंग श्रेणी|MSE Gender : Male जीएसटीआईएन|GSTIN: NA

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : Delivery at consignee location

### उत्पाद विवरण|Product Details

#	आइटम विवरण Item Description	आइटम विवरण  Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)  Unit Price (INR)	कर विभाजन (INR)  Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)  Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम  Product Name: Woods Interiors Blackout roller blind ब्रांड Brand: Woods Interiors ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As: Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant: Roller Blinds (Q3) मॉडल Model: ROLLER BLINDS एचएसएन कोड HSN Code: HSN not specified by seller	37	square meter	2,499.99	NA	92,499.63
व	कृल ऑर्डर मृल्य  Total Order Value (in INR)					92,499.63

# परेषिती विवरण|Consignee Detail

क्र.सं. ९	No परेषिती Consignee	वस्तु Item	लॉट नंबर  Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है  Delivery Start After	वितरण पूरा कब तक करना है  Delivery To Be Completed By
	पद  Designation : Chief Manager					

संपर्क Coi 1 जीएसटीआ पता Addi Bikaner-	l Email ID : con2.pgcil.neemrana@gembuyer.in itact : - Woods Interiors ছিল GSTIN : - ess : Powergrid Corporation of India Limited, 400/220 kV I SS, Village Jaimalsar, Tehsil Kolayat, Bikaner-334001., , RAJASTHAN-334001, India	-	37	22-Jun-2024	07-Jul-2024	
Product Specific	ation for Woods Interiors Blackout roller blind					
विनिर्देश Specificatio	on उप-विनिर्देश Sub-Spec	मूल्य Value	मूल्य Value			
	Opening style		1. Roll up / Roll down			
	Mounting arrangement		Bracket systems – to install functional roller blind mechanism			
	Types of roller blind	Blackout roll	Blackout roller blind			
	Shading solution	Single roller	Single roller blind – utilise one layer of fabric (called outer layer)			
GENERIC	Operating mechanism		Pull tab on the bottom of the fabric (provides easy manipulation of the blinds without touching fabric)			
	Roller blind fitting option	Inside moun	Inside mount (recess fit) – on the interior of the window frame			
	Type of bottom rail	Round	Round			
	Supplier to perform Installation and commissioning	Yes	res			
	Control unit made up of High strength reinforced plastic	Polyester rei	Polyester reinforced plastic			
	Installation Bracket type	"L" brackets	" L " brackets			
	Installation Bracket made up of	Mild steel an	Mild steel and Zinc plated			
	Spring made up of	Rustproof Hi	Rustproof High carbon steel springs			
	Top roller type	Aluminium p	Aluminium pipe with groove (to fix the fabric in the groove)			
	Head rail made up of	Aluminium e	Aluminium exclusion rail powder coated			
	Chain type	N.A	N.A			
	Chain material	N.A				
	Pitch of the beads	N.A	N.A			
MECHANISM MATERIA	Roller tube made up of	Anodized ext	Anodized extruded tube of high strength alloy			
	Inner diameter(id)	38 mm (id)	38 mm (id)			
	Wall thickness of roller tube	1 mm				
	End plug		Polyester reinforced plastic			
	Bottom rail made up of	Aluminium e	Aluminium extruded rail with groove			
	Cassette made up of	Aluminium e	Aluminium extruded rail			
	Finish of exposed portion	Glossy	Glossy			
	Powder coating minimum thickness	50 microns	50 microns			
	Cassette/ pelmet front side shall be matching to the fabric	Yes	Yes			
DIMENSION (Blinds)	Width	1000 millime	eter			
DIMENSION (Billius)	Length	1000 millime	eter			
	Speed (Hint : select NA if not motorized)	N.A				
	Control (Hint : select NA if not motorized)	N.A	N.A			
	Voltage (Hint : select NA if not motorized)	N.A	N.A			
MOTOR SPECIFICATIO	N Maximum Power consumption (Hint : select NA if not motorized)	N.A	N.A			
	Frequency (Hint : select NA if not motorized)	N.A	N.A			
	Minimum Lifting capacity (Hint : select NA if not motorized)		N.A			
	Noise (Hint : select NA if not motorized)	N.A	N.A			
	Fabric material	Polyester	Polyester			
	Fabric Patterns	Plain	Plain			
	Fabric Weight in GSM (± 10)	300 gram				
	Light blocking percentage of outer layer (in case of Single and dual roller blinds be	th) 15 percent	15 percent			
-ABRIC DETAILS	Light blocking percentage of inner layer (in case of dual roller blinds only) Hint : se '0' in case of Single roller blinds	10 percent				
	Colour fastener to light (Rating range)	6.3				

	Colour of fabric	As per Buyer's choice (To be intimated within 3 days of order. If there is delay in confirming colour of fabric, DP to be refixed for the delayed period)		
	Agree to provide Advance sample(s) of fabric for buyer's approval before commencement of supply Hint: Applicable in case of orders placed against bid and not applicable in case of Direct Buying	Yes		
WARRANTY	Warranty period in number of years (for mechanism only)	3		
CERTIFICATION	ISO certified manufacturer (proof of the same to be submitted to buyer on demand if ISO certified)	No		

বৈঘণী Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

## ईपीबीजी विवरण | ePBG Detail

NΑ

# नियम और शर्तें|Terms and Conditions

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.