

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687772269929

अनुबंध तिथि | Generated Date : 25-Jun-2024

<b>संगठन विवरण   Organisation Details</b> प्ररूप   Type : State Government मंत्रालय   Ministry : - विभाग   Department : Public Works Department Delhi संगठन का नाम   Organisation Personnel Information and Management System Central Public Name : Works Department कार्यालय क्षेत्र   Office Zone : Executive Engineer (elect.) M-451		<b>खरीदार विवरण   Buyer Details</b> पद   Designation : ASSTT ENGINEER (ELECT) संपर्क नंबर   Contact No. : 011-23292199-3280 ईमेल आईडी   Email ID : aepwdm253@delhi.gov.in जीएसटीआईएन   GSTIN : 07DELE07030C1D5 O/O EXECUTIVE ENGINEER ELECTRICAL (PB AND EAST BUILDING) M PWD 2ND FLOOR DELHI SACHIVALAYA BLDG. I P ESTATE NEW DELHI, पता   Address : CENTRAL DELHI, DELHI-110002, India				
<b>वित्तीय स्वीकृति विवरण   Financial Approval Detail</b> आईएफडी सहमति   IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval : Executive Engineer (E) M-253 वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval : Executive Engineer (E) M-253		<b>भुगतान प्राधिकरण विवरण   Paying Authority Details</b> Role: PAO भुगतान का तरीका   Payment Mode: Offline पद   Designation : Executive Engineer Elect ईमेल आईडी   Email ID : chakraborty.64@gov.in जीएसटीआईएन   GSTIN : - O/O EXECUTIVE ENGINEER ELECTRICAL (PB AND EAST BUILDING) M PWD 2ND FLOOR DELHI SACHIVALAYA BLDG. I P ESTATE NEW DELHI, पता   Address : CENTRAL DELHI, DELHI-110002, India				
<b>विक्रेता विवरण   Seller Details</b> जेम विक्रेता आईडी   GeM Seller ID : DC4F180000519004 कंपनी का नाम   Company Name : DIVYANSHU ENTERPRISES संपर्क नंबर   Contact No. : 09718222062 ईमेल आईडी   Email ID : chinmayee771988@gmail.com पता   Address : KH NO-558/559, D-5 3RD FLOOR, BANK COLONY, DEVL VILLAGE, DEOLI, NEW DELHI-110080, BANK COLONY, DEVL VILLAGE, DEOLI, NEW DELHI-110080, BANK COLONY, DEVL VILLAGE, DEOLI, NEW DELHI-110080, South Delhi, DELHI-110062, - एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-DL-08-0026042 एमएसई सामाजिक श्रेणी   MSE Social Category : General एमएसई लिंग श्रेणी   MSE Gender : Female जीएसटीआईएन   GSTIN : 07DCAPB7703L1ZQ (R)						
* जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा   GST / Tax invoice to be raised in the name of - Consignee						
वितरण निर्देश   Delivery Instructions : NA						
<b>उत्पाद विवरण   Product Details</b>						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : FLAMEKLOG Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure ≤19 bar) Clean Agent (certificate of manufacturer/supplier) Class -A ब्रांड   Brand : FLAMEKLOG ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Portable Fire Extinguishers (V2) as per IS 15683:2018 (Q2) मॉडल   Model : 6KG CLEAN AGENT TYPE AUTOMATIC & MANUAL FIRE EXTIN एचएसएन कोड   HSN Code : HSN not specified by seller	10	pieces	49,000	NA	490,000
कुल ऑर्डर मूल्य   Total Order Value (in INR)						490,000
<b>परोक्षी विवरण   Consignee Detail</b>						
क्र.सं.   S.No	परोक्षी   Consignee	वस्तु   Item	लॉट नंबर   Lot No	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start Date	वितरण पूरा कब तक करना है   Delivery To

			Lot No.		Delivery Start After	Be Completed By
1	<p>पद   Designation : CONSIGNEE  ईमेल आईडी   Email ID : neeraj.kumar1968@gov.in  संपर्क   Contact : 011-23392199-3263  जीएसटीआईएन   GSTIN : -  पता   Address : O/O EXECUTIVE ENGINEER ELECTRICAL (PB AND EAST BUILDING) M PWD 2ND FLOOR DELHI SACHIVALAYA BLDG. I P ESTATE NEW DELHI, CENTRAL DELHI, DELHI-110002, India</p>	<p>FLAMEKLOG Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure <math>\leq</math>19 bar) Clean Agent (certificate of manufacturer/supplier) Class -A</p>	-	10	25-Jun-2024	10-Jul-2024

**Product Specification for FLAMEKLOG Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure  $\leq$ 19 bar) Clean Agent (certificate of manufacturer/supplier) Class -A**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Generic	Conformity to Standard	IS: 15683: 2018 (Latest amendments)
	Type	Stored Pressure
	Extinguishing Media	Clean Agent (certificate of manufacturer/supplier)
	Expellant Medium	N2 Based (Stored Pressure)
Constructional Material	Type of Extinguisher	Low Pressure Extinguisher (Service Pressure $\leq$ 19 bar)
	Material Specification for the body of High Pressure Extinguisher	NA
	Material Specification for the body of Low Pressure Extinguisher	Welded low carbon steel cylinders (as per Clause 9.2.5 of IS 15683)
Construction	Foam Based Extinguishing Media	NA
	Powder Based Extinguishing Media	NA
	Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3)	Yes
	Name of Clean Agent as per (CL 5-1-3)	NA
	Foam Based Fire Extinguisher Capacity in Liters	NA
	Powder Based Fire Extinguisher Capacity in Kg	NA
	Carbon Dioxide Based Fire Extinguisher Capacity in Kg	NA
	Water Based Fire Extinguisher Capacity in Liters	NA
	Clean Agents Fire Extinguisher Capacity in Kg	6
	Water Mist Fire Extinguisher Capacity in Liters	NA
	Weight of Filled Portable Fire Extinguisher	6.5 kilogram
	Features of Fire Extinguisher	Carrying Handle (Mandatory If Extinguisher having mass $\geq$ 1.5Kg or Cylinder diameter,Safety Devices (Mandatory for High Pressure Extinguisher),Rechargeable,Hose Assemblies (Mandatory If mass or volume of Extinguishing medium > 3 Kg or Litres),NA
	Marking	As per clause 10.2 of IS 15683 (latest)
	Colour Coding Band (As per CL 10-1)	Green (Clean Agent)
Performance	Operating Temperature ( $^{\circ}$ C)	-30 $^{\circ}$ C to +60 $^{\circ}$ C
	Test Pressure for all Fire extinguisher except CO2	35 bar
	Burst Pressure for all Fire extinguisher except CO2	55 bar
	Minimum Effective discharge time for Fire Extinguisher	15.882 second
	Fire Rating of different class of fires	34B
	Discharge Range of Class-A and Class-B Fire Extinguisher (As per table 1 of CL 7-2-2) (Hint : $\geq$ 2 in case applicable on Class-A or Class A & B both / $\geq$ 1 in case applicable on Class-B only)	2 meter
	Class of fire for which Fire Extinguisher is suitable	Class -A
	BIS Marking	Yes
	CM/L No With Validity Period	520010697921-07-2023
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Availability of Test Report from NABL accredited Laboratory

Certification	Test Report No	2832
	Test Report Date	25-02-2021
	Name of the lab	AFRL PVT. LTD.
	Address of the lab	B-3, MANGOL PURI-34
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 5200106979

#### ईपीबीजी विवरण | ePBG Detail

NA

#### नियम और शर्तें | Terms and Conditions

##### 1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.