

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687748303623

अनुबंध तिथि | Generated Date : 25-Jun-2024

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्ररूप   Type : Central Autonomous मंत्रालय   Ministry : Ministry of Education विभाग   Department : Department of School Education and Literacy संगठन का नाम   Organisation Name : KENDRIYA VIDYALAYA SANGATHAN कार्यालय क्षेत्र   Office Zone : KADAPA	पद   Designation : SENIOR SECRETARIAT ASSISTANT संपर्क नंबर   Contact No. : 08562-225661- ईमेल आईडी   Email ID : buyer-2077@kvs.gov.in जीएसटीआईएन   GSTIN : 37HYDK03751G1DC KENDRIYA VIDYALAYA KADAPA BESIDE STM TOWNSHIP, पता   Address : NEAR NEW RIMS, KADAPA, CUDDAPAH, ANDHRA PRADESH-516002, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval : PRINCIPAL वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval : PRINCIPAL	Role: PAO भुगतान का तरीका   Payment Mode: Offline पद   Designation : PGT ईमेल आईडी   Email ID : p.authority-2077@kvs.gov.in जीएसटीआईएन   GSTIN : - KENDRIYA VIDYALAYA KADAPA BESIDE STM TOWNSHIP, पता   Address : NEAR NEW RIMS, KADAPA, Cuddapah, ANDHRA PRADESH-516002, India

विक्रेता विवरण   Seller Details
जेम विक्रेता आईडी   GeM Seller ID : C5CF190000740829 कंपनी का नाम   Company Name : KRISHNA ENTERPRISES संपर्क नंबर   Contact No. : 09784673954 ईमेल आईडी   Email ID : krishnaent1008@gmail.com पता   Address : H NO 8-147,,GAYATRI NAGAR CROSS ROAD,JILLELAGUDA KARMANGHAT,KARMANGHAT, Hyderabad, TELANGANA-500079, - एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-TS-09-0056648 एमएसई सामाजिक श्रेणी   MSE Social Category : General एमएसई लिंग श्रेणी   MSE Gender : Male जीएसटीआईएन   GSTIN : 36HERPS3646G1Z (R)

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : Total 30 sets - Sports T-Shirt & Shorts Size and Quantity Small(S) - 38cm - 2Qty  
Medium(M) - 40cm - 14 Qty. Large(L) - 42cm - 11Qty X Large (XL) - 44cm - 3Qty

उत्पाद विवरण   Product Details						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : Unbranded Polyester Woven Track Suits - Sports ब्रांड   Brand : NA ब्रांड प्रकार   Brand Type : Unbranded कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Track Suit - Sports (Q3) मॉडल   Model: VOLLEYBALL DRESS एचएसएन कोड   HSN Code: 6404	30	pieces	575	NA	17,250
कुल ऑर्डर मूल्य   Total Order Value (in INR)						17,250

परोक्षी विवरण   Consignee Detail						
क्र.सं.   S.No	परोक्षी   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
	पद   Designation : SENIOR SECRETARIAT ASSISTANT					

1	ईमेल आईडी   Email ID : buyer-2077@kvs.gov.in संपर्क   Contact : 08562-225661- जीएसटीआईएन   GSTIN : 37HYDK03751G1DC पता   Address : KENDRIYA VIDYALAYA KADAPA BESIDE STM TOWNSHIP, NEAR NEW RIMS, KADAPA, CUDDAPAH, ANDHRA PRADESH-516002, India	Unbranded Polyester Woven Track Suits - Sports	-	30	25-Jun-2024	10-Jul-2024
---	--	--	---	----	-------------	-------------

### Product Specification for Unbranded Polyester Woven Track Suits – Sports

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
UTILITY	UTILITY	Unisex
COMPONENTS	Components	Complete Set consisting of Upper and Lower
MATERIAL	Fabric ( Composition )	Polyester
	Percentage of Blending ( in case of Blended Fabric )	Polyester 50 % and Cotton 50 %
	Mass ( gram per square mtrs )	100 gram
	Fabric Construction	Woven
	Weave ( In case of Woven Fabric )	Plain
	Any other weave as per buyer's requirements ( in case weave is other than already mentioned above )	NOT APPLICABLE
	Knitting ( In case of knitted Fabric )	Plain ( Single Jersey ) Knitted,
	Ends per dm	-
	Picks per dm	-
	Courses per dm	-
	Wales per dm	-
	Count of knitting yarn	-
	Raising at inner side of Main Fabric	No
	Upper Lining	No
	Lower Lining	No
	Lining Material	100% Polyester Mesh
	Mass of Lining (Gram per Square Meter)	Not Applicable
	Netting mesh No of holes on base & bias within 625 Square millimeter	Not Applicable
	Technical Requirements of Slide Fastener for Upper Closing	No
	Technical Requirements of Slide Fastener for Pocket Closing ( For Pockets with Slide Fastner for closing )	Not applicable
	Slide Fastners are BIS Marked	Not Applicable
	Width of Tape Elastic at Waist of Trouser	4.5 cm
	Width of Tape Elastic at Bottom of Upper	4.0 cm
	Technical Requirements of Waist Band	No
	Waist Draw Cord	Polypropylene Cord of 4mm dia
	Draw Cord Ends	Fused
	Breaking Strength of Draw Cord	340 N minimum
	Sleeve Ends ( Cuff )	Elastic Tape
	Upper provided with Piping	No
	Lower provided with Piping	No
	Piping Fabric- Composition	100 percent Polyester
	Piping Fabric- Any other material as per buyer's requirements ( Other than mentioned above )	NOT APPLICABLE
Piping Fabric Mass ( gram per square mtrs )	Not Applicable	
Embroidery Thread	Not Applicable	
SIZE	Size	Large (L)
	Width Across Chest 25 mm below under arm	55.0 cm ( Large )
	Width Across Bottom Opening (relaxed)	48 cm ( Large )
	Length at front from top of collar to bottom	68 cm ( Large )

DIMENSIONS OF UPPER	Sleeve length (from center of back to bottom of sleeve)	87 cm ( Large )
	Sleeve opening relaxed ( Cuff ) Width	10 centimeter
	Front Neck Drop	9 centimeter
	Back Neck Drop	2 centimeter
	Length of Slide Fastener	66 cm( Large )
DIMENSIONS OF LOWER	Side Seam Length	107 cm ( Large )
	Waist relaxed ( Width Across )	45.5 cm ( Large )
	Waist stretched (Width Across )	55 cm ( Large )
	Seat/ Hip ( 15 cm below waist band)	55 cm ( Large )
	Thigh (at Crotch) ( Width Across )	37 cm ( Large )
	Bottom Opening ( Width Across )	22 centimeter
	Front rise including waist band	29 cm ( Large )
	Back rise including waist band	39 cm ( Large )
	Length of Waist Tying Cord	160 centimeter
	Bottom Fold (Hem) with full turn in(cm)	2.5
POCKETS	Number of Pockets (Upper)	Without Pockets
	Size of Side Pockets-Upper ( Length X Width ) ( cm )	Not Applicable
	Size of Inside Pocket at Chest- Upper	Not Applicable
	Side Pocket opening - Upper	15.0 cm
	Side Pocket Closure with Slide Fastener -Upper	Not Applicable
	Number of Pockets (Lower)	Without Pockets
	Size of Side Pockets - Lower ( Length X Width ) ( cm )	Not Applicable
	Side Pocket Opening- Lower	15 centimeter
	Pocket Closure with Slide Fastener - Lower	All Pockets with Slide Fastener
	Material of Pockets	Main Basic Fabric
COLLAR	Collar Type	Stand and Fall Type, Made of two layers of self material
	Collar Reinforcement	With Canvas Reinforcement
SLEEVE	Sleeve Type	Reglan Sleeve
PIPING	Position and Dimensions of Piping on Upper	-
	Position and Dimensions of Piping on Lower	-
STITCHING	Sewing Thread	145 d tex X 3, Polyester
	Raw edges, if any shall be bound by overlock stitching	Yes
	Waist band stitching of Upper	Stitched in single rows with chain stitch on the elastic
	Sleeve Bottom (Cuff ) Stitching	Stitched in single rows with chain stitch on the elastic
	Waist band stitching of Lower	Stitched in single rows with chain stitch on the elastic
	Lining seams	Inverted
	Bartack Stitching ( Reinforcement Stitching ) at stress bearing areas	Pocket opening, Centre of Waist Band Seam and bottom hem and other stress bearing areas
	Tunnel at Waist Band for Lower	Two holes stitched to allow the draw cord with insertion free movement
	Stitches per dm ( min )	36
COLOUR/ PRINT	Colour	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements
	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements	NOT APPLICABLE
	Sublimation Printing (for 100 % polyester only)	Without
	Sublimation Print as per buyer's requirements	NOT APPLICABLE
	Colourfastness to Light ( IS 2454 )	5
	Colourfastness to Washing ( IS/ ISO 105-C10, Test- C (3))	Change in Colour- 4; Staining of Adjacent Fabric- 3-4
	Colourfastness to Rubbing ( IS 766 )	Dry- 4 / Wet- 3
	Colourfastness to perspiration ( IS 971 )	4

	Colour of Mesh Lining	Not Applicable
	Any other colour of Mesh Lining as per buyer's requirements	NOT APPLICABLE
	Colourfastness to Washing ( IS/ISO 105-C10, Test- C (3))- Mesh Lining	Not Applicable
	Colourfastness to perspiration ( IS 971 )- Mesh Lining	Not Applicable
	Colour of Piping Material	Any other colour as per buyer's requirements
	Any other colour as per buyer's requirements	NOT APPLICABLE
OTHER REQUIREMENTS	Pilling Resistant [after 5 hours Test as per IS 10971 (Part 1)], min	4
	Dimensional stability to washing, Shrinkage or Elongation Percentage, max ( IS 2977 latest), in lengthwise and widthwise direction	2
LOGO AND MARKING	Logo/ Totem Marking	As per buyer's requirements
	Type of Logo	Printed
	Number of Logos on Upper	1
	Number of Logos on Lower	Not Applicable
	Size, Design and Location of Logo as per buyer's requirement	NOT APPLICABLE
TEST REPORT	Availability of Test Report from designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
	Test Report No	NOT APPLICABLE
	Test Report Date	NOT APPLICABLE
	Name of the Lab	NOT APPLICABLE
	Address of the Lab	NOT APPLICABLE
	Test reports to be furnished to buyer on demand, if claimed to be available	Not applicable
ADVANCE SAMPLE	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Not applicable
<p><b>टिप्पणी   Note::</b> Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p><b>ईपीबीजी विवरण   ePBG Detail</b></p>		
<p>NA</p>		
<p><b>नियम और शर्तें   Terms and Conditions</b></p>		
<p><b>1. General Terms and Conditions-</b></p>		
<p>1.1 This contract is governed by the <a href="#">General Terms and Conditions</a>, conditions stipulated to this Product/Service as provided in the Marketplace.</p>		
<p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p>		
<p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		