

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687704523036

अनुबंध तिथि | Generated Date : 27-Jun-2024

संगठन विवरण | Organisation Details

प्ररूप | Type : Central PSU
मंत्रालय | Ministry : Ministry of Power
विभाग | Department : NA
संगठन का नाम | Organisation Name : NTPC Limited
कार्यालय क्षेत्र | Office Zone : SSC WR1 NTPC

खरीदार विवरण | Buyer Details

पद | Designation : Solapur Indenter 58
संपर्क नंबर | Contact No. : -
ईमेल आईडी | Email ID : buyer169.nl.mh@gembuyer.in
जीएसटीआईएन | GSTIN : -
पता | Address : NTPC Limited, Solapur Super Thermal Power Project, PO Hotgi Station, At - Fatatewadi South, SOLAPUR, MAHARASHTRA-413215, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval : AGM
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval : AGM

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: BUYER
भुगतान का तरीका | Payment Mode: NTPC
पद | Designation : Solapur Indenter 58
ईमेल आईडी | Email ID : buyer169.nl.mh@gembuyer.in
जीएसटीआईएन | GSTIN : 27AAACN0255D1ZY
पता | Address : NTPC Limited, Solapur Super Thermal Power Project, PO Hotgi Station, At - Fatatewadi South, Solapur, MAHARASHTRA-413215, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : 0519180000327198
कंपनी का नाम | Company Name : TAYALTECH
संपर्क नंबर | Contact No. : 07697691000
ईमेल आईडी | Email ID : tayaltech1000@gmail.com
पता | Address : C 39, TAYAL TECHNOLOGY HUB, VYAPAR VIHAR, VYAPAR VIHAR, Bilaspur, CHHATTISGARH-495001, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-CG-02-0001836
एमएसई सामाजिक श्रेणी | MSE Social Category : General
एमएसई लिंग श्रेणी | MSE Gender : Male
जीएसटीआईएन | GSTIN : 22AGYPA0164F1ZQ (B), (B), (R), (M)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Tayaltech Rechargeable Battery Breath Alcohol Analyzers ब्रांड Brand : Tayaltech ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Breath Alcohol Analyzers (Q3) मॉडल Model: ALCOKHOJ 2018 एचएसएन कोड HSN Code: 90278090	1	pieces	20,000	NA	20,000
कुल ऑर्डर मूल्य Total Order Value (in INR)						20,000

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : Solapur Indenter 58 ईमेल आईडी Email ID : buyer169.nl.mh@gembuyer.in संपर्क Contact : -	Tayaltech Rechargeable				

1	जीएसटीआईएन GSTIN : - पता Address : NTPC Limited, Solapur Super Thermal Power Project, PO Hotgi Station, At - Fatatewadi South, SOLAPUR, MAHARASHTRA-413215, India	Battery Breath Alcohol Analyzers	-	1	27-Jun-2024	12-Jul-2024
Product Specification for Tayaltech Rechargeable Battery Breath Alcohol Analyzers						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
Battery of Analyzer	Battery Backup Time (continuous duty)	25 hour				
	Low Battery indication	Yes				
	Chemistry of Rechargeable Battery	Li-ion				
	Number of Spare Rechargeable Batteries supplied with the instrument	0				
	Battery Voltage	3.7 Volt				
	Power Source	Rechargeable Battery				
	Battery is BIS Approved	Yes				
	BIS Registration number for Battery under CRS of MeitY	R-91007129				
Display / Indicator / Storage / Interface	Display Type	LCD				
	Record Memory (Minimum)	4000				
	Display Size	2.4 inch				
	If yes, Capable to display the geolocation of test inspection / location	NA				
	GPS	No				
	Data Interface	USB				
	Camera	No				
	Record Entry	Through Alphanumeric Keyboard				
	Availability of audible beeper for over range, low battery etc	Yes				
	If yes, Capable to capture the clear image of test target	NA				
	Record Data Downloadable to PC	Yes				
	Minimum Record Fields	Full Information as per the user's requirement such as Driver Name, Vehicle number, inspector name, test report with time, date, geo-location, instrument id etc.				
Environmental / Certification	Name of the Lab and Address	AMIT LAB Delhi				
	Conformity to Dry Heat test at 50 degree C for 16 hours as per IS :9000 latest	No				
	Test Report Number and Date	ATCC2/775 17-07-2021				
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	No				
	Conformity to Cold test at - 5 / -10 / - 15 / -20 degree C (as applicable) for 4 hours as per IS: 9000 latest	No				
	Availability of Test Reports from Central Govt / NABL approved / ILAC accredited Lab to prove conformity to the specification	No				
Operating Conditions	Maximum Operating Temperature	55 degree Celsius				
	Minimum Operating Temperature	-10 degree Celsius				
	Relative Humidity Non Condensing (%)	80				
Physical	Size (mm x mm x mm)	190mm*43mm*82mm				
	Weight	200 gram				
Printer	Printer consists of Inbuilt Rechargeable Battery, Paper for offence printouts, Charger	NA				
	Printer	Without				
	"Minimum number of printouts that can be taken with single charge of the printer battery (Hint:- Minimum 60 prints, if 'With Printer' May indicate '0' if not applicable)"	0				
	Minimum number of printouts that can be taken with the paper available with the Printer	0				
	Type of Printer	NA				
	BIS Registration number for Printer under CRS of MeitY	NA				

	Print Resolution (dpi)	120
	Printer Battery is BIS Approved	Yes
	BIS Registration number for Printer Battery under CRS of MeitY	NA
Statutory Requirements	If Yes, the equipment meets the requirements of the applicable latest Central Motor Vehicle Rules and all Govt notifications	NA
	Immunity to RF interface, meets requirement as per EN:5008-1/1992(emission) and EN:50082-1:1997 (immunity) or equivalent	Yes
	The equipment can be used as an evidential instrument for Traffic Law Enforcement, The instrument is hand held, portable and easy to operate	Yes
Technology / Performance	RoHS Compliant	No
	Sensor Technology	Semiconductor Alcohol Sensor
	Sampling modes	Both Active and Passive
	Time required for re-calibration	6 month
	Sampling Error Detection	Alarm on wrong sampling
	Barometric Pressure Range (hpa or millibar)	1300 millibar
	Drift of the breath analyzer in 6 months period (mg / 100 ml BAC)	1
	Analytical Response Time (At '0' level of Alcohol)	3 second
	Warm up Time (after putting on)	7 second
	Easily replaceable mouthpiece with Sputum Trap	Yes
	Shelf Life of Fuel Cell	3 year
	Sample Taking Duration	3 second
	Sampling Method	Deep Lung Exhalation Method
	Measuring Range [mg / 100 ml BAC (Blood Alcohol Concentration)]	0 to 400
	Accuracy	+/- 5 % or better
	Analytical Response Time for positive result	3 second
	The Equipment meet RFI requirement as per EN:5008-1/1992(emission) and EN 50082-1:1997(immunity) or equivalent requirements	No
	Recovery Time at (1/2) mg/ltr	1 second
Warranty	Warranty	1 year
ईपीबीजी विवरण ePBG Detail		
NA		
नियम और शर्तें Terms and Conditions		
1. General Terms and Conditions-		
1.1 This contract is governed by the General Terms and Conditions , conditions stipulated to this Product/Service as provided in the Marketplace.		
1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable		
नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।		
Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.		