

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687747784306

अनुबंध तिथि | Generated Date : 27-Jun-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/5053991](#)

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्ररूप Type :	Central Government	पद Designation :	Dy CMM ST
मंत्रालय Ministry :	Ministry of Railways	संपर्क नंबर Contact No. :	-
विभाग Department :	Indian Railways	ईमेल आईडी Email ID :	abdul.haee@gov.in
संगठन का नाम Organisation Name :	South Eastern Railway	जीएसटीआईएन GSTIN :	-
कार्यालय क्षेत्र Office Zone:	South Eastern Railway	पता Address :	11,Garden Reach Road, South Eastern Railway,New Administrative Building, 5th Floor,Kolkata, KOLKATA, WEST BENGAL-700043, India

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राप्तिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	No	Role:	BUYER
प्रशासनिक अनुमोदन का पदनाम	PCOM	भुगतान का तरीका	Railways
Designation of Administrative Approval:	FA&CAO/S/GRC	Payment Mode:	
वित्तीय अनुमोदन का पदनाम		पद Designation :	Dy CMM ST
Designation of Financial Approval :		ईमेल आईडी Email ID :	abdul.haee@gov.in
		जीएसटीआईएन GSTIN :	-
		पता Address:	11,Garden Reach Road, South Eastern Railway,New Administrative Building, 5th Floor,Kolkata, CALCUTTA PORT DIVISION, WEST BENGAL-700043, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID :	B231180000090504
कंपनी का नाम Company Name :	BUSINESS CENTRE- NET
संपर्क नंबर Contact No. :	09830175097
ईमेल आईडी Email ID :	rima@businesscentrenet.org
पता Address :	7/1A,,GRANT LANE,BOWBAZAR, Kolkata, WEST BENGAL-700012, -
एमएसएमई सत्यापिति MSME verified :	No
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-WB-10-0013489
एमएसई सामाजिक श्रेणी MSE Social Category :	General
एमएसई लिंग श्रेणी MSE Gender :	Female
जीएसटीआईएन GSTIN:	19AGJPR7351L1ZN (B) , (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश Delivery Instructions : NA	
--------------------------------------------	--

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : hp Intel Core i3 12100 8 GB/ 1000 GB HDD/ Windows 11 Professional ब्रांड Brand : hp ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्धारा Category Name & Quadrant : Desktop Computers (Q2) मॉडल Model: HP 280 G9 MT i3 12100 815123 MSOff H&B 2021 21.5" एचएसएन कोड HSN Code: HSN not specified by seller	11	pieces	74,850	NA	823,350
2	उत्पाद का नाम Product Name : hp Intel Core i7 All in One PC with 23.8 Inch Display/ Windows 11 Professional ब्रांड Brand : hp ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्धारा Category Name & Quadrant : All in One PC (Q2) मॉडल Model: HP 440 G9 AIO i713700 1615123 MSOff H&B 2021 23.8" एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	114,885	NA	114,885
	उत्पाद का नाम Product Name : EPSON inkjet Mono Computer Printers for A4 paper size ब्रांड Brand : EPSON ब्रांड प्रकार Brand Type : Registered Brand					

3	कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्भासा Category Name & Quadrant : Computer Printers (Q2) मॉडल Model: EPSON M1170 एचएसएन कोड HSN Code: HSN not specified by seller	7	pieces	19,880	NA	139,160
4	उत्पाद का नाम Product Name : ELNOVA Line Interactive UPS with AVR of Rating 1.0 KVA With Warranty of 2 Years ब्रांड Brand : ELNOVA ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्भासा Category Name & Quadrant : Line Interactive UPS with AVR (V2) (Q2) मॉडल Model: I1002 एचएसएन कोड HSN Code: HSN not specified by seller	5	pieces	5,895	NA	29,475
5	उत्पाद का नाम Product Name : ELNOVA Line Interactive UPS with AVR of Rating 0.65 KVA With Warranty of 2 Years ब्रांड Brand : ELNOVA ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्भासा Category Name & Quadrant : Line Interactive UPS with AVR (V2) (Q2) मॉडल Model: T650 एचएसएन कोड HSN Code: HSN not specified by seller	10	pieces	2,100	NA	21,000

कुल ऑर्डर मूल्य | Total Order Value (in INR)

1,127,870

परेषिती विवरण| Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation :- ईमेल आईडी Email ID : jhuma.1210@gov.in संपर्क Contact :- जीएसटीआईएन GSTIN :- पता Address : 11, Garden Reach Road, SE Railway, Kolkata, KOLKATA, WEST BENGAL-700043, India	hp Intel Core i3 12100 8 GB/ 1000 GB HDD/ Windows 11 Professional	-	11	27-Jun-2024	26-Aug-2024
		hp Intel Core i7 All in One PC with 23.8 Inch Display/ Windows 11 Professional	-	1	27-Jun-2024	26-Aug-2024
		EPSON inkjet Mono Computer Printers for A4 paper size	-	7	27-Jun-2024	26-Aug-2024
		ELNOVA Line Interactive UPS with AVR of Rating 1.0 KVA With Warranty of 2 Years	-	5	27-Jun-2024	26-Aug-2024
		ELNOVA Line Interactive UPS with AVR of Rating 0.65 KVA With Warranty of 2 Years	-	10	27-Jun-2024	26-Aug-2024

Product Specification for hp Intel Core i3 12100 8 GB/ 1000 GB HDD/ Windows 11 Professional

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
Processor	Processor Make	Intel
	Processor Generation	12
	Number of Cores per Processor	4
	Processor Base Frequency (GHz)	3.3
	Processor Description	Intel Core i3
	Processor Number	Intel Core i3 12100
	Out of Band Management	NA
	Cache (MB)	12
Chipset	Chipset Series	Intel H Series
	Chipset Number	Intel H670
	Expansion Slots (PCIe x 1) (Number)	1

Motherboard	Expansion Slots (PCIe x 4) (Number)	0
	Expansion Slots (PCIe x 16) (Number)	1
	Expansion Slots (PCI) (Number)	1
	Expansion Slots (M.2) (Number)	2
Graphics	Graphics Type	Integrated
	Graphic Card Description	UHD GFX 730
	Size of Memory in Case of Dedicated Graphic Card (GB)	0
	Size of VRAM in case of Integrated Graphics (MB)	128
Operating System	Operating System (Factory Pre-Loaded)	Windows 11 Professional
	Recovery Image Media	On Line / Cloud
	OS Certification	Windows
Memory	Type of RAM	DDR4
	RAM Size (GB)	8
	RAM Speed (MHz)	3200
	Total Numbers of DIMM Slots Available	2
	Number of DIMM Slots populated	1
	RAM Expandability up to(using spare DIMM Slots in GB)	64
Storage	Total Number of Internal Bays available	2
	Number of 2 point 5 inches internal Bays	0
	Number of 3 point 5 inches Internal Bays	2
	Number of 2 point 5 Inches Internal Bays Populated	0
	Number of 3 point 5 Inches Internal Bays Populated	1
	Type of Drives used to populate the Internal Bays	HDD,SSD
	Number of Internal Bays populated with HDD	1
	Capacity of each HDD (GB)	1000 @7200 rpm
	Total HDD Capacity (GB)	1000
	Number of Internal Bays populated with SSD	1
	Capacity of each SSD (GB)	512
	Total SSD Capacity (GB)	512
	Number of Internal Bays populated with SSHD	0
	Capacity of each SSHD (GB)	NA
	Total SSHD Capacity in addition to 8 GB Flash (GB)	0
	Number of Internal Bays populated with SSED	0
	Capacity of each SSED (GB)	0
	Total SSED Capacity (GB)	0
	Optane Memory (GB)	0
Cabinet	Cabinet Form Factor	Tower (13.1 to 26 Litres)
	Cabinet Volume (Litres)	15.1
	External Bays (Number)	1
	Optical Drive	N/A
	Internal Speaker	Yes
	Audio-in	Yes
	Audio-out	Yes
	Headphone out	Yes
	Microphone-in	Yes
	Wireless Connectivity	No
Connectivity	If Yes, Type of Wireless Connectivity	NA
	Number of Ethernet Ports	1

	Type of Ethernet Ports	10/100/1000 on board Integrated Gigabit Port
	Bluetooth Connectivity	No
	If Yes, Version of Bluetooth Available	0
Ports	Number of USB Version 2 Point 0 Ports	2
	Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	4
	Number of USB Version 3 point 1, Gen 2 Ports	2
	Number of USB Type C Ports	0
	Number of Serial Ports	1
	Number of Parallel Ports	0
	Number of VGA Ports	1
	Number of HDMI Ports	1
	Number of DP Ports	0
Monitor	Model of the Monitor	21.5"
	Monitor Technology	VA
	LED Backlit Monitor Size (INCHES)	21.5
	Monitor Resolution (PIXELS)	1920x1080
	TCO Certification for Monitor	9.0
	Number of VGA Ports in the Monitor	1
	Number of HDMI Ports in the Monitor	1
	Number of Display Ports in the Monitor	0
	Availability of Webcam integrated with Monitor	No
	If Yes, Resolution of Webcam	NA
	Availability of Speakers integrated with Monitor	No
	If Yes, Number of Speakers available	0
Power	Power Supply Capacity (Watt)	260
	Minimum Power Efficiency Range (%)	90 - 94
Certification	ROHS Compliance	Yes
	BEE / Energy Star for the given Model	Yes
Input Devices	Mouse Connectivity	Wired
	Type of Mouse	Optical Scroll
	Keyboard Connectivity	Wired
	Type of Keyboard	Standard
Operating Conditions	Minimum Operating Temperature	5 degree Celsius
	Maximum Operating Temperature	35 degree Celsius
	Minimum Operating Humidity (%RH)	5
	Maximum Operating Humidity (%RH)	90
Warranty	On Site OEM Warranty (Year)	3

खरीदार परिभ्राष्ट अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for hp Intel Core i3 12100 8 GB/ 1000 GB HDD/ Windows 11 Professional

विवरण Specification	मूल्य Value
Microsoft Office	Each Desktop must have licensed Microsoft office H & B 2021 . Seller to give declaration about the same in bid

Product Specification for hp Intel Core i7 All in One PC with 23.8 Inch Display/ Windows 11 Professional

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
Motherboard	Chipset Series	Intel Q Series
	Chipset Number	Intel Q670
	Expansion Slots (M.2)	3

Processor	Processor Make	Intel
	Processor Generation	13
	Number of Cores per Processor	16
	Processor Base Frequency (GHz)	2.1
	Processor Description	Intel Core i7
	Processor Number	Intel Core i7 13700
	Out of Band Management	Intel vPro
	Cache (MB)	30
Graphics	Graphics Type	Integrated
	Graphic Card Description	UHD Graphics 770
	Size of Memory in Case of Dedicated Graphic Card (GB)	0
	Size of VRAM in case of Integrated Graphics (MB)	128
Operating System	Operating System (Factory Pre-Loaded)	Windows 11 Professional
	Recovery Image Media	CD from the OEM / Stored in Partition of the Hard Disk / USB Drive from the OEM / On Line / Cloud,
	OS Certification	Windows
Memory	Type of RAM	DDR4
	RAM Size (GB)	16
	RAM Speed (MHz)	3200
	Total Numbers of DIMM Slots Available	2
	Number of DIMM Slots populated	1
	RAM Expandability up to(using spare DIMM Slots in GB)	64
Storage	Type of Drives used to populate the Internal Bays	HDD,SSD
	Number of Internal Bays populated with HDD	1
	Capacity of each HDD (GB)	1000 @7200 rpm
	Total HDD Capacity (GB)	1000
	Number of Internal Bays populated with SSD	1
	Capacity of each SSD (GB)	512
	Total SSD Capacity (GB)	512
	Optane Memory (GB)	0
Display	Display Size (INCHEs)	23.8
	Display Type	Non Touch
	Panel Technology	IPS
	Display Resolution (PIXELS)	1920x1080
	Availability of Webcam integrated with Display	Yes
	If yes, Resolution of Webcam	FHD
	Availability of Speakers integrated with Display	Yes
	If Yes, Number of Speakers available	2
Connectivity	Wireless Connectivity	Yes
	If Yes, Type of Wireless Connectivity	Wi-Fi 6E AX211 (2X2) + Bluetooth 5.3
	Number of Ethernet Ports	1
	Type of Ethernet Ports	Intel 10/100/1000 Integrated Network Ports for vPRO
	Bluetooth Connectivity	Yes
	If Yes, Version of Bluetooth Available	5.3
	Number of USB Version 2 Point 0 Ports	0
	Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	2
	Number of USB Version 3 point 1, Gen 2 Ports	3

Ports	Number of USB Type C Ports	1
	Number of Serial Ports	0
	Number of VGA Ports	0
	Number of HDMI Ports	1
	Number of DP Ports	2
Generic	Optical Drive	N/A
	Audio-in	No
	Audio-out	No
	Headphone out	Yes
	Microphone-in	Yes
	Stand	Height Adjustable
Power	Power Supply	External
	Power Supply Capacity (Watt)	150
	Minimum Power Efficiency Range (%)	85 - 90
Certification	BIS Registration under CRS of Meity	Yes
	BIS Registration Number and its Validity	R-61002135
	ROHS Compliance	Yes
	BEE / Energy Star for the given Model	Yes
	Other Certification Available	UL,CE,FCC
Input Devices	Mouse Connectivity	Wired
	Type of Mouse	Optical Scroll
	Keyboard Connectivity	Wired
	Type of Keyboard	Standard
Operating Conditions	Minimum Operating Temperature	5 degree Celsius
	Maximum Operating Temperature	35 degree Celsius
	Minimum Operating Humidity (%RH)	5
	Maximum Operating Humidity (%RH)	90
Warranty	On Site OEM Warranty (Year)	3

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for hp Intel Core i7 All in One PC with 23.8 Inch Display/ Windows 11 Professional

विवरण Specification	मूल्य Value
Microsoft Office	Each AIO must have licensed Microsoft office H& B 2021 . Seller to give declaration about the same in bid
Microsoft Office	Each AIO must have licensed Microsoft office H& B 2021 . Seller to give declaration about the same in bid
Microsoft Office	Each AIO must have licensed Microsoft office H& B 2021 . Seller to give declaration about the same in bid

Product Specification for EPSON inkjet Mono Computer Printers for A4 paper size

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
	Printing Technology	inkjet
	Cartridge Technology	Ink
	Type of Printing	Mono
	Paper Size	A4
	Print Speed per minute as per ISO/IEC 24734 in (A4) Size - Mono	20
	Print Speed per minute as per ISO/IEC 24734 in (A4) - Color	0
	Resolution (Dpi)	2400x1200
	Memory (MB)	256
	Hard Disk Capacity (GB)	0
	Processor Speed	750 MHz

Specifications	Duplexing Feature	Yes
	Duplex Print Speed (IPM)	8
	Network Connectivity	Yes
	Network Interface, if available	Ethernet 10/100
	Wireless Connectivity	Yes
	If Yes, Type of Wireless Connectivity	Wireless (802.11 b/g/n)
	USB Port	Yes
	Number of Main Paper Trays	1
	Each Main Paper Tray Capacity	250
	Bypass Tray Facility	Yes
	If Yes, Bypass Tray Capacity	1
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Cyan colour (Number of prints)	0
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Yellow colour (Number of prints)	0
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Magenta colour (Number of prints)	0
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of prints)	6000
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology -Cyan	0
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Yellow	0
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Magenta	0
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black	0
	Duty Cycle (No of Prints/month)	20000
	Minimum Operating Temperature (Degree C)	10
	Maximum Operating Temperature (Degree C)	35
	Minimum Operating Humidity (%RH)	20
	Maximum Operating Humidity (% RH)	80
	BIS Registration under CRS of Meity	Yes
	BIS Registration no	R-41000620
	Other Certifications Available	RoHS
	Dimensions(In mm x mm x mm)	377 x 349 x152
	Weight (In kg)	4.3
	On site OEM warranty (Years)	5

उत्पाद का बीजार्डेस लाइसेंस | BIS license of the product: 41000620

Product Specification for ELNOVA Line Interactive UPS with AVR of Rating 1.0 KVA With Warranty of 2 Years

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
GENERIC	Rating (in KVA)	1.0
	Technology	MOSFET-PWM
	Inverter Efficiency (%)	70% or better
	Minimum Guaranteed Battery Backup time (Minutes) on Full Load	15
	Warranty for Line Interactive UPS	2 Years
Battery/Backup Bank	Type of battery	SMF-VRLA confirming to JIS-C-8702 Pt 1,2 &3
	Location of Battery	Inside the Enclosure of UPS
	Battery capacity (Ah)	7Ah
	Minimum Guaranteed VAH provided to meet or exceed minimum guaranteed Back up time	168
	Battery Make (hint: Name of the Brand)	As per availability
	Battery Model Number	As per availability

	Number of Batteries	2
	Weight of the Battery (kg)	1.8
	Warranty for the battery from the date of delivery	1 Year
CONSTRUCTIONAL	Enclosure	ABS
	Degree of protection	IP 20
	Gross Weight (UPS+Battery) (kg)	7.8
FEATURES	Rated Output (Volt) with Total Harmonic Distortion (%)	Single Phase Quasi Sinewave 230 V AC 50 Hz with Total Harmonic Distortion as <=40%
	Input (Volt)	Single Phase AC (160-280V)
	Salient Features	Maximum 10 milliseconds Switching over time, Load Power Factor >/=0.6
	Variation in AVR output in AC mode (AVR Voltage regulation)	230 Volts +/-9%
	Protection	Under voltage Protection (Input Voltage <160 V), Overvoltage Protection (Input Voltage>280V), Short Circuit of UPS, Low Battery, Overload
BUYER SPECIFIC REQUIREMENT	Environmental Test Report Requirements	NA
	Any Other Requirements	As per Meity (Government of India) guidelines UPS shall have valid IS16242-Part 1 CRS certification
CERTIFICATION / TEST REPORT	Type of lab which carried out Test of Complete Product to prove the conformity of product as per specification	Certificate of Govt. Lab/NABL/ILAC accredited for UPS Testing
	Agree to provide all relevant documents Test Reports/supporting document /reports etc to the buyer at the time of bidding or on demand	Yes

Product Specification for ELNOVA Line Interactive UPS with AVR of Rating 0.65 KVA With Warranty of 2 Years

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
GENERIC	Rating (in KVA)	0.65
	Technology	MOSFET-PWM
	Inverter Efficiency (%)	70% or better
	Minimum Guaranteed Battery Backup time (Minutes) on Full Load	15
	Warranty for Line Interactive UPS	2 Years
Battery/Backup Bank	Type of battery	SMF-VRLA confirming to JIS-C-8702 Pt 1,2 &3
	Location of Battery	Inside the Enclosure of UPS
	Battery capacity (Ah)	7Ah
	Minimum Guaranteed VAH provided to meet or exceed minimum guaranteed Back up time	84
	Battery Make (hint: Name of the Brand)	As per availability
	Battery Model Number	As per availability
	Number of Batteries	1
	Weight of the Battery (kg)	1.8
	Warranty for the battery from the date of delivery	1 Year
CONSTRUCTIONAL	Enclosure	ABS
	Degree of protection	IP 20
	Gross Weight (UPS+Battery) (kg)	4.4
FEATURES	Rated Output (Volt) with Total Harmonic Distortion (%)	Single Phase Sinewave 230v AC 50Hz with Total Harmonic Distortion as <3%
	Input (Volt)	Single Phase AC (160-280V)
	Salient Features	Maximum 10 milliseconds Switching over time, Load Power Factor >/=0.6, +/-10% Variation in output voltage in battery mode, </=0.5 Hz Variation on output frequency in battery mode, UPS shall withstand 10% overload for at least 10 minutes in mains mode, UPS shall withstand 10% overload for at least 5 minutes in mains mode
	Variation in AVR output in AC mode (AVR Voltage regulation)	230 Volts +/-15%
		Under voltage Protection (Input Voltage <160 V), Overvoltage Protection (Input Voltage>280V), Short Circuit

	Protection	of UPS,Low Battery,Overload
BUYER SPECIFIC REQUIREMENT	Environmental Test Report Requirements	NA
	Any Other Requirements	As per Meity (Government of India) guidelines UPS shall have valid IS16242-Part 1 CRS certification
CERTIFICATION / TEST REPORT	Type of lab which carried out Test of Complete Product to prove the conformity of product as per specification	Certificate of Govt.Lab/NABL/ILAC accredited for UPS Testing
	Agree to provide all relevant documents Test Reports/supporting document /reports etc to the buyer at the time of bidding or on demand	Yes

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:3 effective from 28-10-2023

1.1 *'Local content means the amount of value added in India which shall, unless otherwise Prescribed by the Nodal Ministry, be the total value of the item procured (excluding net domestic indirect taxes) minus the value of imported content in the item (including all customs duties) as a proportion of the total value and percent.*

'Class-I local supplier' means a supplier or service provider, whose goods, services or works offered for procurement, has local content equal to or more than 50% as defined under this Order

'Class-II local supplier' means a supplier or service provider, whose goods, services or works offered for procurement, has local content more than 20% but less than 50%, as defined under this Order.

SI.No. SPECIAL TERMS AND CONDITIONS FOR DESKTOP COMPUTERS

1 OPERATING SYSTEM

(i) There is no requirement that the OEM of the Desktop computer systems should be a device partner of Microsoft and hold a Microsoft Authorization form

(ii) Microsoft OS may be sourced directly from Microsoft by the OEMs holding device partner status and those not holding device partner status may source from authorized distributors i.e., M/s. Ingram or M/s. Redington and their authorized channel partners.

(iii) Buyers may ensure that MAF shall not be made a mandatory requirement in bids.

(iv) If the supplies are made as per brands of OEMs who are global device partners, then the serial no of the machine supplied can be used to check the details of the product from the website of the OEM.

(v) In the case of local device partners of Microsoft OS details such as digital key no., should be produced with supplies and the buyer may verify from Microsoft.

(vi) In case of other OEMs who are sourcing from authorized National distributors of Microsoft Reddington or Ingram copy of the invoice which contains the relevant serial no of Windows OS shall be submitted along with supplies and the buyer/consignee can verify the same from the OS server website or by telephone, or both

(vii) In case the product offered is with DOS or Linux Operating system such verification of OS shall not be applicable

2 REQUIREMENT OF OEM LOGO

(i) Buyers are advised to note that the incorporation of the condition stipulating the OEM logo on the motherboard is restrictive and may not be incorporated in the bids

3 CHANGING OR ALTERING THE CONFIGURATION

(i) The seller must refrain from changing or altering the configuration of the factory pre-loaded machine. The machine should be delivered to the purchaser in its original, factory-approved configuration.

4 WARRANTY

(i) The seller shall furnish a valid warranty Certificate/Tag from the OEM to the purchaser, guaranteeing the product's coverage under the specified warranty terms

(ii) The warranty certificate should be verifiable through the OEM website/Customer care center. Buyer/consignee may ensure that as soon as supplies are received, they log to the OEM website/call center and verify the warranty certificate.

5 CHECKPOINTS DURING ACCEPTANCE OF SUPPLIES

(i) Before generating the Consignee Receipt and Acceptance Certificate (CRAC), the consignee may inspect the system condition and verify that it complies with the agreed specifications and configurations and to ensure that there is no scope for the supply of refurbished products.

(ii) In the case of a large number of units procured or complex installations buyer may opt for bidding and accordingly

stipulate conditions regarding installation, inspection by consignees/inspection agency specifying verification of configuration, warranty applicability, checking for refurbished /altered configurations, and checking other relevant details through OEMs website.

- (iv) At the time of receiving supplies, the consignee may ensure the following to ensure that any discrepancies are there in supplies can be flagged and reflected and taken into account while generating CRAC. (i) Packing should be checked properly
(ii) Warranty certificate from OEM should be insisted and checked.
(iii) Instruction manuals, and OS installed should be checked
(iv) The machine serial no should also be checked.
- (v) The above points are for guidance and the buyer/consignee may take steps considered suitable by them for checking at the consignee end before acceptance of the systems

6 COMPLIANCE OF EXTENDED PRODUCER'S RESPONSIBILITY

- (i) With effect from 01.04.23 as per E-waste rules 2022 EPR registration is mandatory for manufacturing entities shall ensure compliance.

7 MANDATORY / STATUTORY REQUIREMENTS AS APPLICABLE

- (ii) OEMs shall have to ensure the mandatory/statutory requirements such as BIS-CRS, ISI Mark, Eco Mark, etc., as per the Government of India Notification issued from time to time for hardware components including monitor, keyboard, mouse, etc., as applicable.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

3. Buyer Added Bid Specific Terms and Conditions-

3.1 *Generic*

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

3.2 *Scope of Supply:*

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

3.3 *Certificates:*

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

3.4 *Service & Support:*

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

3.5 *Service & Support:*

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

3.6 *Buyer Added Bid Specific ATC:*

Buyer uploaded ATC document [Click here to view the file](#).

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.