

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687773329610

अनुबंध तिथि | Generated Date : 28-Jun-2024

| <b>संगठन विवरण   Organisation Details</b>  |  | <b>खरीदार विवरण   Buyer Details</b>                      |  |                                     |   |   |
|--|--|--|--|-------------------------------------|---|---|
| प्ररूप   Type :  | State PSU  | पद   Designation :                                       | EE DIVISION 7  |                                     |   |   |
| मंत्रालय   Ministry :  | -  | संपर्क नंबर   Contact No. :                              | -  |                                     |   |   |
| विभाग   Department :   | Small Scale Industries and Export Promotion Department   | ईमेल आईडी   Email ID :                                   | buycon31.ssiepdup.up@gembuyer.in   |                                     |   |   |
| संगठन का नाम   Organisation Name :   | Uttar Pradesh  | जीएसटीआईएन   GSTIN :                                     | -  |                                     |   |   |
| कार्यालय क्षेत्र   Office Zone :   | N/A  | पता   Address :  | U.P.SMALL INDUSTRIES CORPORATION LTD 110 INDUSTRIAL ESTATE FAZAL GANJ, KANPUR NAGAR, UTTAR PRADESH-208012, India |                                     |   |   |
| कार्यालय क्षेत्र   Office Zone :   | Head Office Kanpur   |  |  |                                     |   |   |
| <b>वित्तीय स्वीकृति विवरण   Financial Approval Detail</b>  |  | <b>भुगतान प्राधिकरण विवरण   Paying Authority Details</b> |  |                                     |   |   |
| आईएफडी सहमति   IFD Concurrence :   | No   | Role:  | BUYER  |                                     |   |   |
| प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval :  | MD UPSIC   | भुगतान का तरीका   Payment Mode:                          | Offline  |                                     |   |   |
| वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval :   | MD   | पद   Designation :                                       | EE DIVISION 7  |                                     |   |   |
|  |  | ईमेल आईडी   Email ID :                                   | buycon31.ssiepdup.up@gembuyer.in   |                                     |   |   |
|  |  | जीएसटीआईएन   GSTIN :                                     | -  |                                     |   |   |
|  |  | पता   Address:   | U.P.SMALL INDUSTRIES CORPORATION LTD 110 INDUSTRIAL ESTATE FAZAL GANJ, KANPUR CITY, UTTAR PRADESH-208012, India  |                                     |   |   |
| <b>विक्रेता विवरण   Seller Details</b>   |  |  |  |                                     |   |   |
| जेम विक्रेता आईडी   GeM Seller ID :  | 80NM220006814873   |  |  |                                     |   |   |
| कंपनी का नाम   Company Name :  | FARRUKHABAD HANDLOOM   |  |  |                                     |   |   |
| संपर्क नंबर   Contact No. :  | 08960858687  |  |  |                                     |   |   |
| ईमेल आईडी   Email ID :   | rohitpandey1307@gmail.com  |  |  |                                     |   |   |
| पता   Address :  | KUIYAN BOOT,FARRUKHABAD HANDLOOM,FARRUKHABAD,FARRUKHABAD, Farrukhabad, UTTAR PRADESH-209625, -   |  |  |                                     |   |   |
| एमएसएमई पंजीकरण संख्या   MSME Registration number :  | -  |  |  |                                     |   |   |
| जीएसटीआईएन   GSTIN:  | 09AAHFF0447R1ZW (R)  |  |  |                                     |   |   |
| *जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा   GST / Tax invoice to be raised in the name of - Buyer |  |  |  |                                     |   |   |
| वितरण निर्देश   Delivery Instructions : NA   |  |  |  |                                     |   |   |
| <b>उत्पाद विवरण   Product Details</b>  |  |  |  |                                     |   |   |
| #  | आइटम विवरण   Item Description  | आइटम विवरण   Ordered Quantity                            | इकाई   Unit  | इकाई मूल्य (INR)   Unit Price (INR) | कर विभाजन (INR)   Tax Bifurcation (INR)                   | मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR) |
| 1  | उत्पाद का नाम   Product Name : Unbranded Executive Table with One side pedestal unit<br>ब्रांड   Brand : NA<br>ब्रांड प्रकार   Brand Type : Unbranded<br>कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM<br>कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM<br>श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Executive Table (V2) (Q3)<br>मॉडल   Model: Executive Table<br>एचएसएन कोड   HSN Code: HSN not specified by seller | 2  | pieces   | 6,000                               | NA  | 12,000  |
| कुल ऑर्डर मूल्य   Total Order Value (in INR)   |  |  |  |                                     |   | 12,000  |
| <b>परोक्षिती विवरण   Consignee Detail</b>  |  |  |  |                                     |   |   |
| क्र.सं.   S.No   | परोक्षिती   Consignee  | वस्तु   Item   | लॉट नंबर   Lot No.   | मात्रा   Quantity                   | दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After | वितरण पूरा कब तक करना है   Delivery To Be Completed By                                  |
| 1  | पद   Designation : EE DIVISION 7<br>ईमेल आईडी   Email ID : buycon31.ssiepdup.up@gembuyer.in<br>संपर्क   Contact : -<br>जीएसटीआईएन   GSTIN : -<br>पता   Address : U.P.SMALL INDUSTRIES CORPORATION LTD 110  | Unbranded Executive Table with One side pedestal unit    | -  | 2                                   | 28-Jun-2024   | 12-Aug-2024   |

**Product Specification for Unbranded Executive Table with One side pedestal unit**

| विनिर्देश   Specification  | उप-विनिर्देश   Sub-Spec                                  | मूल्य   Value  |
|----------------------------|--|--|
| GENERIC                    | Structure /Frame of table                                | Gable end and modesty panel  |
|                            | Frame type   | Freestanding   |
|                            | Accessories /Optional requirement for table              | Internet point   |
|                            | The type of Storage provided                             | One side pedestal unit   |
|                            | Keyboard tray  | Not provided   |
|                            | Footrest   | Not Provided   |
|                            | Mode of supply   | Knocked Down To Be Assembled At Consignee Site By The Seller                                     |
| MATERIAL                   | Tabletop Material  | Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates                  |
|                            | Thickness of table top material (± 1 mm)                 | 25 mm  |
|                            | Gable end material                                       | Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest               |
|                            | The thickness of the gable end                           | 25 mm  |
|                            | Modesty panel material                                   | Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest   |
|                            | The thickness of the modesty panel material              | 18 mm  |
|                            | Gable end and modesty panel plain side                   | Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue                        |
|                            | Table top edges  | Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue                        |
|                            | Leg Material   | NA   |
|                            | The thickness of the Leg material                        | NA   |
|                            | Beam Material  | NA   |
| Number of buffers provided | 4 Numbers at the bottom                                  |  |
| DIMENSION                  | Width of tabletop ±10 mm                                 | 1375 mm  |
|                            | Depth of table ±10 mm                                    | 725 mm   |
|                            | Height of table ±10 mm                                   | 750 mm   |
|                            | Size (L x W) /diameter of leg material ± 5 mm            | NA   |
| EXTENDED RETURN UNIT       | ERU unit consists of                                     | No ERU   |
|                            | ERU top material   | NA   |
|                            | ERU top material thickness ± 2 mm                        | NA   |
|                            | Width of ERU unit ± 10 mm                                | NA   |
|                            | Depth of ERU unit ± 5 mm                                 | NA   |
|                            | Height of ERU unit ± 5 mm                                | NA   |
|                            | ERU side panel material                                  | NA   |
|                            | ERU side panel Thickness ± 2 mm                          | NA   |
|                            | Number of lockable castors at the bottom                 | NA   |
|                            | Size of lockable castors ± 2 mm                          | NA   |
|                            | Type of storage lock system                              | NA   |
|                            | Drawer /storage shutter pull-up mechanism                | NA   |
|                            | ERU outer Surface Finish                                 | NA   |
| ERU shade                  | NA   |  |
|                            | Total Number of drawers /storage in Pedestal units       | One drawer   |
|                            | Complete body facia and drawer material in Pedestal Unit | Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest |

|                   |   |  |
|-------------------|---|--|
| PEDESTAL UNIT     | Thickness of the complete body fascia & drawer material             | 5 mm   |
|                   | Material for back panel in pedestal unit                            | Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest   |
|                   | Back Panel Thickness in Pedestal Unit                               | 7 mm   |
|                   | Drawer Bottom Material  | Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest   |
|                   | Drawer Bottom Material Thickness                                    | 7 mm   |
|                   | Provision of Castor in Pedestal unit                                | Without  |
|                   | Lock provided (for pedestal unit)                                   | Individual lock  |
|                   | Pedestal handle material  | Chrome plated  |
|                   | Pedestal outer finish   | Laminate in color with swede finish 0.6 - 0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side |
|                   | Pedestal shade  | Natural shade  |
|                   | Width of Pedestal unit in mm ( $\pm 10$ mm)                         | 610 mm   |
|                   | Depth of pedestal unit $\pm 10$ mm                                  | 400 mm   |
|                   | Height of pedestal unit $\pm 5$ mm                                  | 230 mm   |
| KEYBOARD TRAY     | Material of keyboard tray and Right angle L-type supporting bracket | NA   |
|                   | Material thickness of keyboard tray $\pm 1$ mm                      | NA   |
|                   | Fixing of supporting bracket  | NA   |
|                   | Length of telescopic channel $\pm 10$ mm                            | NA   |
|                   | Keyboard height $\pm 10$ mm   | NA   |
|                   | Keyboard front width $\pm 10$ mm                                    | NA   |
|                   | Keyboard depth $\pm 10$ mm  | NA   |
| FOOTREST          | Material of footrest  | NA   |
|                   | Material thickness of footrest $\pm 2$ mm                           | NA   |
|                   | Height of footrest $\pm 10$ mm                                      | NA   |
|                   | Width of footrest $\pm 10$ mm                                       | NA   |
|                   | Depth of footrest $\pm 10$ mm                                       | NA   |
| COLOUR AND FINISH | Table top finish  | Minimum 0.8 to 1 mm PVC membrane finish  |
|                   | Tabletop shade  | Oak  |
|                   | Table /ERU /Pedestal Panel Plain Side                               | Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue  |
| WARRANTY          | Warranty period   | 1 Year   |
| CERTIFICATION     | Test reports to be furnished to the buyer on demand                 | No   |
|                   | The product has BIFMA certification                                 | No   |
|                   | OEM of the offered product is ISO 9001:2015 certified               | No   |
|                   | OEM of the offered product is ISO 14001:2015 certified              | No   |
|                   | OEM of the offered product is ISO 45001:2018 certified              | No   |
|                   | The product has GREENGUARD certification                            | No   |
|                   | The product has Green Pro certification                             | No   |

**टिप्पणी | Note::** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.