अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687760099031

अनुबंध तिथि | Generated Date : 12-Jul-2024

संगठन विवरण|Organisation Details

Central PSU प्ररूप|Type: मंत्रालय|Ministry: Ministry of Power

विभाग | Department : NA

संगठन का नाम|Organisation Name : NTPC Limited

कार्यालय क्षेत्र|Office Zone: Kanti खरीदार विवरण|Buyer Details

saurabhlal पद|Designation:

संपर्क नंबर|Contact No. : ईमेल आईडी|Email ID: buycon1244.nl.bh@gembuyer.in

जीएसटीआईएन|GSTIN :

Addl.GM(C&M) MUZAFFARPUR THERMAL POWER STATION

पता|Address : POST OFFICE - KANTI THERMAL, MUZAFFARPUR, BIHAR-843130, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति IFD Concurrence :

प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval:

AGM (Medical)

AGM (Medical)

भुगतान प्राधिकरण विवरण|Paying Authority Details

BUYER Role: भुगतान का तरीका| NTPC Payment Mode:

पद|Designation: saurabhlal ईमेल आईडी|Email ID: buycon1244.nl.bh@gembuyer.in

जीएसटीआईएन|GSTIN :

Addl.GM(C&M) MUZAFFARPUR THERMAL POWER STATION

POST OFFICE - KANTI THERMAL, MUZAFFARPUR, BIHAR-843130, India

पता|Address:

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID: 827D200001082001 कंपनी का नाम|Company Name : ASHOK ENTERPRISES संपर्क नंबर|Contact No. : 09643334880

ईमेल आईडी|Email ID : gem2.niscomed@gmail.com

400, Bagh Kade Khan, Opp. Community Centre, Padam Nagar, पता| Address :

Delhi, DELHI-110007, एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-DL-04-0003013

एमएसई सामाजिक श्रेणी|MSE Social Category : General

एमएसई लिंग श्रेणी|MSE Gender : Male

जीएसटीआईएन|GSTIN: 07AABPN5706D1Z2 (R), (M)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name: niscomed High Vacuum Suction Machine for medical purposes ब्रांड Brand: niscomed त्रांड प्रकार Brand	1	pieces	14,446	NA	14,446
कु	कुल ऑर्डर मूल्य Total Order Value (in INR)					

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : Officer Hemchandra Roy ईमेल आईडी Email ID : con13.nl.bh@gembuyer.in					

1	जीएसटीआईए पता Addres STATION P	oct : 06223-267396- F GSTIN : 10AAACN0255D2ZC is : Addl.GM(C&M) MUZAFFARPUR THERMAL POWER OST OFFICE - KANTI THERMAL, PUR, BIHAR-843130, India	Suction	High Vacuum Machine for Il purposes	-	1	12-Jul-2024	27-Jul-2024		
Product S	Specificat	ion for niscomed High Vacuum Suction Machi	ne for med	dical purpos	es					
विनिर्देश Spe	ecification	उप-विनिर्देश Sub-Spec		मूल्य Value						
		Product description	uct description		High Vacuum suction machine -Medical (Aspiration unit)					
GENERAL FEA	ATURES	Clinical purpose			Suction may be used to clear the respiratory tract/airway of blood, saliva, vomit, or other secretions so that a patient may breathe, also to remove the blood from the area where surgery is to be carried out					
		Application			Minor OT, Surgery, Intencive care unit, Emergency department, Wards, Obstetrics, Gastroenterology, Plastic surgery					
		Material of cabinet (Base, top and panel)	Epoxy powder coated Mild Steel (MS) with SS Top							
		Rust proof housing cabinet and castor wheels	Yes							
		The unit is mounted in such a way as to produce minimum	n vibrations	Yes						
		Material of twin jars/bottles		Glass						
		Suction bottles/jars with Synthetic rubber lid and fitted wi arrangement to prevent overflow of fluid to outside	th	Yes						
		Capacity of each suction bottle/jar graduated (ml)		2000						
		Interconnected jar/bottle with overflow protection device	nected jar/bottle with overflow protection device			Yes				
		Double overflow protection with safety device provided		Yes						
		Non-collapsible suction tubing ID (mm)		10						
		Material of suction tube		Silicon						
MATERIAL &	ION	Minimum Length of suction tube (mtr)		2						
CONSTRUCTI	onstruction	Flutter free vacuum control knob provided		Yes						
		Bacterial suction filter/air filters and water traps between bottle and suction pump provided	the suction	Yes						
		Material of tray		Stainless Steel (SS)						
	Vacuum Gauge (Bourdon tube type) with concentric scale black on white background, mounted in panel, easily visib use of machine	_	"6.25cm dia, 0 to 760mmHg"							
		Entire unit mounted on four castor wheels with minimum	two breaks	Yes						
		Material of castor wheels		Rubber						
		Facility for easy maintenance		Top open						
	Size (HxWxL) (mmxmmxmm)		750x300x350							
		Weight (Kg)		12 to 20						
	Input power supply		220+/-10% V, 50Hz, Single phase AC							
	PERATIONAL & ECHNICAL EQUIREMENTS	Power consumption (Watt)		250						
		Power indicator		Yes						
		Integrated on/off switch on the trolley		Yes						
		In-built maintenance free battery of suitable capacity prov	vided	No						
		Minimum battery backup on full charge (minutes)		NA						
		Power cable for usage in ambulance/car provided		No						
TECHNICAL REQUIREMEN		Motor capacity (HP)		0.25						
		The motor shall conform to IS:996/1979		Yes						
		Type of suction pump		Oil immersed						
		Heavy duty motorized pump for fast vacuum built-up		Yes						
		Minimum air flow displacement of suction pump (Ltrs/Mir	nute)	25 to 30						
		Built-up Vacuum (Maximum)		"-713 +/-10mmHg (-95kPa)"						
		Sound level (Maximum) (dB)		55						
		Compatible 3 core power cord with Indian plug		2 meter lengt	h					
STANDARD ACCESSORIES		Jars/ Bottles (No)		2						

	<u></u>	
	Suction tubing (set)	1
PACKING MODE	The product is packed individually in a wooden/corrugated box including all the accessories in such a way that there will be no transit damage during transportation till destination	Yes
ENVIRONMENTAL	Storage conditions	Temperature 0 deg C to 50 deg C, RH 10% to 90%
CONSIDERATIONS	Work or usage environment	Temperature 10 deg C to 50 deg C, RH 10% to 90%
/ARKING	Product is ISI Marked	No
WIAKKING	BIS License No (CM/L No)	No
	Submission of Test Report from OEM complying the declared specification at the time of supply	YES
	Product certification	EU-CE
	Four digit number of notified body If product is EU-CE certified	6075
CERTIFICATIONS &	Certificate No	CE-6075
REPORTS	Certificate Date	12 May 2022
	Certificate issuring authority	IME Certification
	Certification, performance and safety standards specific to the device	IS:4533/1995,IS:7080 (Part-3)/1992
	Submission of all the certifications and test reports to the buyer along with supplies on demand	Yes
	Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	2
WARRANTY & MAINTENANCE	User technical and maintenance manual detailing complete maintaining schedule with routine maintenance should be provided	Yes
	Contact details of manufacturer, supplier and local service agent to be provided	Yes

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें|Terms and Conditions

1. Special terms and conditions- Version:2 effective from 11-11-2022

1.1

- All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organisation (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
- The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
- 3. The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
- 4. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
- 5. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
- 6. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
- 7. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination.. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
- 8. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are

- available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
- 9. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
- 10. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
- 11. Software: All software updates should be provided free of cost during warranty period.
- 12. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

2. General Terms and Conditions-

- 2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.