

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687771346208

अनुबंध तिथि | Generated Date : 18-Jul-2024

## संगठन विवरण | Organisation Details

प्ररूप | Type : State Government  
मंत्रालय | Ministry : -  
विभाग | Department : Home Department Maharashtra  
संगठन का नाम | Organisation Name : Maharashtra State Police Wireless Pune  
कार्यालय क्षेत्र | Office Zone : Additional Dgp And Dpw Ms Pune

## खरीदार विवरण | Buyer Details

पद | Designation : DySP MOTOR TRANSPORT AUNDH  
संपर्क नंबर | Contact No. : 020-25880718-  
ईमेल आईडी | Email ID : gayatri.pawar@gov.in  
जीएसटीआईएन | GSTIN : -  
पता | Address : BODY GATE POLICE LINE, BRAMEN CHOUK, PUNE, MAHARASHTRA-411007, India

## वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No  
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval: Supritendant of Police  
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval: Administrative officer

## भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: BUYER  
भुगतान का तरीका | Payment Mode: Offline  
पद | Designation : DySP MOTOR TRANSPORT AUNDH  
ईमेल आईडी | Email ID : gayatri.pawar@gov.in  
जीएसटीआईएन | GSTIN : -  
पता | Address: BODY GATE POLICE LINE, BRAMEN CHOUK, Pune, MAHARASHTRA-411007, India

## विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : 3FSK210004545864  
कंपनी का नाम | Company Name : AVN ENTERPRISES  
संपर्क नंबर | Contact No. : 08799802129  
ईमेल आईडी | Email ID : avnenterprises84@gmail.com  
पता | Address : FL-202, S.NO.66/67,CHINTAMANI CONSTRUCTION,DHANAJAY BUILDING,NDA ROAD , UTTAMNAGAR,SHIVANE UTTAM NAGAR, Pune, MAHARASHTRA-411023, -  
एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-MH-26-0204498  
एमएसई सामाजिक श्रेणी | MSE Social Category : General  
एमएसई लिंग श्रेणी | MSE Gender : Female  
जीएसटीआईएन | GSTIN: 27ALEPJ8920D1Z8 (R)

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

## वितरण निर्देश | Delivery Instructions : NA

## उत्पाद विवरण | Product Details

| #                                            | आइटम विवरण   Item Description                                                                                                                                                                                                                                                                                                                                                                                                                   | आइटम विवरण   Ordered Quantity | इकाई   Unit | इकाई मूल्य (INR)   Unit Price (INR) | कर विभाजन (INR)   Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR) |
|----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------|-------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------|
| 1                                            | उत्पाद का नाम   Product Name : Unbranded Almirah Steel shelving cabinets<br>ब्रांड   Brand : NA<br>ब्रांड प्रकार   Brand Type : Unbranded<br>कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM<br>कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM<br>श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Almirah Steel (V2) (Q3)<br>मॉडल   Model: NA<br>एचएसएन कोड   HSN Code: HSN not specified by seller | 1                             | pieces      | 8,000.1                             | NA                                      | 8,000.1                                                                                 |
| कुल ऑर्डर मूल्य   Total Order Value (in INR) |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                               |             |                                     |                                         | 8,000.1                                                                                 |

## परोक्षिती विवरण | Consignee Detail

| क्र.सं.   S.No | परोक्षिती   Consignee                                                                                                                                                                                              | वस्तु   Item                              | लॉट नंबर   Lot No. | मात्रा   Quantity | दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After | वितरण पूरा कब तक करना है   Delivery To Be Completed By |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|--------------------|-------------------|-----------------------------------------------------------|--------------------------------------------------------|
| 1              | पद   Designation : DySP MOTOR TRANSPORT AUNDH<br>ईमेल आईडी   Email ID : gayatri.pawar@gov.in<br>संपर्क   Contact : 020-25880718-<br>जीएसटीआईएन   GSTIN : -<br>पता   Address : BODY GATE POLICE LINE, BRAMEN CHOUK, | Unbranded Almirah Steel shelving cabinets | -                  | 1                 | 18-Jul-2024                                               | 02-Aug-2024                                            |

## Product Specification for Unbranded Almirah Steel shelving cabinets

| विनिर्देश   Specification | उप-विनिर्देश   Sub-Spec                                     | मूल्य   Value                                                                     |
|---------------------------|-------------------------------------------------------------|-----------------------------------------------------------------------------------|
| GENERAL REQUIREMENT       | Technical specification of Almirah steel                    | Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)   |
|                           | Type of Almirah steel                                       | Almirah Steel shelving cabinets                                                   |
|                           | Construction type                                           | Welded                                                                            |
|                           | Installation                                                | Free standing                                                                     |
|                           | Pedestal                                                    | Yes                                                                               |
|                           | Pedestal fitted with                                        | 3 mm Teflon Bush                                                                  |
|                           | Pedestal height ( $\pm 5$ mm)                               | 125 mm                                                                            |
|                           | Locker required                                             | No                                                                                |
|                           | Door type                                                   | Hinged                                                                            |
|                           | Number of door                                              | 2                                                                                 |
|                           | Number of hinges (for each door)                            | 2                                                                                 |
|                           | Door stiffener up to full door height provided              | No                                                                                |
|                           | Mirror fitted                                               | No mirror                                                                         |
|                           | Number of drawers required                                  | No Drawer                                                                         |
|                           | Shelves required                                            | Fixed                                                                             |
|                           | Number of shelves                                           | No Shelves                                                                        |
|                           | Uniformly distributed load (UDL) for shelves                | 60 Kgs.                                                                           |
|                           | Wardrobe by style                                           | No wardrobe                                                                       |
|                           | Tie Hanger                                                  | No                                                                                |
|                           | Colour of finish                                            | Silver Grey                                                                       |
| MATERIAL                  | Steel sheet material                                        | Mild steel sheets conforming to grade HR1 of IS 1079:2009 (with latest amendment) |
|                           | Sheet rounds and flats                                      | Conforming to grade E250 of IS 2062                                               |
|                           | Screws                                                      | Conforming to IS 1365                                                             |
|                           | Hanging rod material                                        | No hanging rod                                                                    |
|                           | Mirror frame made out of (if provided)                      | Mild steel sheets                                                                 |
|                           | Tie hanger made out of                                      | Mild steel sheets                                                                 |
|                           | Stiffener material                                          | MS sheet                                                                          |
| DIMENSION                 | Almirah height(excluding the height of pedestal) $\pm 5$ mm | 1980 mm                                                                           |
|                           | Almirah width $\pm 5$ mm                                    | 910 mm                                                                            |
|                           | Almirah depth $\pm 5$ mm                                    | 480 mm                                                                            |
|                           | Locker inside height $\pm 5$ mm                             | No locker                                                                         |
|                           | Locker inside width $\pm 5$ mm                              | N.A                                                                               |
|                           | Locker inside depth $\pm 5$ mm                              | N.A                                                                               |
|                           | Drawer height                                               | N.A                                                                               |
|                           | Drawer width                                                | N.A                                                                               |
|                           | Drawer depth                                                | N.A                                                                               |
|                           | Mirror sizes                                                | N.A                                                                               |
|                           | Shelves lipped flange                                       | N.A                                                                               |
|                           | Side sheet thickness                                        | 1 mm                                                                              |
|                           | Back sheet thickness                                        | 1 mm                                                                              |
|                           | Top sheet thickness                                         | 1 mm                                                                              |
|                           | Bottom sheet thickness                                      | 1 mm                                                                              |
|                           | Shelves sheet thickness                                     | 0.9 mm                                                                            |
|                           | Shelves supporting bracket thickness                        | N.A                                                                               |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                          |                                                                                                         |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Door metal stiffener thickness                                                                                                                           | 0.8 mm                                                                                                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Pedestal sheet thickness                                                                                                                                 | 0.8 mm                                                                                                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Hinges sheet thickness                                                                                                                                   | 1.6 mm                                                                                                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | locker door sheet thickness                                                                                                                              | 0.9 mm                                                                                                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Drawer sheet thickness                                                                                                                                   | 0.8 mm                                                                                                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Hanging rod wall thickness                                                                                                                               | N.A                                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Hanging rod diameter ±2 mm                                                                                                                               | N.A                                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Mirror frame sheet thickness                                                                                                                             | N.A                                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Mirror frame border width                                                                                                                                | N.A                                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Tie hanger sheet thickness                                                                                                                               | N.A                                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Width of stiffener                                                                                                                                       | N.A                                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Stiffener sheet thickness                                                                                                                                | N.A                                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Number of glass sheet fixed                                                                                                                              | N.A                                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Handle size                                                                                                                                              | 15 cm                                                                                                   |
| LOCKS AND LOCKING ARRANGEMENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Steel Almirah lock/locker lock                                                                                                                           | Six lever lock                                                                                          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Material of lock                                                                                                                                         | Finish having brass levers and MAZAK/ZAMAK bolt having Zinc plated finish along with MAZAK/ZAMAK handle |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Duplicate keys (for each)                                                                                                                                | Yes                                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Keys material (for each lock)                                                                                                                            | Steel                                                                                                   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Steel Almirah locking mechanism                                                                                                                          | A three way bolting device controlled by a lock                                                         |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Door handle material for almirah lock                                                                                                                    | Stainless steel                                                                                         |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Handle material for locker                                                                                                                               | Stainless steel                                                                                         |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Lockers locking mechanism                                                                                                                                | N.A                                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Drawer lock                                                                                                                                              | N.A                                                                                                     |
| FINISH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | All the mild steel parts shall be given phosphating treatment                                                                                            | N.A                                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | The process of application of phosphate coating                                                                                                          | N.A                                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Finish coat with enamels                                                                                                                                 | Stoving enamel                                                                                          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Powder coating                                                                                                                                           | N.A                                                                                                     |
| TESTING AND CERTIFICATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification | No                                                                                                      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Test Report Number and Date                                                                                                                              | NA                                                                                                      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Name and Address of the Lab                                                                                                                              | NA                                                                                                      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Test reports to be furnished to buyer on demand, if claimed to be available                                                                              | Yes                                                                                                     |
| टिप्पणी   Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies. |                                                                                                                                                          |                                                                                                         |
| ईपीबीजी विवरण   ePBG Detail                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                          |                                                                                                         |
| NA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                          |                                                                                                         |
| नियम और शर्तें   Terms and Conditions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                          |                                                                                                         |
| 1. General Terms and Conditions-                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                          |                                                                                                         |
| 1.1 This contract is governed by the <a href="#">General Terms and Conditions</a> , conditions stipulated to this Product/Service as provided in the Marketplace.                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                          |                                                                                                         |
| 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable                                                                                                                                                                                                                           |                                                                                                                                                          |                                                                                                         |
| नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                          |                                                                                                         |

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.