

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687744785693

अनुबंध तिथि | Generated Date : 25-Mar-2024

<b>संगठन विवरण   Organisation Details</b>		<b>खरीदार विवरण   Buyer Details</b>				
प्ररूप   Type :	State Government	पद   Designation :	SANJAY YADAV			
मंत्रालय   Ministry :	-	संपर्क नंबर   Contact No. :	-			
विभाग   Department :	Woman Welfare Department Uttar Pradesh	ईमेल आईडी   Email ID :	sanjay.51645@gov.in			
संगठन का नाम   Organisation Name :	N/A	जीएसटीआईएन   GSTIN :	-			
कार्यालय क्षेत्र   Office Zone:	Mau	पता   Address :	Collectrate Building, Mau, Uttar Pradesh, MAU, UTTAR PRADESH-275101, India			
<b>वित्तीय स्वीकृति विवरण   Financial Approval Detail</b>		<b>भुगतान प्राधिकरण विवरण   Paying Authority Details</b>				
आईएफडी सहमति   IFD Concurrence :	No	Role:	BUYER			
प्रशासनिक अनुमोदन का पदनाम	DPO	भुगतान का तरीका	Offline			
Designation of Administrative Approval:		Payment Mode:				
वित्तीय अनुमोदन का पदनाम	DPO	पद   Designation :	SANJAY YADAV			
Designation of Financial Approval :		ईमेल आईडी   Email ID :	sanjay.51645@gov.in			
		जीएसटीआईएन   GSTIN :	-			
		पता   Address:	Collectrate Building, Mau, Uttar Pradesh, Mau, UTTAR PRADESH-275101, India			
<b>विक्रेता विवरण   Seller Details</b>						
जेम विक्रेता आईडी   GeM Seller ID :	Z2VL230008191363					
कंपनी का नाम   Company Name :	MAHAVEER CONSTRUCTION					
संपर्क नंबर   Contact No. :	08707497756					
ईमेल आईडी   Email ID :	sumittiwari3110@gmail.com					
पता   Address :	538 KH DEEN DAYAL NAGAR SITAPUR ROAD LUCKNOW,ITAPUR ROAD LUCKNOW, Lucknow, UTTAR PRADESH-226020, -					
एमएसएमई पंजीकरण संख्या   MSME Registration number :	UDYAM-UP-50-0085312					
एमएसई सामाजिक श्रेणी   MSE Social Category :	General					
एमएसई लिंग श्रेणी   MSE Gender :	Male					
जीएसटीआईएन   GSTIN:	09ABVFM6583G1ZF					
<b>*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा   GST / Tax invoice to be raised in the name of - Buyer</b>						
<b>वितरण निर्देश   Delivery Instructions : NA</b>						
<b>उत्पाद विवरण   Product Details</b>						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : GLOBE SHIV Portable RO Plant For Haemodialysis upto 2 HD Machine with capacity 125 Ltrs/hour ब्रांड   Brand : GLOBE SHIV ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Portable RO Plant For Haemodialysis (Q3) मॉडल   Model: GWTA 150 एचएसएन कोड   HSN Code: HSN not specified by seller	1	pieces	49,900	NA	49,900
कुल ऑर्डर मूल्य   Total Order Value (in INR)						49,900
<b>परेषिती विवरण   Consignee Detail</b>						
क्र.सं.   S.No	परेषिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation : SANJAY YADAV ईमेल आईडी   Email ID : sanjay.51645@gov.in संपर्क   Contact : - जीएसटीआईएन   GSTIN : -	GLOBE SHIV Portable RO Plant For Haemodialysis upto 2 HD Machine with	-	1	25-Mar-2024	09-Apr-2024

	पता Address : Collectrate Building, Mau, Uttar Pradesh, MAU, UTTAR PRADESH-275101, India	capacity 125 Ltrs/hour			
<b>Product Specification for GLOBE SHIV Portable RO Plant For Haemodialysis upto 2 HD Machine with capacity 125 Ltrs/hour</b>					
<b>विनिर्देश Specification</b>	<b>उप-विनिर्देश Sub-Spec</b>	<b>मूल्य Value</b>			
GENERAL FEATURES	Product name	Portable RO Plant For Hemodialysis			
	Clinical purpose	To produce RO water enough for two to five dialysis machines			
PRODUCT FUNCTIONAL FEATURES	Should provide water quality as per ISO-13959/23500 or AAMI standard for dialysis	Yes			
	Should be of compact design trolley on wheels for easy movement	Yes			
	The system should be microprocessor based and capable to display parameters such as input and output water conductivity,feed flow, permeable flow,reject flow, temperature of permeate waterand pressure	Yes			
	Minimum Plant Capacity (Liters/hour)	125 Ltrs/hour			
	RO Plant suitable for	upto 2 HD Machine			
	Hardness of feed water should be less than 200 ppm	Yes			
	RO plant should have built in dual column softener with fully automated brine, fill and clean cycles, also have a brine tank incorporated in the system	Yes			
	RO plant should have built in cartridge type Charcoal Filter	Yes			
	Charcoal Filter size	5 micron			
	Chemical disinfection & decalcification system	Semi-automatic/Automatic			
	Provision of automated heat disinfection of internal flow path and permeate loop	No			
	Plant should have built in cartridge filter	Yes			
	Cartridge filter size	20 micron			
	Should have programmable fully automated rinse cycle for membrane wash	Yes			
	Provision of OFF line mode and ONLINE mode of permeate supply	Yes			
	There should be a water saving system in place which adjusts the output to the number of machines in use and control yield accordingly	Yes			
	Yield should be between 50 to 70 %	Yes			
	Plant should have leakage sensor	Yes			
	Provision of U-V lamp before RO membrane	Yes			
	Should not have noise level more than 65 dB	Yes			
	Should have detailed error reporting	Yes			
	Alarm against low feed water, high output conductivity and low rejection rate	Yes			
	Provision of software update via SD Card or Ethernet	Yes			
ACCESSORIES AND CONSUMABLES	All accessories and consumables for installation and standardization of equipment required to be provided for smooth functioning of the equipment	Yes			
	All spare parts and consumables should be available with the supplier for a period of at least 10 years after commission	Yes			
ELECTRICAL FEATURES	Should have auto start/stop programming Facility	Yes			
	LED indicator on front panel for status of machine	Yes			
	Power supply	220-240 VAC, 50Hz fitted with Indian plug			
	Online UPS of suitable rating to be provided for power back up of atleast 30 minutes in case of power failure	No			
ENVIRONMENTAL CONSIDERATIONS	The unit shall be capable of being stored continuously in ambient temperature of 0-40 deg C and relative humidity of 15-90%	Yes			
	The unit shall be capable of operating continuously in ambient temperature of 10 -40 deg C and relative humidity of 30-85 %	Yes			
PACKING MODE	The product should be packed with all its accessories and consumables in such a way that there will be no transit damage during transportation till destination	Yes			
CERTIFICATIONS &	Availability of test report/quality assurance report from parent manufacturer	YES			
	Product certification	EU-CE/US-FDA/BIS			
	Product Certificate No	G116052449202028			
	Product Certificate Date	09.06.2016			

REPORTS	Product Certificate issuing authority	TUV
	Four digit number of notified body If product is EU-CE certified	123
	Conformity to Manufacturer's Certification (copy of the same should be submitted to buyer)	ISO 13485
	Submission of all the certifications and water test report to the buyer along with supplies	Yes
INSTALLATION & TRAINING	Supplier to perform installation, safety and operation checks before handover	Yes
	Training of users in machine operation, trouble shooting aspects and basic maintenance shall be provided	Yes
	Contact details of manufacturer, supplier and local service agent to be provided	Yes
WARRANTY	Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	2
DOCUMENTATION	User/Technical/Maintenance manuals to be supplied in English	Yes
	Certificate of calibration to be provided	Yes
<p><b>टिप्पणी   Note::</b> Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p><b>ईपीबीजी विवरण   ePBG Detail</b></p>		
NA		
<p><b>नियम और शर्तें   Terms and Conditions</b></p>		
<p><b>1. Special terms and conditions- Version:2 effective from 25-05-2021</b></p>		
<p><b>1.1 1. Comprehensive warranty:</b></p> <p>Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer:x2s technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.</p>		
<p><b>2. Service centres:</b></p> <p>Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.</p>		
<p><b>3. Source of supply:</b></p> <p>It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.</p>		
<p><b>4. Packing and Marking:</b></p> <p>Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within &amp; outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of goods including quantity ,. Packing list reference number , country of origin of goods and any other relevant details.</p>		
<p><b>5. Spare Parts:</b></p> <p>Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.</p> <p>OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied</p>		
<p><b>6. Installation, Training, Manuals:</b></p> <p>Seller shall be responsible to carry out Installation &amp; commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee:x2s representatives for operating and maintaining the equipment and Supplying required number of operation &amp; maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable.</p>		
<p><b>7. Electrical safety checking:</b></p> <p>Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.</p>		

**8. Software:**

All software updates should be provided free of cost during warranty period.

**2. General Terms and Conditions-**

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.